



STORZ®
Ophthalmic Instruments

Ophthalmic
Instrument
Catalogue



CATARACT



LASER



RETINA

BAUSCH+LOMB

See better. Live better.

Table of Contents



Legal Manufacturer as per Medical Device Directive*

Bausch + Lomb GmbH
Im Schuhmachergewann 4
69123 Heidelberg · Germany

© Bausch & Lomb Incorporated. All rights reserved.
®/™ are trademarks of Bausch & Lomb Incorporated or its affiliates. All other brand/product names are trademarks of their respective owners.
All original illustrations and text in this publication are fully protected by copyright, no part of it may be reproduced in any form without written permission by the publisher. Size specifications are stated as accurately as possible. Tip drawings are enlarged to show tip detail.

*for all instruments manufactured in Germany

Legend



Units per Box



Single-use



Designed for
Sub-2mm Cataract Surgery



Instrument can be part
of Single-Use Customised
Per Procedure Tray



STORZ®

Ophthalmic Instruments

Bausch + Lomb is pleased to introduce the new edition of our instrument catalogue. Inside you will find the entire Bausch + Lomb Storz Ophthalmic Instruments product line covering both reusable and single-use medical devices for cataract, vitreoretinal, refractive and general ophthalmic surgery.

About Bausch + Lomb

Bausch + Lomb, a division of Bausch Health Companies Inc. (NYSE: BHC) (TSX: BHC), is solely dedicated to protecting and enhancing the gift of sight for millions of people around the world – from the moment of birth through every phase of life. Our mission is simple yet powerful: Helping you see better to live better.

The company is one of the best-known and most respected healthcare brands in the world, offering a broad range of eye health products including contact lenses and lens care products, pharmaceuticals, intraocular lenses and other eye surgery products.

Our highest priority is the well-being of the people we serve. By listening to our customers and patients, by constantly honing our innovation edge, by executing with integrity and excellence, we strive to earn the trust of our partners and stakeholders.

Over the last 150 years, Bausch + Lomb has become a global hallmark for innovation and quality. Our talented and motivated colleagues work relentlessly to invent new materials, engineer new technologies, and ultimately bring new innovations to help people see better to live better.

Further information is available at www.bausch.com.



STORZ®

Ophthalmic Instruments



Ophthalmic Instruments

Trusted Quality.
Leading Design.



Bausch + Lomb provides surgeons with the tools and technology to perform all the latest techniques for the treatment of cataract, refractive and vitreoretinal conditions.



Our History

For over 120 years, Storz Ophthalmic Instruments have been recognized around the world for industry leading quality and innovation. Each of our surgical instruments are designed, manufactured and tested with surgeons involved throughout the entire process. This ensures the instruments delivered from our Manufacturing Centers of Excellence meet quality and performance expectations.

The history of Storz Ophthalmic Instruments began in 1782 when, after four years of training in Paris, Johann Jacob Storz returned to his hometown of Tuttlingen, Germany, to set up a knife-making company. This soon became the major craft of Tuttlingen and his fine design and workmanship made his products desirable in the finer homes of Germany.

His grandson, Adam Storz, also travelled to the French capital, where he studied how to make surgical instruments. He also returned to Tuttlingen and worked with the knife-makers trained by his grandfather, who were quick to enter this new field. Soon Tuttlingen was also known for its instrument industry.

Born in 1872, Adam's son Charles R. Storz, learned the art of surgical instrument-making from his father and added to this his experience in the design and manufacture of instruments at Wurzburg, one of Germany's early medical centers. He emigrated to the United States in 1893 and was actively designing and supervising surgical instrument manufacture until his retirement in 1960, a year before his death at the age of 90.

In 1983, the Klein Company, originally set up by Leonhard Klein in Heidelberg, Germany, was acquired by the Storz Instrument Company. This company was known for its excellence in the design and manufacture of surgical instruments, which, on completion of the merger, were integrated into the Storz line of instruments.

In December 1997, Bausch + Lomb acquired both Chiron Vision and the Storz Instrument Company, two renowned companies in the field of ophthalmology, and created its Surgical division. Since then Bausch + Lomb have built on these acquisitions to offer a wide range of surgical products, including a full range of microsurgical instruments for ophthalmology, offering surgeons support in achieving the best surgical outcomes using their preferred techniques.

In October 2007, Warburg Pincus led the acquisition of Bausch + Lomb, which had previously been a publicly traded NYSE company. In August of 2013, Bausch + Lomb was acquired by Bausch Health Companies Inc. and became the eye care subsidiary of Bausch Health.

Bausch + Lomb Storz Ophthalmic Instruments produces fine instruments to satisfy the individual needs of surgeons by providing trusted quality and leading design at their fingertips.



Trusted Quality

Today, Bausch + Lomb continues its rich heritage of instrument making by designing and manufacturing high-precision microsurgical instruments. Its manufacturing facilities in Heidelberg, Germany, and St. Louis, Missouri, USA, offer not only highly skilled and experienced craftsmen, but also employ the latest technological advancements.

A key to the success of Bausch + Lomb has been its ability to maintain hand-crafted excellence, while adapting to an ever-changing surgical environment with the latest instrument designs. The integration of laser technology has helped in the manufacturing process by ensuring consistency in the quality of the instruments produced.

Bausch + Lomb maintains a strong quality culture across the company. All Bausch + Lomb facilities are certified according to EN ISO 13485 as well as the European Medical Devices Directive 93/42/EEC, Annex II to ensure compliance with CE marking requirements.



Leading Design

We know the best ideas come from those with firsthand experience using our instruments. That is why we work with surgeons around the globe to create new instruments that meet the challenges of modern surgical techniques with the goal of providing the finest patient care possible.



All surgical instruments eventually require maintenance and repair. Bausch + Lomb are fully equipped to recondition your instruments. The Bausch + Lomb maintenance of value service guarantees to return your instrument to »like new« condition and preserve your investment, ensuring long-lasting service at a fraction of the cost of replacement. Instrument repairs are performed by highly skilled master craftsmen.




Maintenance of Value Service in Heidelberg, Germany





Instruments are repaired and refurbished in approximately one week.

For the most up-to date overview of available instruments, visit our online catalogue: www.storzeye.eu

To find out if the Maintenance of Value Service is available in your country, or for more information, please contact your local Bausch + Lomb representative or distributor.







Calipers, Gauges & Rulers

LRI	10
Multiple Use	10
Rulers	12




Calipers, Gauges & Rulers

LRI

E2430

Whitman Axis Marker

x 1



This instrument features an astigmatic dial marked in degrees on its anterior surface for setting the desired location of the lens implant while the posterior surface provides two large radial blades which correspond to the axis on the dial. These blades marked with a sterile marking pen are aligned under the surgical microscope with limbal markings made pre-operatively at the 180° axis, or 3 and 9 o'clock. Once aligned, the instrument is pressed onto the surface of the eye, leaving two opposing long radial marks in the mid periphery of the cornea. The toric alignment markings on the IOL can then be easily aligned with these radial marks. Overall length 81 mm.



ET2423

Nichamin Degree Gauge

x 1



As a modification of the popular Fine-Thornton Fixation Ring. This instrument is designed to facilitate placement of limbal relaxing incisions when treating corneal astigmatism. The two, 180° opposed, broad hash marks are to be aligned with the steep corneal meridian. Centering the ring over the patient's positive astigmatic axis. 10° marks distinguish the extent of arc to be incised. This instrument can also be used to move the globe into position to allow for perpendicular placement of the incisions and to steady the eye when using topical anaesthesia. Overall length 117 mm.




Multiple Use

57051

Castroviejo Caliper

x 1

Straight. 0-15 mm range of measurement.
Overall length 75 mm.



57052

Castroviejo Caliper

x 1

Straight. 0-20 mm. Range of measurement.
Overall length 80 mm.



Multiple Use

E2402

Braunstein Fixed Caliper 3.5 / 4.0 mm



Fine tips mark sclerotomy sites for vitreous surgery. Aphakic 3.0 mm and phakic 3.5 mm. Overall length 80 mm.



E2404

Castroviejo Caliper



Caliper measures from 0 mm to 20 mm in 1 mm increments with scale reading on both sides. Thumbscrew holds tips apart at desired setting. Overall length 86 mm.



E2410

Jameson Caliper



Measures 0 mm to 80 mm in 1 mm increments. Narrow, flat 3 mm tips and a thumbscrew for locking the caliper at the desired setting. Overall length 94 mm.



E2421

Mendez Degree Gauge



Used to determine incision angles. Calibrated every 10° from 0° to 180°. Inner dimensions 12 mm. Round knurled handle. Stainless, dull finish. Overall length 113 mm.



E2433

Boehnke-Mendez Domed Degree Marker



Modification to the popular Mendez Degree Marker. The ring is dished for a better fit to the anatomy of the eye. Designed to improve stability, reduce reflection and conform to the eye. Overall length 113 mm.



6-700

Maloney Keratometer



Cone-shaped instrument designed to reflect the microscope light in rings on the cornea to detect astigmatism. Titanium.




Rulers

56081

Ruler, Model Giessen

Overall length 30 mm.





Cannulas

Air Injection	14
Anesthesia	15
Anterior Chamber	16
Aspirating	18
Capsule Polishing	18
Cortex Extractors	20
Cystotomes	21
Hydrodissection	21
Infusion	23
Irrigating	24
Irrigating Aspirating	26
Irrigating Vectus	27
Lacrimal	27
Viscoelastic	30




Cannulas

Air Injection

85050-6

Sautter Air Injection Cannula

x 6




27GA. flattened tip. Shaft 22 mm. 6/box.



85050Y1-6

Sautter Air Injection Cannula

x 6



Turned 90°. 27GA. Shaft 22 mm. 6/box.



85100-6

Air Injection Cannula Mod. Tuebingen

x 6



30GA. 14 mm. 6/box.



E0499 27

Air Injection Cannula 27 Gauge

x 1



27 Gauge. Angled 45° shaft, 5 mm from tip to bend with polished finish. Overall length excluding hub 19 mm.



E0499 30

Air Injection Cannula 30 Gauge

x 1



30 Gauge. Angled 45° shaft, 5 mm from tip to bend with polished finish. Overall length excluding hub 19 mm.



E4924 25

Fogla Air Injection Cannula 25 Gauge

x 1



This 25 Gauge bottom port cannula is used while injecting air into deep corneal stroma in DALK surgery. The blunt tip helps avoid deeper perforation into the anterior chamber and the flattened cannula is easily inserted into the corneal stromal pocket. The bottom port directs air posteriorly in order to achieve the big bubble. The lamellar track should be created using the Fogla Pointed Dissector (E0480) prior to introducing this cannula. Overall length excluding hub 18 mm.



Air Injection

E4924 27

Fogla Air Injection Cannula 27 Gauge



This 27 Gauge bottom port cannula is used while injecting air into deep corneal stroma in DALK surgery. The blunt tip helps avoid deeper perforation into the anterior chamber and the flattened cannula is easily inserted into the corneal stromal pocket. The bottom port directs air posteriorly in order to achieve the big bubble. The lamellar track should be created using the Fogla Pointed Dissector (E0480) prior to introducing this cannula. Overall length excluding hub 18 mm.



Anesthesia

ED7131

Retrobulbar Needle 23 Gauge



Atkinson style bevel. 23 Gauge. 10/box.
Overall length excluding hub 38 mm.



ED7132

Peribulbar Needle 23 Gauge



Atkinson style bevel. 23 Gauge. 10/box.
Overall length excluding hub 32 mm.



ED7133

Retrobulbar Needle 25 Gauge



Atkinson style bevel. 25 Gauge. 10/box.
Overall length excluding hub 38 mm.



ED7134

Peribulbar Needle 25 Gauge



Atkinson style bevel. 25 Gauge. 10/box.
Overall length excluding hub 32 mm.



Cannulas

Anesthesia

ED7135

Retrobulbar Needle 25 Gauge

x10




25 Gauge. Packaged sterile. Single-Use. 10/box.
Overall length excluding hub 38 mm.



87122-6

Retrobulbar Cannula

x6



Straight. 24GA. Shaft 40 mm. 6/box.



E4999

Connor Anesthesia Cannula

x1



The cannula's polished, rounded tip provides increased safety as it dissects beneath Tenon's capsule to just beyond the globe's equator. 23 Gauge cannula with three forward-spraying side ports designed to provide an even and diffuse distribution of anesthetic within the muscle cone. Overall length excluding hub 19 mm.



Anterior Chamber

ED7101

Anterior Chamber Needle 20 Gauge 8 mm

x10



20 Gauge. 8 mm Angled. Packaged sterile. Single-Use.
10/box. Overall length excluding hub 25 mm.



ED7102

Anterior Chamber Needle 23 Gauge 8 mm

x10



23 Gauge. 8 mm Angled. Packaged sterile. Single-Use.
10/box. Overall length excluding hub 22 mm.



ED7103

Anterior Chamber Needle 25 Gauge 8 mm

x10



25 Gauge. 8 mm Angled. Packaged sterile. Single-Use.
10/Box. Overall length excluding hub 22 mm.



Anterior Chamber

ED7104

Anterior Chamber Needle 27 Gauge 8 mm



27 Gauge. 8 mm Angled. Packaged sterile. Single-Use.
10/box. Overall length excluding hub 21 mm.



ED7106

Anterior Chamber Needle 27 Gauge 5 mm



27 Gauge. 5 mm Angled. Packaged sterile. Single-Use.
10/box. Overall length excluding hub 22 mm.



ED7105

Anterior Chamber Needle 30 Gauge 5 mm



30 Gauge. 5 mm Angled. Packaged sterile. Single-Use.
10/box. Overall length excluding hub 21 mm.



E439519

McIntyre Straight Anterior Chamber Cannula 23 Gauge



23 Gauge. Straight, blunt tip and polished finished.
Overall length excluding hub 17 mm.



E439522

McIntyre Angled Anterior Chamber Cannula 26 Gauge



26 Gauge. Blunt tip with shaft angled 45°,
12 mm from tip to bend. Polished finish.
Overall length excluding hub 15 mm.



E4922

Bishop-Harmon Irrigating Cannula




19 Gauge. Angled 30° shaft 5 mm from tip to bend
with flattened blunt tip. Polished finish.
Overall length excluding hub 25 mm.



E4928

Scheie Anterior Chamber Cannula 27 Gauge



27 Gauge. Straight, blunt tip. Polished finish.
Overall length excluding hub 20 mm.




Cannulas

Anterior Chamber

E4981

Blumenthal Anterior Chamber Maintainer 20 Gauge



This unique 20 Gauge anterior chamber maintainer features a threaded tip for fixation in the side port incision while maintaining the anterior chamber. Uses 25 cm of silicone tubing. Ideal for use in manual ECCE or phaco.



E4982

Anterior Chamber Cannula 25 Gauge



25 Gauge anterior chamber maintenance cannula with 3 mm long beveled tip for ease of introduction through the side port incision. Uses 20 cm of silicone tubing.



Aspirating

85121

Ullerich Aspirating Cannula Size 1




19GA. Tip Gently curved. Shaft 27 mm.



85268

Brauweiler Aspiration Cannula



21GA. Shaft 20 mm.

Capsule Polishing

85266

Engels Capsule Polisher



21GA. 0.3 mm aspiration port. Sandblasted tip.



85110-6

Cannula, Probe Point, Mod. Hamburg



22GA. Shaft 19 mm. 6/box.



Capsule Polishing

E0508

Kratz Capsule Scraper Sandblasted Tip



Sandblasted tip. 23 Gauge cannula with 1 mm angled tip. Polished finish. Overall length 21 mm.



E0511ED

Jensen Capsule Polisher



27 Gauge cannula with gently curved shaft. Olive tip with lower half electro-dusted. Polished finish. Overall length 27 mm.



E0566 A

Graether Collar Button Angled



Designed for iris retraction and capsule polishing with roughened posterior surface. 23 Gauge cannula angled 45°, 10 mm from tip to bend. Polished finish. Overall cannula length 23 mm.



E4414 GW10

Gills-Welsh Olive Tip Cannula



25 Gauge. Angled 45° shaft 10 mm from tip to bend with 1 mm smooth bulbous tip. Polished finish. Overall length excluding hub 26 mm.



E4969 CS

Simcoe Capsule Scrubber



23 Gauge cannula. Curved shaft with sandblasted 2 mm distal tip. Polished finish. Overall length 13 mm.



ED7153

Silicone Capsule Polisher 27 Gauge



Silicone cap to provide squeegee effect. Overall length excluding hub 22 mm.



Cannulas

Cortex Extractors

E4420

Osher "J" Cannula



Designed for clear or near clear corneal incision. Ideal for removing subincisional cortex, cortical clean up and reopening the capsular bag. The 27 Gauge cannula with "J" tip allows easy passage through a 2.2 mm phaco incision. Tip length is 2.5 mm. Works well with viscoelastics as well as balanced salt irrigating solution and is especially helpful in capsulorhexis or through a small pupil. Overall length excluding hub 28 mm.



E493110

Gills-Welsh Cannula 10 mm Shaft



25 Gauge. Angled 45° shaft. Polished finished. Shaft 10 mm from tip to bend. Overall length excluding hub 21 mm.



E4966

Barrett Mini Aspirator



Ideal for cortex removal at the 12 o'clock position. Gently curved 25 Gauge shaft for ease of manipulation. Silicone tubing is used for connecting to an aspiration line. Overall length excluding hub 25 mm.



E4968

Dankner Panariello 12 O'Clock Cortex Cannula



Gently curved 23 Gauge cannula with 0.4 mm aspiration port ideal for aspiration of cortex through the side port stab incision. Overall length excluding hub 21 mm.



E4969

Simcoe Cortex Extractor 13 mm



Gently curved 23 Gauge cannula with 0.33 mm aspiration port. Polished finish. Overall length excluding hub 13 mm.



E4969 L

Simcoe Cortex Extractor 21 mm



Long model. Gently curved 23 Gauge cannula with 0.33 mm aspiration port. Polished finish. Overall length excluding hub 21 mm.



Cystotomes

ED7112

Cystotome Irrigating 23 Gauge Formed



Formed irrigating cystotome, 23 Gauge.
Overall length excluding hub 16 mm.
Packaged sterile. Single-Use. 10/box.



ED7113

Cystotome Irrigating 25 Gauge Formed



Formed irrigating cystotome, 25 Gauge,
with 12.0 mm curved tip.
Overall length excluding hub 16 mm.



ED7114

Cystotome Irrigating 25 Gauge, Short Radius, Formed



Short 8.0 mm. Curved tip.
Overall length excluding hub 16 mm.
Packaged sterile. Single-Use. 10/box.



ED7115

Cystotome Irrigating 27 Gauge, Short Radius, Formed



Short 8.0 mm. Curved tip.
Overall length excluding hub 16 mm.
Packaged sterile. Single-Use. 10/box.



Hydrodissection

ED7154S

Hydrodissection Cannula 25 Gauge Straight J Shaped



Hydrodissection/Aspiration Cannula. 25 Gauge.
Straight with J-Tip. J-shaped tip allows aspiration and
irrigation at the 12 o'clock position. Tip: 1.5 x 1.75 mm.
Overall length excluding hub 22 mm. 10/box.



ED7155

Hydrodissection Cannula 25 Gauge Angled Flat Tip



Nucleus Hydrodissection Cannula. 25 Gauge.
Angled with flattened tip. 7.0 mm angled shaft with
flattened tip for insertion under the capsular flap.
Overall length excluding hub 21 mm. 10/box.



Cannulas

Hydrodissection

ED7159

Hydrodissection Cannula 27 Gauge

x10



Hydrodissection Cannula, 27 Gauge. 8 mm Tip.
Overall Length excluding hub 22 mm.
Packaged Sterile. Single-Use. 10/box.



E4419

Kellan Hydrodissection Cannula

x1



Gently curved 25 Gauge cannula with flattened blunt tip
to slip under the anterior capsular flap.
Overall length excluding hub 18 mm.



E4421H

Nichamin Hydrodissection Cannula 25 Gauge

x1



25 Gauge. Curved cannula designed to follow the scleral
tunnel incision and anterior lens capsule. The unique
flattened tip allows for a better fit under the capsular leaflet.
Overall length excluding hub 39 mm.



E4421H27

Nichamin Hydrodissection Cannula 27 Gauge

x1



27 Gauge. Curved cannula designed to follow the scleral
tunnel incision and anterior lens capsule. The unique
flattened tip allows for a better fit under the capsular leaflet.
Overall length excluding hub 39 mm.



E4425 25

Yalon Hydrodissection Cannula 25 Gauge

x1



A 25 Gauge, 45° angled cannula for hydrodissection.
The tip has a unique feature, the irrigation port is on the
side. This design is intended to allow more effective
distribution of fluid around the nucleus.
Overall length excluding hub 39 mm.



E4929

Daya Femto Trans-Lens Hydro Cannula

x1



The Daya Trans-Lens Hydrodissection Cannula features a
45° bend and a 90° 1.25 mm tip. Once inserted into the wound,
the surgeon can use the cannula to reach down through the
femto incision in the lens and create a fluid wave that originates
posteriorly and progresses anteriorly during capsule and lens
hydrodissection. The fluid wave initiating in the posterior helps
assist in directing trapped bubbles towards the anterior.
The instrument also doubles as a chopper to help separate
the cuts and cracking of the lens. Overall length 41 mm.



Infusion

86016

Lucke Viscous Fluid Injection Cannula




Cannula self fixating. 5mm shaft from platform to tip. 20GA tip beveled 45°. Slightly conical 2 mm shaft portion enlarged from 20GA to 19 GA creating gap of 0.6 mm beneath platform for scleral self-fixation. 4.5 mm Ø. Olive type tubing connector. 10.5 mm.



86015Y2

Viscous Fluid Injection Cannula, 5 mm




For pressurised posterior silicone oil injection. 5 mm beveled 20GA tip. platform for scleral suture fixation. 235 mm silicone tubing. Overall length (incl. knurled steel luer-lock adapter) 260 mm.



86015Y3

Viscous Fluid Injection Cannula, 6 mm



For pressurised posterior silicone oil injection. 6 mm beveled 20GA tip. platform for scleral suture fixation. 235 mm silicone tubing. Overall length (incl. knurled steel luer-lock adapter) 260 mm.



E5002

Viscous Fluid Injection Cannula, 4 mm



For pressurised posterior injection. 4 mm beveled 20GA tip. platform for scleral suture fixation. 235 mm silicone tubing. Overall length (incl. knurled luer-lock adapter) 260 mm.



MVS1031

Infusion Cannula 2.5 mm Beveled Tip



20 Gauge, beveled tip with luer lock adapter. Uses 26 cm of silicone tubing. Polished finish. Beveled tip - 2.5 mm.



MVS1035

Infusion Cannula 6 mm Beveled Tip



20 Gauge, beveled tip with luer lock adapter. Uses 26 cm of silicone tubing. Polished finish. Beveled tip - 6 mm.



Cannulas

Irrigating

83010

LASIK Irrigation Cannula

For controlled cleaning and rinsing of the stromal bed. Angled. 10 mm from bend to tip. 27GA. 4 ports either side for stromal interface rinsing. 22 mm shaft length.



83011

Cannula LASIK side & central port

27GA with rounded tip for easy positioning under the flap. Four lateral irrigation ports either side and one central port allow for complete irrigation of the interface. Curved to follow curvature of the cornea. 8.0 mm angle from tip to end.



84021

Binkhorst Hooked Irrigation Cannula, right

22GA. Shaft 35 mm.



84022

Binkhorst Hooked Irrigation Cannula, left

22GA. Shaft 35 mm.



85021

Irrigation Cannula Mod. Bonn

14GA. Shaft 25 mm.



85269

Brauweiler Irrigation Cannula

21GA. Shaft 20 mm.



Irrigating

85272

Ong Irrigation Cannula

x 1




19GA. Shaft 26 mm.



85730

Charleux Irrigating Cannula

x 1



24GA. Curved approximately 60°. Bevelled irrigation port. Shaft 11 mm.



82020S

Corneal Irrigator

x 60




Made of plastic. 33 mm. Packaged single. Sterile. 60/box.



E4407

Slade Refractive Cannula

x 1



Flattened 26 Gauge cannula with port on top to facilitate interface cleansing and flap replacement. Overall length excluding hub 15 mm.



E4414

Troutman Alpha-Chymotrypsin Cannula

x 1



25 Gauge. Curved shaft with 1 mm smooth bulbous tip. Polished finish. Overall length excluding hub 27 mm.



E4925

Shepard Incision Irrigating Cannula

x 1



30 Gauge cannula with flattened 5 mm angled tip for corneal wounds. Overall length excluding hub 18 mm.




Cannulas

Irrigating

E4996

Lindstrom Interface Cannula

x 1



Gently curved 27 Gauge cannula designed to allow controlled cleaning of the stromal interface. Overall length excluding hub 19 mm.



MVS1022

Irrigating Cannula Handpiece

x 2



8 mm diameter Delrin handpiece. 90 mm handle with grooves for grip. Standard male luer taper fits most cannula hubs and female luer taper accepts I/A tubing connectors and irrigation lines.




Irrigating Aspiring


85850

Charleux Irrigation/Aspiration Cannula

x 1




Coaxial shaft. Curved approximately 20°. 18GA outer sleeve with two lateral 0.6 mm irrigation ports. 23GA inner cannula with 0.3 mm aspiration port in bevelled tip 30 cm. Silicone tubing and luer lock connector. 30 mm.




E4971G

Simcoe Irrigation/Aspiration Unit

x 1



23GA. 0.4 mm aspiration port. Irrigation through side opening. 300 mm silicone tubing. 16 mm.




E4971RG

Simcoe Reverse I/A Unit

x 1



Reverse version of E4971G. Irrigation through silicone tubing. Aspiration through main hub.



Irrigating Vectus

E0615

Sheets Irrigating Vectus




21 Gauge thin wall shaft with 6 mm wide by 9 mm long loop. Three irrigating ports at 12, 9, and 3 o'clock. Serrations on top of vectus. Polished finish. Overall length: tip to hub 34 mm.



E0631

Knolle-Pearce Irrigating Lens Loop



23 Gauge thin wall shaft with 6 mm wide by 9 mm long loop. Three irrigating ports at 12, 10, and 2 o'clock. Polished finish. Overall length: tip to hub 38 mm.



Lacrimal

ED7184

Lacrimal Cannula, 19/23GA

BAUSCH + LOMB
Instruments



Straight. 19GA shaft tapered to 23GA. Length excluding hub 28 mm. Sterile. Single-use. 10/box.



ED7187

Lacrimal Cannula, 25GA

BAUSCH + LOMB
Instruments



Curved. 25GA. Length excluding hub 28 mm. Sterile. Single-use. 10/box.



81055

Bangerter Probe Cannula

BAUSCH + LOMB
Instruments



Stainless steel. 23GA. 60 x 0.6 mm.



81056

Bangerter Probe Cannula

BAUSCH + LOMB
Instruments



Stainless steel. 23GA. 40 x 0.6 mm.



Cannulas

Lacrimal

81071

Lacrimal Cannula

BAUSCH + LOMB
Instruments



Stainless steel. Straight. 19 through 25GA. Shaft 26 mm.



81072

Lacrimal Cannula

BAUSCH + LOMB
Instruments



Stainless steel. Curved. 19 through 25GA.
9 mm from hub to angle. 19 mm from angle to tip.



81073

Lacrimal Cannula

BAUSCH + LOMB
Instruments



Stainless steel. Regular curved. 19 through 25GA.
Shaft 19 mm.



81074

Lacrimal Cannula

BAUSCH + LOMB
Instruments



Stainless steel. Short angled. 19 through 25GA.
16 mm from hub to angle. 10 mm from angle to tip.



81061-6

Anel Lacrimal Cannula

BAUSCH + LOMB
Instruments



Straight. 23GA. Shaft 14 mm. 6/box.



81075Y1

Lacrimal Cannula, Model Marburg

BAUSCH + LOMB
Instruments



22GA. 18 mm tip angled 45°. Shaft 24 mm.



81075Y3

Lacrimal Cannula, Model Marburg

BAUSCH + LOMB
Instruments



23.5GA. 16 mm tip angled 45°. Shaft 20 mm.



Lacrimal

81080-6

Lacrimal Cannula, Model Bonn

BAUSCH + LOMB
Instruments

x 6

Gently curved. Shaft 20 mm. 6/box.



E4404

Lacrimal Cannula

BAUSCH + LOMB
Instruments

x 1



Straight. 23GA. 10 mm tip. Reinforced shaft. 31 mm from hub to tip.



E4408

Weil Lacrimal Cannula

BAUSCH + LOMB
Instruments

x 1



Gently curved. 21GA. Blunt tip with top port. Shaft 34 mm.



E4411

Bailey Lacrimal Cannula

BAUSCH + LOMB
Instruments

x 1



Straight. For infants. Blunt 23GA. 6 mm tip. Reinforced shaft. 14 mm from hub to tip.



E4418

West Lacrimal Cannula

BAUSCH + LOMB
Instruments

x 1



Gently curved. 23GA. Blunt tip with bottom port. Shaft 30 mm.




E5651


Jackson Lacrimal Intubation Set

BAUSCH + LOMB
Instruments

x 1



Flexible stainless steel. Two 20GA probes 155 mm length with 300 mm silicone tubing. Overall length 610 mm.



Cannulas

Viscoelastic

E0497

Viscoelastic Injection Cannula

x 1



21 Gauge, angled 50° shaft 5 mm from tip to bend.
Flattened rounded tip, dull finish.
Overall length excluding hub 29 mm.



ED7182


Viscoelastic Cannula 27 Gauge

x10



27 Gauge. Angled. 7.0 mm angled tip cannula with
unique hub that facilitates flow of viscoelastic material.
Overall length excluding hub 24.5 mm.
Packaged sterile. Single-Use. 10/box.





Corneal Markers

- LASIK Markers 32
- LRI/Astigmatism Markers 32
- Ring Markers 33
- Toric Markers 33



Corneal Markers

LASIK Markers

53001T

Corneal Marker LASIK, 8.5 mm



For marking the cornea prior to epithelial removal. 8.5 mm diameter. Made from titanium.



53005T

Cone Alcohol LASEK, 8.5 mm



Two concentric rings on the lower side of the alcohol cone ensure a sealed chamber. when the cone is placed onto the cornea. 8.5 mm for use with the 8 mm trephine.



53006T

Cone Alcohol LASEK, 9.5 mm



Two concentric rings on the lower side of the alcohol cone ensure a sealed chamber. when the cone is placed onto the cornea. 9.5 mm for use with 9.0 mm trephine.



9-729

Axis Marker



This two line marker is used in conjunction with the Mendez Degree Gauge to indicate the axis of astigmatism. Titanium. Overall length 130 mm.



ET9079

Gulani Refractive Marker



3.5 mm and 4.0 mm intersecting circles to mark the corneal flap for LASIK procedures. Titanium. Overall length 119 mm.



LRI/Astigmatism Markers

E902216

Osher-Neumann Corneal Marker 16 Line



16 Line. Marks radial lines 4.0 mm long. Inner diameter of blades is 4.5 mm. Marks on top of the ring help in centering marker and semi-sharp blades allow minimal marking pressure. Overall length 109 mm.



Ring Markers

ET3126

Corneal Marker 8.5 mm / 9 mm

x 1



Designed to provide a template for scoring and stripping of Descemet's membrane during the DSEK procedure.



Toric Markers

E2431

Storz Toric Bubble Marker

x 1



During the "clean" portion of the procedure, the bubble level of this instrument is positioned below the cornea while the exterior of the ring is aligned to the limbus. The marker is pressed against the corneal surface to provide marks at the horizontal axis and at 90°. Overall length 99 mm.







Diathermy


Endodiathermy 36
Exodiathermy 37



Endodiathermy

D8203

Intraocular Diathermy Probe



Designed for retinal endodiathermy. 31 mm shaft tapered from 21GA to 23GA at very delicate tip. Plastic covered handle. Autoclavable. Lemos type adapter. Overall length 132 mm.



E7920

Bipolar Eraser, 25GA, tapered



Designed for retinal endodiathermy. 25GA shaft. Conical tip. Plastic covered handle. Autoclavable. Lemos type connector.



E7924

Bipolar Eraser, 25GA, 2pin tapered



Designed for retinal endodiathermy. 25GA shaft. Conical tip. 2-pin connector. Sterile single-use. 12/box.



E7925

Bipolar Eraser, 25GA, 2pin blunt



Designed for retinal endodiathermy. 25GA shaft. 45° beveled tip. 2-pin connector. Sterile single-use. 12/box.



E7926

Bipolar Eraser, 25GA, lemo tapered



Designed for retinal endodiathermy. 25GA shaft. Conical tip. Lemos type connector. Sterile single-use. 12/box.



E7927

Bipolar Eraser, 25GA, lemo blunt



Designed for retinal endodiathermy. 25GA shaft. 45° beveled tip. Lemos type connector. Sterile single-use. 12/box.



E7929

Bipolar Eraser, 20GA, lemo tapered



Designed for retinal endodiathermy. 20GA shaft. Conical tip. Lemos type connector. Sterile single-use. 12/box.



Endodiathermy

E7930

Bipolar Eraser, 23GA, lemo tapered



Designed for retinal endodiathermy. 23GA shaft. Conical tip. Lemos type connector. Sterile single-use. 12/box.



E7931

Bipolar Eraser, 23GA, 2pin tapered



Designed for retinal endodiathermy. 23GA shaft. Conical tip. 2-pin connector. Sterile single-use. 12/box.



E7932

Bipolar Eraser, 27GA, lemo tapered



Designed for retinal endodiathermy. 27GA shaft. Conical tip. Lemos type connector. Sterile single-use. 12/box.



E7933

Bipolar Eraser, 27GA, 2pin tapered



Designed for retinal endodiathermy. 27GA shaft. Conical tip. 2-pin connector. Sterile single-use. 12/box.



Exodiathermy

D8200

Straight Bipolar Forceps



0.5 mm tip. Autoclavable. Lemos type adapter. Overall length 90 mm.



D8201

Bipolar Eraser



For scleral haemostasis. 28.5 mm shaft with 45° beveled tip. Plastic covered handle. Autoclavable. Lemos type adapter. Overall length 131 mm.



Exodiathermy

E7928

Bipolar Scleral Eraser




Designed for scleral haemostasis. 45° beveled tip. Lemos type connector. Sterile single-use. 12/box.



S20501

Jeweler Type Bipolar Forceps




Straight shafts with micro tips and dull finish. Smooth handle with dull finish. Overall length 119 mm.



S205010A

McPherson Angled Bipolar Forceps




Straight shafts with 4 mm jaws. Serrated handle with dull finish. Jaws angled 45°. Overall length 91 mm.



S205010S

McPherson Straight Bipolar Forceps



Straight shafts with 4 mm jaws. Serrated handle with dull finish. Jaws straight. Overall length 94 mm.



S205014A

Shepard Bipolar Forceps Angled



Angled shafts with 4 mm platform. Wide serrated handle with dull finish. Platform angled 45°. Overall length 115 mm.





Backflush/ Extrusion Handpieces

Backflush..... 40
Extrusion..... 42



Backflush/Extrusion Handpieces

Backflush

SUJ08

20GA Backflush/Extrusion Handpiece

for active & passive aspiration with blunt tip



20GA handpiece with blunt tip, grey colour coding ring. Delivered with silicone tube with male and female luer connector either for connection to the machine or for connection to the handpiece without use of the machine to facilitate flow outside of immediate surgical field. Male luer slip coupler for connection to machine tubing. Non-vented male luer cap, optional for use as backflush handpiece.



SUJ09

20GA Backflush/Extrusion Handpiece

for active & passive aspiration with soft tip brush



20GA handpiece with soft tip brush, grey colour coding ring. Delivered with silicone tube with male and female luer connector either for connection to the machine or for connection to the handpiece without use of the machine to facilitate flow outside of immediate surgical field. Male luer slip coupler for connection to machine tubing. Non-vented male luer cap, optional for use as backflush handpiece.



SUJ10

20GA Backflush/Extrusion Handpiece

for active & passive aspiration with soft tip



20GA handpiece with soft tip, grey colour coding ring. Delivered with silicone tube with male and female luer connector either for connection to the machine or for connection to the handpiece without use of the machine to facilitate flow outside of immediate surgical field. Male luer slip coupler for connection to machine tubing. Non-vented male luer cap, optional for use as backflush handpiece.



SUJ11

23GA Backflush/Extrusion Handpiece

for active & passive aspiration with blunt tip



23GA handpiece with blunt tip, green colour coding ring. Delivered with silicone tube with male and female luer connector either for connection to the machine or for connection to the handpiece without use of the machine to facilitate flow outside of immediate surgical field. Male luer slip coupler for connection to machine tubing. Non-vented male luer cap, optional for use as backflush handpiece.



Backflush/Extrusion Handpieces

Backflush

SUJ12

23GA Backflush/Extrusion Handpiece

for active & passive aspiration with soft tip brush



23GA handpiece with soft tip brush, green colour coding ring. Delivered with silicone tube with male and female luer connector either for connection to the machine or for connection to the handpiece without use of the machine to facilitate flow outside of immediate surgical field. Male luer slip coupler for connection to machine tubing. Non-vented male luer cap, optional for use as backflush handpiece.



SUJ13

23GA Backflush/Extrusion Handpiece

for active & passive aspiration with soft tip



23GA handpiece with soft tip, green colour coding ring. Delivered with silicone tube with male and female luer connector either for connection to the machine or for connection to the handpiece without use of the machine to facilitate flow outside of immediate surgical field. Male luer slip coupler for connection to machine tubing. Non-vented male luer cap, optional for use as backflush handpiece.



SUJ14

25GA Backflush/Extrusion Handpiece

for active & passive aspiration with blunt tip



25GA handpiece with blunt tip, blue colour coding ring. Delivered with silicone tube with male and female luer connector either for connection to the machine or for connection to the handpiece without use of the machine to facilitate flow outside of immediate surgical field. Male luer slip coupler for connection to machine tubing. Non-vented male luer cap, optional for use as backflush handpiece.



SUJ17

27GA Backflush/Extrusion Handpiece

for active & passive aspiration with blunt tip



27GA handpiece with blunt tip, blue colour coding ring. Delivered with silicone tube with male and female luer connector either for connection to the machine or for connection to the handpiece without use of the machine to facilitate flow outside of immediate surgical field. Male luer slip coupler for connection to machine tubing. Non-vented male luer cap, optional for use as backflush handpiece.



Backflush/Extrusion Handpieces

Extrusion

SUJ02

25GA Passive Aspiration Handpiece



Passive Aspiration Handpiece 25 Gauge ready for use with 1.5 mm soft tip cannula. For passive aspiration of fluid from the eye during vitreoretinal procedures. Soft flexible tip on the cannula designed atraumatic entry through retinal or macular tears or holes. Single-use, packaged sterile, 12/box.



SUJ03

23GA Passive Aspiration Handpiece



Passive Aspiration Handpiece 23 Gauge ready for use with 1.5 mm soft tip cannula. For passive aspiration of fluid from the eye during vitreoretinal procedures. Soft flexible tip on the cannula designed for atraumatic entry through retinal or macular tears or holes. Single-use, packaged sterile, 12/box.



SUJ06

23GA Passive Aspiration Handpiece



Passive Aspiration Handpiece 23 Gauge ready for use with blunt cannula. For passive aspiration of fluid from the eye during vitreoretinal procedures. Soft flexible tip on the cannula designed for atraumatic entry through retinal or macular tears or holes. Single-use, packaged sterile, 12/box.



SUJ07

25GA Passive Aspiration Handpiece



Passive Aspiration Handpiece 25 Gauge ready for use with blunt cannula. For passive aspiration of fluid from the eye during vitreoretinal procedures. Soft flexible tip on the cannula designed for atraumatic entry through retinal or macular tears or holes. Single-use, packaged sterile, 12/box.





Eye Shields



Eye Shields

99272

Klein Eye Shield

Child size. white. 13 holes of 4 mm Ø. Non-sterile.
Autoclavable. 45 x 55.5 mm.



99273

Klein Eye Shield

For newborn. white. 13 holes of 3 mm Ø. Non-sterile.
Autoclavable. 39.5 x 44.5 mm.



99275

Klein Eye Shield

White. 13 holes of 6 mm Ø. Non-sterile. Autoclavable.
75 mm. Packaged 50/box.



99281Y4

Klein Eye Shield

Transparent. With 20 mm Ø central hole. Non-sterile.
75 x 65 mm.



99441Y1

Cornea Silicone Light Shield

For corneal protection. Non-sterile. Autoclavable.
Blue. 18 mm.



99441Y2

Cornea Silicone Light Shield

Transparent. For corneal protection. Non-sterile.
Autoclavable. Light blue. 18 mm.



99441Y5

Cornea Light Shield, black

For corneal protection. Non-sterile. Non thermo-stable.
Do not heat above 60 °C. 18 mm.



E5699

Crouch Corneal Protector Adult

Developed for oculoplastic procedures for corneal and scleral protection. Dimensions enable protector to rest on the sclera and not on the cornea. Easily removed with the E1500 Bishop-Harmon Forceps. Dimensions 23.5 mm x 25.8 mm. Individually packaged sterile. 10/box.



E5699 P

Corneal Shields Pediatric

Developed by Dr. Earl Crouch for pediatric oculoplastic procedures for corneal and scleral protection. Dimensions enable protector to rest on the sclera and not the cornea. Easily removed with the E1500 Bishop-Harmon Forceps. Dimensions 17 mm diameter. Individually packaged sterile. 10/box.




ET4600

Khan Scleral Shield

The Khan Shield manufactured in titanium helps to protect the globe during laser assisted blepharoplasty procedures. The oval shield was designed for patient comfort and includes anti-rotational posts and lash traction bar. Measures 23 mm x 28 mm.







Fixation Rings



Fixation Rings

E2424

Josephberg Hilton Stabilizing Plate



The serrated edge of this reusable Stabilizing Plate applies pressure to the globe to add firmness and stability while inserting 25 Gauge or 23 Gauge trocar/cannulas for vitrectomy. The slot is aligned to measure an approximate distance of 3.5 mm from the limbus which is the targeted pars plana zone. The center opening of the plate is large enough to insert the trocar/cannulas at an appropriate angle while keeping the eye steady and firm. This instrument makes it easier for doctors to transition to the smaller gauge vitrectomy procedures and is adaptable to right or left hand use. Overall length 81mm.



E4033

McNeil Goldman Scleral & Blepharostat Ring



Adult Size. Inner diameter 17 mm.
Outer diameter 24 mm.
Loops retract lids. Polished finish.



E403412

Flieringa Fixation Ring 12 mm



Stainless steel. Polished finish.
Available in 1 mm increments from 12 mm to 22 mm.



E403413

Flieringa Fixation Ring 13 mm



Stainless steel. Polished finish.
Available in 1 mm increments from 12 mm to 22 mm.



E403414

Flieringa Fixation Ring 14 mm



Stainless steel. Polished finish.
Available in 1 mm increments from 12 mm to 22 mm.



E403415

Flieringa Fixation Ring 15 mm



Stainless steel. Polished finish.
Available in 1 mm increments from 12 mm to 22 mm.



Fixation Rings

E403416

Flieringa Fixation Ring 16 mm

Stainless steel. Polished finish.
Available in 1 mm increments from 12 mm to 22 mm.



E403417

Flieringa Fixation Ring 17 mm

Stainless steel. Polished finish.
Available in 1 mm increments from 12 mm to 22 mm.



E403418

Flieringa Fixation Ring 18 mm

Stainless steel. Polished finish.
Available in 1 mm increments from 12 mm to 22 mm.



E403419

Flieringa Fixation Ring 19 mm

Stainless steel. Polished finish.
Available in 1 mm increments from 12 mm to 22 mm.



E403420

Flieringa Fixation Ring 20 mm

Stainless steel. Polished finish.
Available in 1 mm increments from 12 mm to 22 mm.



E403421

Flieringa Fixation Ring 21 mm

Stainless steel. Polished finish.
Available in 1 mm increments from 12 mm to 22 mm.



E403422

Flieringa Fixation Ring 22 mm

Stainless steel. Polished finish.
Available in 1 mm increments from 12 mm to 22 mm.



Fixation Rings

E9012

Nichamin Fixation Degree Gauge



Open 14 mm fixation ring with fine teeth to prevent damage to conjunctiva. Gauge is marked every 10° to determine the extent of the arc to be incised. Two broad marks align with steep axis. Overall length 112 mm.



ET9019

Thornton Fine Fixation Ring 16mm



Open ring design for globe fixation during various ocular procedures. 16 mm in diameter with blunt fixation points. Swivel handle provides increased flexibility. Titanium. Overall length 108 mm.



ET9020

Thornton Fine Fixation Ring 13mm



Open ring design for globe fixation during various ocular procedures. 13 mm in diameter with blunt fixation points. Swivel handle provides increased flexibility. Titanium. Overall length 107 mm.




ET9044

Devgan-Seibel Fixation Ring



The off-set design of this instrument provides a level perspective independent of hand position and eases placement on the globe. Marks on the top of the ring are spaced 60° on either side of the center of the ring opening, serving as a guide for placement of a paracentesis 60° from the temporal clear corneal incision in coaxial phaco, or for placement of two micro incisions 120° apart in bi-manual phaco. The closed side of the fixation ring features marks that are 30° apart to serve as a guide for LRI nomograms. Overall length 117 mm.





Forceps

Capsule	52
Capsulorhexis	52
Chalazion	56
Cilia	58
Conjunctival	59
Corneal	59
Cracking	61
Fixation	61
Intraocular Lens	63
Iris	65
Lid	65
Miscellaneous	66
Muscle	67
Mosquito	68
Retinal	69
Scleral Plugs	74
Suturing	74
Tissue	79
Towel/Serrephine	82
Tying	83




Forceps

Capsule

E2030

Kansas Nuclear Fragment Forceps

x 1



Two rows of teeth on jaws provide a firm purchase on the nucleus fragment for removal. Flat handle with dull finish. Overall length 110 mm.



E2077

Osher Capsule-Foreign Body Forceps

x 1



Fine 3 mm platforms. Angled 60°. Overall length 80 mm.



E3199 GW

Gills-Welsh Smith Capsule Forceps

x 1



Smooth Colibri tip used to grasp and subsequently retract the capsule during nucleus delivery. Serrated handle. Overall length 73 mm.




Capsulorhexis

65050

Capsulorhexis Forceps

x 1



Curved. Overall length 102 mm.



2-719

Utrata Capsulorhexis Forceps Titanium

x 1



The popular Utrata Capsulorhexis forceps in a titanium version. The ultra-fine tips are designed with an iris stop and angled platform tips for grasping delicate capsule. Titanium. Overall length 85 mm.



E2002 C

Lehner-Utrata Capsulorhexis Forceps

x 1



Utrata-like fine angled tips with gently curved shaft for performing capsulorhexis through tunnel incisions. Dull finish. Flat handle. Overall length 80 mm.



Capsulorhexis

E2002 F

Utrata Capsulorhexis Forceps




Delicate, fine angled tips ideal for grasping delicate capsule during 1.8 mm MICS procedures. And 12 mm shafts. Overall length 87 mm.



E2002 G

Gimbel Capsulorhexis Forceps




Similar in construction to the E2002 Utrata Capsulorhexis Forceps with jaw set to open only 3 mm. Light tension. Flat handle with dull finish. Overall length 80 mm.



E2002 GE

Utrata Capsulorhexis Forceps



Fine angled tips and 12 mm shafts. With iris stop. Overall length 87 mm.



E2002 M

Utrata MICS Capsulorhexis Forceps



Fine angled tips ideal for grasping delicate capsule during 1.8 mm MICS procedures. Angled 12 mm shafts with iris stop allows ease of movement in the anterior chamber. Flat handle with dull finish. Overall length 80 mm.



E2002 R

O'Gawa-Utrata Capsulorhexis Forceps



Fine angled tips with angled 13 mm shafts and iris stop. Round handle for fingertip rotational control. Dull finish. Overall length 112 mm.



E2002 RC

Lehner-Utrata Capsulorhexis Forceps Round Handle



Utrata-like fine angled tips with gently curved shaft for performing capsulorhexis through tunnel incisions. Dull finish. Round Handle. Overall length 112 mm.



Capsulorhexis

E2002S

Utrata Capsulorhexis Forceps Sharp Tips

x 1



The popular E2002 Utrata Capsulorhexis Forceps with fine angled sharp tips. Angled 12 mm shafts with an iris stop. Flat handle with dull finish. Overall length 80 mm.



E2026

Silverstein MICS 1.8 mm Capsulorhexis Forceps

x 1

SUB
2 mm



This unique styled forceps are ultra-thin profile. Allowing maximum maneuverability through a sub-2.0 mm incision, without oar-locking or unnecessary distortion of the wound architecture during capsulorhexis. In addition the 5.0 mm and 6.0 mm marks on the anterior blade surface are designed to create a consistent, central capsulorhexis. Overall length 81 mm.



ET1088TS

Capsulorhexis Forceps Tip 15 mm Shaft

x 1

SUB
2 mm



This forceps tip is designed with a pick type tip and is ideal for performing a capsulorhexis through a 1.4 mm incision. Has a gently curved shaft for optimal hand placement and control. Uses the ET8190 H Fixed Coaxial Handle (sold separately). Shaft length (hub to tip) 15 mm. Overall length 42 mm.



ET1202

Utrata MICS Capsulorhexis Forceps Titanium

x 1

SUB
2 mm




Fine angled tips ideal for grasping delicate capsule during 1.8 mm MICS procedures. Angled 13 mm shafts with iris stop allows ease of movement in the anterior chamber. Titanium handle designed after the Stellaris® System handpiece. Overall length 107 mm.



ET2002

Utrata Capsulorhexis Forceps Titanium

x 1



Fine angled tips ideal for grasping delicate capsule. Angled 12 mm shafts with iris stop designed to ease the movement in the anterior chamber. Flat handle. Titanium. Overall length 80 mm.




Capsulorhexis

ET2002RC

Lehner-Utrata Capsulorhexis Forceps Round Handle Titanium



Utrata-like fine angled tips with gently curved shaft for performing capsulorhexis through tunnel incisions. Dull finish. Round handle manufactured in titanium. Overall length 112 mm.



ET2009

Maloney Capsulorhexis Forceps



Titanium forceps with gently curved jaws and ultra fine sharpened tips for puncture and grasping the capsule. Round handle is optimal for finger-tip control. Overall length 104 mm.



ET2012

Devgan Micro Capsulorhexis Forceps



The ultra-fine tips of this cross action forceps are ideal for small incision procedures, including sub-2 mm coaxial phaco incisions. The mildly sharpened tips are designed to allow the surgeon to puncture the capsule and securely grab the capsule. 2.5 mm and 5.0 mm marks on the shafts are designed as a measuring tool, providing the radius and diameter of the capsulorhexis as it is being created. An iris stop feature is designed to provide the surgeon with optimal grasp of the capsule without engaging the iris. The cross action handle is designed for accurate alignment of the fine tips, reducing wound gape, loss of viscoelastic and AC shallowing. Overall length 119 mm.



ET8190 H

Coaxial Handle Fixed



Non-rotating handle for MICS procedures. Squeeze handle is easily activated. Titanium. Overall length 111 mm.



SUE01-12

Capsulorhexis Forceps



Angled jaws. 11.5 mm jaw length. fine sharp tips. 100 mm overall length. Packaged single. Sterile. 12/box.



SUE06-12

MICS Capsulorhexis Forceps



Fine angled tips ideal for grasping delicate capsule during MICS 1.8 mm procedures. Angled shafts allows ease of movement in the anterior chamber. Packaged single. Sterile. 12/box.



Forceps

Capsulorhexis

SUE07-12

Capsulorhexis Forceps with markings



The forceps shafts with markings at 2.75 mm/3.0 mm (radius) and 5.5 mm/6.0 mm (diameter), for determining the diameter for capsulorhexis. Fine angled tips ideal for grasping delicate capsule also during MICS 1.8 mm procedures. Angled shafts allows ease of movement in the anterior chamber. Packaged single. Sterile. 12/box.



SUE08-12

MICS Capsulorhexis Forceps with curved jaws



Fine angled tips ideal for grasping delicate capsule during MICS 1.8 mm procedures. Angled curved shafts allows ease of movement in the anterior chamber. Packaged single. Sterile. 12/box.



SUI20-12

MICS 1.0 mm Capsulorhexis Forceps



Angled endgripping platforms for grasping delicate capsule. 23GA shaft designed for performing capsulorhexis through a 1.0 mm incision. Low glare instrument shaft.



Chalazion

62021

Desmarres Chalazion Forceps

BAUSCH + LOMB
Instruments



20 mm jaws. Overall length 88 mm.



62022

Desmarres Chalazion Forceps

BAUSCH + LOMB
Instruments



26 mm jaws.



Chalazion

62023

Desmarres Chalazion Forceps

BAUSCH + LOMB
Instruments



31 mm jaws.



E2604

Desmarres Chalazion Forceps

BAUSCH + LOMB
Instruments



Oval solid 24 mm wide lower plate. Open upper plate with inside dimensions 12 mm x 20 mm. Serrated handle with locking thumb screw. Overall length 92 mm.



E2610

Francis Chalazion Forceps

BAUSCH + LOMB
Instruments



Oval solid 17 mm wide lower plate. Open upper plate with inside dimensions 12 mm x 14 mm. Serrated handle with locking thumb screw. Overall length 97 mm.



E2618

Hunt Chalazion Forceps

BAUSCH + LOMB
Instruments



Round solid 15 mm wide lower plate. Open upper plate with inside diameter 12 mm. Serrated handle with locking thumb screw. Overall length 97 mm. 3.8 inches.



E2632

Lambert Chalazion Forceps

BAUSCH + LOMB
Instruments



Round solid lower plate. Open upper plate with inside diameter 15 mm. Serrated handle with locking thumb screw. Overall length 97 mm.



E2640

Baird Chalazion Forceps

BAUSCH + LOMB
Instruments



Oval solid 15 mm wide lower plate. Open upper plate with inside dimensions 11 mm x 8 mm. Serrated handle with locking thumb screw. Overall length 97 mm.



Forceps

Cilia

61010

Beer Cilia Forceps

Round point. Overall length 78 mm.



61040

Henry Cilia Forceps

Straight jaws. Overall length 99 mm.



61050

Gradle Cilia Forceps

Rounded jaws. Overall length 100 mm.



61080

Barraquer Cilia Forceps


Overall length 111 mm.



E2156

Cilia Forceps

1x3 mm smooth platforms. Overall length 76 mm.



E2160

Cilia Forceps

Narrow smooth jaws. Overall length 83 mm.



Conjunctival

62130

Draeger Conjunctiva Forceps



Two pins 0.5 mm. 1.0 mm tip. Overall length 99 mm.



E2508

Original Putterman Clamp

BAUSCH + LOMB
Instruments




Designed for use during a Muller's muscle-conjunctival resection ptosis procedure. The clamp is used to incorporate conjunctiva and Muller's muscle between the superior tarsal border and the marking suture in order for suturing and resection to occur.



Corneal

63020

Corneal flap Forceps LASIK



Smooth tip forceps allows to manipulate and smooth the corneal flap. Also ideal for grasping/holding foldable IOLs. Tip angled 11 mm.



63031

Colibri Type Forceps



5 mm tying platform. Overall length 75 mm.



63032

Colibri Type Forceps




Extra delicate. 5 mm tying platform. Overall length 77 mm.



63038

Troutman-Barraquer Colibri Type Forceps



Extremely fine. 0.12 mm teeth. Overall length 73 mm.



Forceps

Corneal

2-132

Colibri Forceps 0.12 mm



0.12 mm 1 x 2 teeth with 5 mm platform and 2 mm angled tips. Flat serrated handle, dull finish. Titanium. Overall length 86 mm.



E2015

Snyder Stripping Forceps



Tips of these forceps are angled upwards to grasp the edge of Descemet's membrane to complete the stripping technique. Iris stop designed to grasp the membrane without grasping iris or other ocular structures. Overall length 83 mm.



E2039

Carlson DSEK Graft Forceps



These forceps are designed to grasp the graft for insertion into the anterior chamber. The forceps platforms at the tip provide secure grasp at the tip and a platform at the rear of the forceps arms provide a mechanical stop. Overall length 85 mm.



E3190

Katzin-Barraquer Corneal Forceps



7 mm tying platform with 1 x 2 teeth 0.4 mm. Overall length 73 mm.



E3199

Troutman-Barraquer Corneal Utility Forceps



Colibri style. 1 x 2 teeth 0.12 mm. Overall length 73 mm.



E3215

Polack Double Corneal Forceps Colibri Style



Two 2.75 mm long tips separated 1 mm with 1 x 2 teeth. Serrated handle with dull finish. Overall length 71 mm.



Corneal

ET3199

Colibri Forceps 0.12mm

x 1



0.12 mm. 1 x 2 teeth. Serrated handle with polished finish. Titanium. Overall length 73 mm.



Cracking

2-800

A. W. Brown Nucleus Cracker

x 1



A reverse action instrument with paddle tips to provide a solid surface to crack the nucleus. When used in a scleral tunnel, the reverse action mechanism allows increased flexibility in positioning the instrument tips. Titanium. Overall length 98 mm.



Fixation

E1553

Moody Curved Fixation Forceps

x 1



Curved shafts with 0.5 mm, 1 x 2 teeth. Serrated handle with thumb catch lock and polished finish. Overall length 108 mm.



E1560

Graefe Fixation Forceps

x 1




With narrow 3.5 mm jaws. Fine teeth. Without lock. Overall length 108 mm.



E1654

Lester Fixation Forceps

x 1



Fine 1 x 2 teeth. Overall length 96 mm.




Fixation

E1656

Lester Fixation Forceps

x 1




Fine 2 x 3 teeth. Overall length 96 mm.



E1684

Elschnig Fixation Forceps

x 1



Straight shafts with 2.0 mm. 1 x 2 Elschnig style teeth. Narrow handle. Overall length 109 mm.



E1717

Osher Conjunctival Fixation Forceps 0.3 mm

x 1




Straight shafts with 5.5 mm tying platform and 45° 0.3 mm teeth. Wide serrated handle with polished finish. Overall length 108 mm.



E1730

Thorpe Conjunctival Fixation Forceps

x 1




Straight shafts with 90 degree. 2 x 3 teeth. With tying platform. Overall length 94 mm.



E1732

Thorpe Corneal Fixation Forceps

x 1



Straight shafts with 45 degree. 2 x 3 teeth 0.12 mm. Overall length 94 mm.



E1735

MacGregor Conjunctiva Forceps

x 1




Straight shafts with 5.5 mm tying platform and 1 mm criss-cross serrated tips. Serrated handle with polished finish. Overall length 108 mm.



E1736

MacGregor Conjunctiva Forceps Wide

x 1



Straight shafts with 5.5 mm tying platform and 1 mm criss-cross serrated tips. Wide serrated handle with polished finish. Overall length 110 mm.



Fixation

E1793

Castroviejo Fixation Forceps




Straight shafts. 1 x 2 teeth 0.3 mm.
Overall length 108 mm.



E1795

Castroviejo Fixation Forceps



1 x 2 teeth 0.5 mm. Overall length 109 mm.



E1943 22

Pierse Colibri Forceps Micro



Colibri style 0.1mm Pierse tips. Flat open handle with dull finish. Overall length 78 mm.



Intraocular Lens

ET2912 CE

IOL Loading Forceps



This IOL loading forceps is designed for use with BLIS injector. The forceps grasps and places the IOL into the IOL cartridge.



2-700

Shepard IOL Insertion Forceps



Curved 18 mm shafts with 1.91 mm wide grasping tip. Flat, serrated cross action handle with dull finish. Titanium. Overall length 108 mm.



65245

IOL Grasping Forceps



Delicate round jaws, angled 50°. Overall length 110 mm.



Forceps

Intraocular Lens

65400

Doden Implant Forceps



With perforated handle. 9 mm jaws.
Overall length 120 mm.



65520

Forceps Folding Akreos



45° angled. 14.5 mm angle from tip to bend.



E2976

Osher-Seibel Folding Forceps



A gently curved forceps designed to easily fold today's soft intraocular lenses. The serrated handle ensures a firm grip throughout the folding procedure. Overall length 107 mm.



E2988

Thornton Intraocular Lens Forceps



Facilitates grasping and implanting the haptic loop beneath the pupil margin and within the capsular bag without wrist twisting. Angled 45° 11 mm long jaws are placed in the same vertical plane as the handle. Smooth, flat, cross action handle with dull finish. Overall length 86 mm.



65530

Juenemann IOL Explantation Forceps




The serrated forceps is designed for explantation of Silicone IOLs without cutting. The serrations of the slim jaws help to securely grasp the IOL inside the capsular bag. Minimum incision size is 2.5 mm.



Iris

64090

Iris Forceps, Mod. Bonn




Delicate. Overall length 75 mm.



64091

Iris Forceps, Mod. Bonn




Delicate. Angular. Overall length 75 mm.



64220

Iris Forceps, Bonn-Conrads




Serrated. Overall length 73 mm.



E1475

Gill Curved Iris Forceps



Delicate curved shafts. Serrated tips. Serrated handle. Overall length 72 mm.



Lid

E2500

Berke Ptosis Forceps

BAUSCH + LOMB
Instruments



20 mm blades. Curved shafts. Straight blades. With lock. Overall length 98 mm.



E2504

Berke Ptosis Forceps

BAUSCH + LOMB
Instruments



27 mm blades. Curved shafts. Straight blades. With lock. Overall length 104 mm.



Forceps

Lid

E2515

Erickson-Lee Ptosis Clamp

BAUSCH + LOMB
Instruments



Offers contoured, refined jaws for improved fit to the eye, increased visibility and ease of suturing. Offers a secure grip of the tissues while easily locking and releasing. The slide lock design aids in positioning the clamp during use. Overall length 96mm.



Miscellaneous

E1946

Jeweler Type Forceps Wide Serrated Handle



Straight shafts with 3 mm criss-cross serrated platform. Polished finish. Wide serrated handle. Overall length 109 mm.



E1892

Nugent Utility Forceps



Angled serrated 10 mm jaws. Overall length 107 mm.



E1900

Wills Hospital Utility Forceps




Straight shafts with 13 mm criss-cross serrated platform with polished finish. Serrated handle. Overall length 109 mm.



E1904

Bonaccolto Utility Forceps 1.2 mm Platform




Straight shafts with 16 mm long platform. Lengthwise serrated jaws with cross serrated tips. Serrated handle with polished finish. Platform: 1.2 mm wide. Overall length 108 mm.



E1947 T1

Jeweler Type Forceps Fine Tying Platform




Straight shafts with pointed tips and 6 mm tying platform. Smooth handle with dull finish. Fine pointed tips. Overall length 120 mm.



Miscellaneous

E1947 T5

Jeweler Type Forceps Extra Fine Tying Platform Narrower




Straight, shafts more narrow where shaft meets the handle. Extra fine pointed tips and 6 mm tying platform. Smooth handle with dull finish. Overall length 110 mm.



E8164

Kennerdell Bayonet Forceps



Bayonet shafts with serrated tips. Serrated handle with dull finish. Tip to bend: 83 mm. Tips: 17 mm. Serrated. Without teeth. Overall length 160 mm.



Muscle

67120

DeDecker Muscle Forceps



Tip 40° angled. 7 mm from tip to bend. Inner jaws serrated. Overall length 127 mm.



E2304

Bishop Tendon Tucker



Triangular tips. marked for 5 and 10 mm tucks. Overall length 117 mm.



E2330

Jameson Muscle Forceps Left



Angled shafts with 12 mm scaled jaws. 1 mm teeth on one jaw fit into holes on the other jaw. Slide lock and serrated handle with polished finish. Left. Overall length 100 mm.



E2331

Jameson Muscle Forceps Right



Angled shafts with 12 mm scaled jaws. 1 mm teeth on one jaw fit into holes on the other jaw. Slide lock and serrated handle with polished finish. Right. Overall length 100 mm.



Forceps

Muscle

E2334

Jameson Muscle Forceps Left Child Size

x 1

Angled shafts with 9 mm scaled jaws. 1 mm teeth on one jaw fit into holes on the other jaw. Slide lock and serrated handle with polished finish. Left. Overall length 99 mm.



E2335

Jameson Muscle Forceps Right Child Size

x 1

Angled shafts with 9 mm scaled jaws. 1 mm teeth on one jaw fit into holes on the other jaw. Slide lock and serrated handle with polished finish. Right. Overall length 99 mm.



Mosquito

E3915

Hartman Straight Hemostatic Forceps

x 1

Straight 20 mm serrated jaws. Ring handle with ratchet lock. Overall length 99 mm.



E3916

Hartman Curved Hemostatic Forceps

x 1

Curved 20 mm serrated jaws. Ring handle with ratchet lock. Overall length 99 mm.




E3920

Halstead Straight Hemostatic Forceps

x 1

Straight 22 mm serrated jaws. Ring handle with ratchet lock. Overall length 125 mm.




E3922

Halstead Curved Hemostatic Forceps

x 1

Curved 22 mm serrated jaws. Ring handle with ratchet lock. Overall length 120 mm.



Retinal

65365

Trocar Ports Grasping Forceps



Forceps for grasping trocar ports in 23G and 25G PPV surgery. For easy removal of trocar port from sclera. Compatible with the Bausch + Lomb Entry Site Alignment (ESA) valved cannula system.



E5378

Watzke Sleeve Spreading Forceps



Designed to spread silicone sleeves for circling bands. Serrated 10 mm tips. Angled 30°. Overall length 114 mm.



ET8198H

StableGrip™ Vitreoretinal Handle



This contoured handle is ideal for all StableGrip™ vitreoretinal tips. The enhanced activation design facilitates smooth and consistent tip closure. The fingertip rotation control allows for accurate tip alignment. Titanium construction provides balance and tactile control. 20 Gauge, 23 Gauge and 25 Gauge forceps and scissors sold separately. Overall length 104 mm.



ET8309

23 Gauge StableGrip™ Asymmetrical Peeling Forceps



Used for ILM and epiretinal membrane peel. For use on macular puckers and cellophane maculopathy. The asymmetric jaw is designed to allow the surgeon to see over the instrument to visualize retinal tissue. The front half of this instrument is violet to indicate an asymmetrical peeling forceps. The back half is colored green to indicate 23 Gauge. Use with ET8198H StableGrip™ Vitreoretinal Handle sold separately. Overall length 55 mm.



Retinal

ET8310

23 Gauge StableGrip™ ILM Forceps

x 1



Specifically designed to remove delicate ILM and epiretinal membrane. A smaller jaw provides better visualization of tissue and optimal grasping ability of delicate tissue. The front half of this instrument is silver to indicate an ILM forceps. The back half is colored green to indicate 23 Gauge. Use with ET8198H StableGrip™ Vitreoretinal Handle sold separately. Overall length 55 mm.



ET8312

23 Gauge StableGrip™ Endgripping Forceps

x 1



These forceps are designed to peel epiretinal membrane and ILM. This instrument provides a smaller delicate grasp of tissue. Less mass at the tip of the instrument allows for easier visualisation of tissue and grasp of delicate membranes. The front half of this instrument is light blue to indicate an endgripping forceps. The back half is colored green to indicate 23 Gauge. Use with ET8198H StableGrip™ Vitreoretinal Handle sold separately. Overall length 56 mm.



ET8508

25 Gauge StableGrip™ Micro Pic Forceps

x 1



Forceps has 0.4 mm rotatable tips with roughened jaws. These forceps are used to peel epiretinal membrane. The dual function of the instrument is designed to create the ability to lift the membrane with the angled pic and then solidly grasp tissue with the platform. The front half of this instrument is bronze to indicate a micro pic forceps. The back half is colored dark blue to indicate 25 Gauge. Use with ET8198H StableGrip™ Vitreoretinal Handle sold separately. Overall length 57 mm.



ET8509

25 Gauge StableGrip™ Asymmetrical Peeling Forceps

x 1



Used for ILM and epiretinal membrane peel. For use on macular puckers and cellophane maculopathy. The asymmetric jaw is designed to allow the surgeon to see over the instrument to visualize retinal tissue. The front half of this instrument is violet to indicate an asymmetrical peeling forceps. The back half is colored dark blue to indicate 25 Gauge. Use with ET8198H StableGrip™ Vitreoretinal Handle sold separately. Overall length 56 mm.



Retinal

ET8510

25 Gauge StableGrip™ ILM Forceps



Specifically designed to remove delicate ILM and epiretinal membrane. A smaller jaw provides better visualization of tissue and optimal grasping ability of delicate tissue. The front half of this instrument is silver to indicate an ILM forceps. The back half is colored dark blue to indicate 25 Gauge. Use with ET8198H StableGrip™ Vitreoretinal Handle sold separately. Overall length 58 mm.



ET8512

25 Gauge StableGrip™ Endgripping Forceps



These forceps are designed to peel epiretinal membrane and ILM. This instrument provides a smaller delicate grasp of tissue. Less mass at the tip of the instrument allows for easier visualization of tissue and a precise grasp of delicate membranes. The front half of this instrument is light blue to indicate an endgripping forceps. The back half is colored dark blue to indicate 25 Gauge. Use with ET8198H StableGrip™ Vitreoretinal Handle sold separately. Overall length 56 mm.



ET8514

25 Gauge StableGrip™ Micro Forceps



Forceps has 0.4 mm rotatable tips with roughened jaws. These forceps are designed to peel epiretinal membrane. The dual function of the instrument gives the ability to lift the membrane with the angled pic and then solidly grasp tissue with the platform. The front half of this instrument is green to indicate a micro forceps. The back half is colored dark blue to indicate 25 Gauge. Use with ET8198H StableGrip™ Vitreoretinal Handle sold separately. Overall length 58 mm.



Forceps

Retinal

65023S-12

23GA Endgripping Forceps



23GA single-use end gripping vitreoretinal forceps. These forceps are used to peel Epiretinal membrane and also ILM. Low glare instrument shaft. Sterile single-use. 12/box.



65025S-12

25GA Endgripping Forceps



25GA single-use end gripping vitreoretinal forceps. These forceps are used to peel Epiretinal membrane and also ILM. Low glare instrument shaft. Sterile single-use. 12/box.



SUI13-12

27GA Endgripping Forceps



27GA single-use end gripping vitreoretinal forceps. These forceps are used to peel Epiretinal membrane and also ILM. Low glare instrument shaft. Sterile single-use. 12/box.



SUI03-12

23GA Asymmetric Peeling Forceps



Features an asymmetric jaw which allows for optimal visualization of retinal tissue. The sleek, ergonomic handle is consistent with our popular reusable design. Used for ILM, Epiretinal Membrane Peel, macular pucker and cellophane maculopathy. The balanced design provides optimal feel and control. 23 Gauge. Packaged sterile. Single-Use. 12/box.



SUI05-12

25GA Asymmetric Peeling Forceps



Features an asymmetric jaw which allows for optimal visualization of retinal tissue. The sleek, ergonomic handle is consistent with our popular reusable design. Used for ILM, Epiretinal Membrane Peel, macular pucker and cellophane maculopathy. The balanced design provides optimal feel and control. 25 Gauge. Packaged sterile. Single-Use. Overall length: 135 mm. 12/box.



Retinal

SUI09-12

20GA Endgripping ILM Forceps



20GA single-use end gripping vitreoretinal forceps. Specifically designed to remove delicate ILM and epiretinal membrane. Low glare instrument shaft. Sterile single-use. 12/box.



SUI07-12

23GA Endgripping ILM Forceps



23GA single-use end gripping vitreoretinal forceps. Specifically designed to remove delicate ILM and epiretinal membrane. Low glare instrument shaft. Sterile single-use. 12/box.



SUI08-12

25GA Endgripping ILM Forceps



25GA single-use end gripping vitreoretinal forceps. Specifically designed to remove delicate ILM and epiretinal membrane. Low glare instrument shaft. Sterile single-use. 12/box.



SUI10-12

20GA Serrated Forceps



20GA single-use serrated vitreoretinal forceps. The jaws of these forceps have serrations inside for non-slip gripping. Designed for peeling and manipulating thicker and more fibrotic membranes. Sterile single-use. 12/box.



SUI11-12

23GA Serrated Forceps



23GA single-use serrated vitreoretinal forceps. The jaws of these forceps have serrations inside for non-slip gripping. Designed for peeling and manipulating thicker and more fibrotic membranes. Sterile single-use. 12/box.



SUI12-12

25GA Serrated Forceps



25GA single-use serrated vitreoretinal forceps. The jaws of these forceps have serrations inside for non-slip gripping. Designed for peeling and manipulating thicker and more fibrotic membranes. Sterile single-use. 12/box.



Forceps

Retinal

SUI14-12

27GA Serrated Forceps



27GA single-use serrated vitreoretinal forceps. The jaws of these forceps have serrations inside for non-slip gripping. Designed for peeling and manipulating thicker and more fibrotic membranes. Sterile single-use. 12/box.



Scleral Plugs

65360Y1

Forceps For Scleral Plugs



Width of tip 0.85 mm. Overall length 100 mm.



E8709

Plug Removal Forceps 25 Gauge



Forceps used to remove scleral plugs used in a 25GA trocar system. Overall length 84 mm.



Suturing

2-110

Bonn Suturing Forceps 0.12 Titanium



0.12 mm 1x2 teeth with 6 mm platform. Flat serrated handle with dull finish. Titanium. Overall length 85 mm.



SUE02-12

Bonn Forceps



Straight jaws. 1x2 teeth 0.12 mm. 3.5 mm tying platform. For tissue manipulation and bulbus fixation. 100 mm overall length. Packaged single. Sterile. 12/box.



Suturing

62041

Castroviejo Suturing Forceps

1 x 2 teeth 0.5 mm. 6.5 mm tying platform.
Overall length 101 mm.



62042

Castroviejo Suturing Forceps

1 x 2 teeth 0.9 mm. 6.5 mm tying platform.
Overall length 101 mm.



62071

Paufique Universal Suturing Forceps

6 mm tying platform. Overall length 87 mm.



62072

Paufique Universal Suturing Forceps

Delicate. 6 mm tying platform. Overall length 87 mm.



62110

Castroviejo Suturing Forceps

1 x 2 teeth 0.5 mm. 6 mm tying platform. Newer model.
Overall length 115 mm.



63120

Suturing Forceps Mod. Zuerich

Straight. 4.5 mm tying platform. 78 mm.



62045Y1

Moorfield Suturing Forceps

With groove. Serrated. 2.5 mm width.
Overall length 111 mm.



Forceps

Suturing

63120Y1

Suturing Forceps, Mod. Zuerich

35° angled. 1 x 2 teeth. Overall length 78 mm.



65150G

Barsewisch Anterior Chamber Forceps

45° angled. Tying platform 1.5 length 73 mm.



E1564

Osher Forceps Elschmig Teeth 0.12 mm

The Elschmig teeth of this forceps are ideal for grasping sclera during suturing. Delicate tying platform handles the finest suture material. 0.12 mm, 1 x 2 teeth, 3 mm platform. Overall length 104 mm.



E1686

Troutman Superior Rectus Forceps

Shafts angled 45°, 10 mm from tip to bend. 1 x 2 teeth. Serrated handle with polished finish. Overall length 106 mm.



E1796

Castroviejo Suturing Forceps 0.12 mm


Straight shafts with teeth and 5.5 mm tying platform. Wide serrated handle with polished finish. Teeth 0.12 mm. Overall length 108 mm.



E1796 S

Sanders-Castroviejo Suturing Forceps


0.12 mm teeth. 5.5 mm tying platform. Overall length 109 mm.



E1797

Castroviejo Suturing Forceps


1 x 2 teeth. 0.3 mm. 6 mm tying platform. Overall length 109 mm.



Suturing

E1798

Castroviejo Suturing Forceps




0.5 mm teeth. 5.5 mm tying platform.
Overall length 109 mm.



E1798 S

Stern-Castroviejo Suturing Forceps 0.5 mm




Straight shafts with 0.5 mm teeth and 6 mm tying platform. Wide serrated handle with thumb catch lock and polished finish. Overall length 108 mm.



E1800

Castroviejo Suturing Forceps 0.5 mm Narrow




Straight shafts with teeth and 5.5 mm tying platform. Serrated handle with polished finish. Teeth 0.5 mm. Overall length 108 mm.



E1805

Fine-Castroviejo Suturing Forceps




0.2 mm teeth. 5.5 mm tying platform.
Overall length 108 mm.



E1805 XD

Fine-Castroviejo Suturing Forceps



0.12 mm teeth. 6.0 mm tying platform.
Overall length 108 mm.



E1806

Castroviejo Suturing Forceps 0.5 mm Angled




Angled 45° shafts with 0.5 mm teeth and 5.5 mm tying platform. Polished finish. Overall length 108 mm.



E1809

Bonn Suturing Forceps



0.12 mm teeth with tying platform.
Overall length 74 mm.




Forceps

Suturing

E1811G

Bonn Suturing Forceps



Straight 0.12 mm teeth. 6 mm tying platform. 86 mm.



E1813 A

McPherson Suturing Corneal Forceps



Angled 1 x 2 teeth. 5 mm tying platform.
Overall length 85 mm.



E1813 AK

Kelman-McPherson Forceps




Angled 8 mm shafts. 1 x 2 teeth 5 mm tying platform.
Overall length 85 mm.



E1813 S

McPherson Suturing-Corneal Forceps



Straight 1 x 2 teeth. 5 mm tying platform.
Overall length 87 mm.



E1817 S

Lieberman Suturing Forceps



Colibri style tips. Double toothed tips with 0.10 mm teeth
spaced 1 mm apart and 7.5 mm tying platform.
Wide serrated handle with polished finish.
Overall length 109 mm.



E1830

Sauer Suturing Forceps



Straight 1 x 2 teeth. Overall length 86 mm.



ET1811

Bonn Suturing Forceps



Straight shafts with 0.12 mm teeth. 5.0 mm tying platform.
Titanium. Overall length 94 mm.



Tissue

64011

Dressing Forceps




Straight 1.0 mm. Overall length 102 mm.



64020

Tissue Forceps




Straight 0.7 mm. Extra delicate. Overall length 103 mm.



64021

Tissue Forceps




Straight 1.0 length 100 mm.



64022

Tissue Forceps




Curved. 1.0 length 100 mm.



64023

Tissue Forceps




Straight 1.2 mm. Overall length 100 mm.



E1400

Tissue Forceps




Straight 11 mm tips. Extra delicate.
Overall length 100 mm.



E1404

Straight Dressing Forceps



With heavy serrations. 12 mm tips.
Overall length 103 mm.




Forceps

Tissue

E1406

Curved Dressing Forceps



With delicate serrations. Overall length 99 mm.



E1408

Strong Curved Dressing Forceps




With delicate serrations. Overall length 97 mm.



E1410

Light Curved Dressing Forceps




With heavy serrations. Overall length 98 mm.



E1500

Bishop-Harmon Tissue Forceps



Straight 1 x 2 fine teeth. Overall length 86 mm.



E1500 C

Bishop-Harmon Curved Tissue Forceps




Curved shafts with fine 1 x 2 teeth.
Overall length 85 mm.



E1502

Bishop-Harmon Tissue Forceps




Straight 1 x 2 delicate teeth. 86 mm.



Tissue

E1506

Bishop-Harmon Dressing Forceps




With serrations. Overall length 100 mm.



E3205

STORZ Corneal Forceps Colibri Style



0.12 mm, 1 x 2 teeth set at 55° offset, 6 mm platform.
Wide serrated handle with polished finish.
Overall length 106 mm.



E6760

Dressing Forceps




Straight serrated. 11 mm tips. Non-magnetic.
Overall length 100 mm.



E6764

Tissue Forceps



Straight 1 x 2 teeth. Non-magnetic.
Overall length 100 mm.



Forceps

Towel/Serrefine

77011

Dieffenbach Serrefine

12 mm straight serrated jaws. Overall length 37 mm.



77012

Dieffenbach Serrefine

12 mm curved serrated jaws. Overall length 37 mm.



E3897

Micro Serrefine

9 mm jaws designed for 10-0 sutures.
Overall length 26 mm.



E3900

Dieffenbach Serrefine

straight. 10 mm serrated jaws. Polished finish.
Overall length 36 mm.



E3904

Dieffenbach Serrefine

Straight. 20 mm jaws. Polished finish.
Overall length 55 mm.



E6774

Schaedel Towel Clamp

Non-magnetic. Cross-action. Overall length 85 mm.



Tying

63051

Harms Tying Forceps Model Tuebingen

Straight. 7 mm tying platform. Overall length 113 mm.



63052

Tying Forceps, Model Tuebingen

Conical. 6 mm tying platform. Overall length 101 mm.



63070

Paufique Tying Forceps

5.5 mm tying platform. Overall length 88 mm.



63071

Paufique Tying Forceps

Extra delicate. 4.5 mm tying platform. Overall length 88 mm.



63080

Barraquer Tying Forceps

7 mm tying platform. Overall length 111 mm.



63150

Kelman-McPherson Tying Forceps

7.5 mm. Angled. Overall length 100 mm.



63160

McPherson Tying Forceps

Straight. 3.5 mm. Overall length 84 mm.




Forceps

Tying

63250

Tuebingen Tying Forceps

x 1



Extra delicate. 14 mm jaws. 4 mm tying platform.
Overall length 86 mm.



2-100

Pierse Forceps Straight

x 1



Straight shafts with 6 mm platform and Pierse tips.
Flat serrated handle with dull finish. Titanium.
Overall length 85 mm.



2-410

Nordan Tying Forceps Straight

x 1



Straight shafts with 6.5 mm tying platform.
Round knurled handle with dull finish. Titanium.
Overall length 111 mm.



2-420

Nordan Tying Forceps Curved

x 1



Curved shafts with 5.5 mm tying platform.
Round knurled handle with dull finish. Titanium.
Overall length 110 mm.



2-500

Tying Forceps Straight Titanium

x 1



Straight shafts with 5.5 mm tying platform.
Flat serrated handle with dull titanium finish.
Overall length 86 mm.



E1796 WO

O'Gawa Castroviejo Tying Forceps

x 1




Straight shafts with 5.5 mm tying platform.
Wide serrated handle with polished finish.
Overall length 108 mm.



E1807

Sheets-McPherson Tying Forceps Angled

x 1



Angled 45° shafts with 10 mm tying platform. 1 mm of tip
is criss-cross serrated. Serrated handle with dull finish.
Overall length 82 mm.



Tying

E1808

Osher Tying Forceps

x 1



Curved shafts and tips with 6.5 mm tying platform.
Flat serrated handle with dull finish.
Overall length 100 mm.



E1810

Osher Tying Forceps Ultra Fine

x 1




Curved shafts and tips with 6.5 mm tying platform.
Flat serrated handle with dull finish.
Overall length 102 mm.



E1815 A

McPherson Tying Forceps Angled

x 1



Angled shafts with 4 mm tying platform.
Serrated handle with dull finish.
Overall length 82 mm.



E1815 ABG

Bechert-McPherson Tying Forceps

x 1




Angled 45°. 10 mm tying platform.
Overall length 83 mm.



E1815 AKG

Kelman-McPherson Tying Forceps

x 1



Angled 45°. 8 mm from tip to bend. 5 mm tying platform.
Overall length 84 mm.



E1815 S

McPherson Tying Forceps Straight

x 1



Straight shafts with 4mm tying platform. Serrated handle with dull finish. Overall length: 83mm.



E1855

Shepard Tying Forceps Straight

x 1



Straight shafts with 4 mm tying platform.
Wide serrated handle with dull finish.
Overall length 108 mm.




Forceps

Tying

E1855 A

Shepard Tying Forceps Angled

x 1



Angled 50° shafts with tying platform.
Wide serrated handle with dull finish.
Overall length 107 mm.



E1855 C

Shepard Tying Forceps Curved

x 1



Curved shafts and tips with 6 mm tying platform.
Wide serrated handle with dull finish.
Overall length 108 mm.



E1881

O'Gawa Tying Forceps Curved

x 1




Curved shafts and tips with 5.5 mm tying platform.
0.3 mm gap at platform heel. True round knurled handle
in closed position with polished finish.
Overall length 108 mm.



E1888 C

Harms-Tubingen Tying Forceps Curved

x 1



Curved shafts and tips with 6.5 mm tying platform.
Serrated handle with polished finish.
Overall length 101 mm.



E1888 S

Harms-Tubingen Tying Forceps Straight

x 1



Straight shafts with 6.5 mm tying platform.
Serrated handle with polished finish.
Overall length 101 mm.



E3191

Troutman-Barraquer Corneal Utility Forceps Colibri Style 0.3 mm

x 1



0.3 mm, 1 x 2 teeth and 6 mm tying platform.
Serrated handle with polished finish.
Overall length 73 mm.



E3192 FT

Girard Fine Tying Forceps Curved

x 1



Ultra-fine 5 mm tying platform with round knurled handle
for fingertip rotational control. Curved shafts.
Overall length 100 mm.




Tying


E3192.FTS

Girard Fine Tying Forceps Straight

x 1




Ultra-fine 5 mm tying platform with round knurled handle for fingertip rotational control. Straight shafts. Overall length 100 mm.



ET1807

Sheets-Kelman-McPherson Tying Forceps Angled Titanium

x 1



Angled 45° shafts with 10 mm tying platform and 1 mm of tip criss-cross serrated. Serrated handle with dull finish. Titanium. Overall length 82 mm.



SUE03-12

Tying Forceps, straight

x 12



Straight jaws 3.5 mm tying platform. 100 mm overall length. May be used for IOL manipulation and cartridge loading. Packaged single. Sterile. 12/box.



SUE04-12

McPherson Tying Forceps

x 12



Angled jaws. 4 mm tying platform. 8.5 mm jaw length. 98 mm overall length. May be also used for cartridge loading. Packaged single. Sterile. 12/box.



SUE05-12


Pierse Tying Forceps

x 12



Straight jaws. 0.25 mm notched. 4 mm tying platform. 100 mm overall length. For tissue manipulation and bulbus fixation. Packaged single. Sterile. 12/box.







Handpieces

- Aspiration 90
- Coaxial Irrigation/Aspiration 93
- Irrigating Choppers 100
- Irrigation 100



Handpieces

Aspiration

85802

Aspiration Handpiece 19GA



Conical Tip. Roughened. Red colour-coded.



85804

Aspiration Handpiece 20GA



Conical Tip. Roughened. Red colour-coded.



85950

Aspiration Handpiece



Male. Round handle 7 mm Ø. 95 mm.



85772R

SILKO Aspirating Cannula Handpiece



Red silicone coated handle ensures firm grip. male luer adapter for connection to aspiration line. 95 mm.



85774R

Aspiration Handpiece 21GA




Curved. 0.3 mm aspiration port. Tapered tip. Roughened. outer diameter 0.8 mm (21GA).



85776R

Aspiration Handpiece 21GA




Conical Tip. Roughened. Red colour-coded.



85778R

Aspiration Handpiece 21GA



Slightly curved. 0.3 mm aspiration port. Smooth tip. Outer diameter 0.8 mm (21GA).



Aspiration

85967

Aspiration Handpiece 22GA



Curved shaft. Roughened tip. 0.3 mm aspiration port.
Outer diameter 0.7 mm (22GA).
Limited Reuse 400 times.



85968

Aspiration Handpiece 23GA



Curved shaft. Roughened tip. 0.3 mm aspiration port.
Outer diameter 0.6 mm (23GA).
Limited Reuse 400 times.



85780S

Aspiration Handpiece 21GA



Curved shaft. Roughened tip. 0.3 mm aspiration port.
outer diameter 0.8 mm (21GA). Red colour-coded
handle. Packaged single. Sterile. 12/box.



85790S

Aspiration Handpiece 22GA



Curved shaft. Roughened tip. 0.3 mm aspiration port.
outer diameter 0.7 mm (22GA). Red colour-coded
handle. Packaged single. Sterile. 12/box.



85792S

Aspiration Handpiece 23GA



Curved shaft. Roughened tip. 0.3 mm aspiration port.
outer diameter 0.6 mm (23GA). Red colour-coded
handle. Packaged single. Sterile. 12/box.



85900S

Aspiration Handpiece 21GA



Aspiration tip with lateral port. Roughened tip.
Outer diameter 0.8 mm (21GA).
Red colour-coded handle.
Packaged single. Sterile. 12/box.



85901S19

Aspiration Handpiece 19GA



Curved shaft. Roughened tip. 0.3 mm aspiration port.
outer diameter 1.07mm (19GA).
Red colour-coded handle.
Packaged single. Sterile. 12/box.



Handpieces

Aspiration

85901S20

Aspiration Handpiece 20GA



Curved shaft. Roughened tip. 0.3 mm aspiration port. outer diameter 0.89 mm (20GA).
Red colour-coded handle.
Packaged single. Sterile. 12/box.



ET4750 A23

Aspiration Handpiece 23 Gauge 0.4 mm



Used to remove residual cortex after phacoemulsification. Can be used through either sideport incision, thus the surgeon is able to easily reach the cortex in every quadrant of the capsule. Titanium. Overall length 113 mm.



ET4750 AP23

Aspiration Handpiece 23 Gauge 0.4 mm Polishing Tip



Used to remove residual cortex after phacoemulsification. Roughened surface for polishing. Can be used through either sideport incision, thus the surgeon is able to easily reach the cortex in every quadrant of the capsule. Titanium. Overall length 113 mm.



ET4753 A23

Aspirating Handpiece 23 Gauge 0.3 mm



Used to remove residual cortex after phacoemulsification. Can be used through either side port incision, thus the surgeon is able to easily reach the cortex in every quadrant of the capsule. Aspirating port is 0.3 mm. Titanium. Overall length 113 mm.



SUP05

Zero Phaco Aspiration Handpiece




21GA (0.8 mm) Bimanual Aspiration Handpiece, designed with an open port aspiration tube for aspirating softened nuclei during Femtosecond cataract surgery. 30° tapered tip. For use with 85787ST - Irrigation Handpiece 21GA.



Coaxial Irrigation/Aspiration

85761

SILKO I/A Handpiece, Straight




20GA cannula tip. 0.3 mm aspiration port. For use with standard irrigation sleeve. Blue silicone coated handle ensures firm grip. Luer steel connectors. Overall length 138.5 mm.



85763

SILKO I/A Handpiece, Curved, 16/22GA




19.5 mm shaft with 16GA outer cannula (coaxial irrigation) and 22GA inner cannula (aspiration). 0.3 mm aspiration port. Blue silicone coated handle ensures firm grip. Luer steel connectors. Overall length 142 mm.



85764

SILKO I/A Handpiece, Curved, 17/23GA



19.5 mm shaft with 17GA outer cannula (coaxial irrigation) and 23GA inner cannula (aspiration). 0.3 mm aspiration port. Blue silicone coated handle ensures firm grip. Luer steel connectors. Overall length 142 mm.



85765

SILKO I/A Handpiece, Angled 60°, 16/22GA



20 mm shaft angled 60° with 16GA outer cannula (coaxial irrigation) and 22GA inner cannula (aspiration). 0.3 mm aspiration port. Blue silicone coated handle ensures firm grip. Luer steel connectors. Overall length 143 mm.



85766

SILKO I/A Handpiece, Angled 60°, 17/23GA



20 mm shaft angled 60° with 17GA outer cannula (coaxial irrigation) and 23GA inner cannula (aspiration). 0.3 mm aspiration port. Blue silicone coated handle ensures firm grip. Luer steel connectors. Overall length 143 mm.



85770

SILKO I/A Handpiece, Angled 20° with Sleeve



20GA cannula. Tip angled 20° with standard sleeve. 0.3 mm aspiration port. Blue silicone coated handle ensures firm grip. Luer steel connectors. Overall length 138.5 mm.




Handpieces

Coaxial Irrigation/Aspiration

85771

SILKO I/A Handpiece, Angled 90° with Sleeve

x 1



20GA cannula. Tip angled 90° with standard sleeve. 0.3 mm aspiration port. Blue silicone coated handle ensures firm grip. Luer steel connectors. Overall length 138.5 mm.



85951

I/A Handpiece 20° with Sleeve

x 1



20GA cannula. Tip angled 20° with standard sleeve. 0.3 mm aspiration port. Limited Reuse 400 times.



85782S

I/A Handpiece straight, 17GA

x 12



Straight tip for initial cortical removal. 0.3 mm aspiration port. outer diameter 1.5 mm (17GA). Packaged single. Sterile. 12/box.



85783S

I/A Handpiece curved, 17GA

x 12



Curved shaft. Ideal for deep-set eyes. 0.3 mm aspiration port. outer diameter 1.5 mm (17GA). Packaged single. Sterile. 12/box.



85783ST

I/A Handpiece curved, 17GA

x 12



I/A Handpiece with Surelock™ luer connector for Stellaris®. Curved shaft. Ideal for deep-set eyes. 0.3 mm aspiration port. outer diameter 1.5 mm (17GA). Packaged single. Sterile. 12/box.



85784S

I/A Handpiece tip, 45°, 17GA

x 12



Straight shaft with 45° angled aspiration tip. For optimal 360° cortical material removal. 0.3 mm aspiration port. outer diameter 1.5 mm (17GA). Packaged single. Sterile. 12/box.



Coaxial Irrigation/Aspiration

85784ST

I/A Handpiece, 45°, 17GA




I/A Handpiece with Surelock™ luer connector for Stellaris®. Straight shaft with 45° angled aspiration tip. 0.3 mm aspiration port. outer diameter 1.5 mm (17GA). Packaged single. Sterile. 12/box.



85785S

I/A Handpiece straight with sleeve



Straight tip with silicone irrigation sleeve for standard phaco incision. Aspiration cannula 0.9 mm (20GA). 0.3 mm aspiration port. Packaged single. Sterile. 12/box.



85786S

I/A Handpiece tip, 90°, 16GA



Straight shaft with 90° angled aspiration tip. Ideal for 12 o'clock cortical material removal. 0.3 mm aspiration port. outer diameter 1.65 mm (16GA). Packaged single. Sterile. 12/box.



85786ST

I/A Handpiece tip, 90°, 16GA



I/A Handpiece with Surelock™ luer connector for Stellaris®. Straight shaft with 90° angled aspiration tip. Ideal for 12 o'clock cortical material removal. 0.3 mm aspiration port. outer diameter 1.65 mm (16GA). Packaged single. Sterile. 12/box with a 5 year.



85794ST

I/A Handpiece curved with sleeve for 1.8 C-MICS



I/A Handpiece with Surelock™ luer connector for Stellaris®. Curved shaft with silicone irrigation sleeve. For 1.8 mm incision. 0.3 mm aspiration port. Packaged single. Sterile. 12/box.



85795ST

I/A Handpiece 45° with sleeve for 1.8 C-MICS




I/A Handpiece with Surelock™ luer connector for Stellaris®. 45° angled tip with silicone irrigation sleeve. For 1.8 mm incision. 0.3 mm aspiration port. Packaged single. Sterile. 12/box.



Coaxial Irrigation/Aspiration

85910S

CapsuleGuard IA® Handpiece, 45°



This instrument features a flexible 45° tip design for effective cortical removal. Recommended for use in a 2.2 - 2.8mm incision. One-piece silicone construction I/A tip. The silicone tip design facilitates cortex removal, capsule polishing, viscoelastic removal and IOL manipulation in the capsular bag. Semi-transparent silicone sleeve provides improved visualisation. Packaged single. Sterile. 12/box.



85910ST

CapsuleGuard IA® Handpiece, 45°



This instrument features a flexible 45° tip design for effective cortical removal. Recommended for use in a 2.2 - 2.8mm incision. One-piece silicone construction I/A tip. The silicone tip design facilitates cortex removal, capsule polishing, viscoelastic removal and IOL manipulation in the capsular bag. Semi-transparent silicone sleeve provides improved visualisation. Packaged single. Sterile. 12/box.



85912S

CapsuleGuard IA® Handpiece, straight



This instrument features a flexible straight tip design for effective cortical removal. Recommended for use in a 2.2 - 2.8mm incision. One-piece silicone construction I/A tip. The silicone tip design facilitates cortex removal, capsule polishing, viscoelastic removal and IOL manipulation in the capsular bag. Semi-transparent silicone sleeve provides improved visualisation. Packaged single. Sterile. 12/box.



85912ST

CapsuleGuard IA® Handpiece, straight



This instrument features a flexible straight tip design for effective cortical removal. Recommended for use in a 2.2 - 2.8mm incision. One-piece silicone construction I/A tip. The silicone tip design facilitates cortex removal, capsule polishing, viscoelastic removal and IOL manipulation in the capsular bag. Semi-transparent silicone sleeve provides improved visualisation. Packaged single. Sterile. 12/box.



Coaxial Irrigation/Aspiration

85913S

CapsuleGuard IA® Handpiece, curved



This instrument features a flexible curved tip design for effective cortical removal. Recommended for use in a 2.2 - 2.8mm incision. One-piece silicone construction I/A tip. The silicone tip design facilitates cortex removal, capsule polishing, viscoelastic removal and IOL manipulation in the capsular bag. Semi-transparent silicone sleeve provides improved visualisation. Packaged single. Sterile. 12/box.



85913ST

CapsuleGuard IA® Handpiece, curved



This instrument features a flexible curved tip design for effective cortical removal. Recommended for use in a 2.2 - 2.8mm incision. One-piece silicone construction I/A tip. The silicone tip design facilitates cortex removal, capsule polishing, viscoelastic removal and IOL manipulation in the capsular bag. Semi-transparent silicone sleeve provides improved visualisation. Packaged single. Sterile. 12/box.



85914S

MICS CapsuleGuard IA® Handpiece, straight



This instrument features a flexible straight tip design for effective cortical removal. Recommended for use in a sub 2.0mm incision. One-piece silicone construction I/A tip. The silicone tip design facilitates cortex removal, capsule polishing, viscoelastic removal and IOL manipulation in the capsular bag. Semi-transparent silicone sleeve provides improved visualisation. Packaged single. Sterile. 12/box.



85914ST

MICS CapsuleGuard IA® Handpiece, straight



This instrument features a flexible straight tip design for effective cortical removal. Recommended for use in a sub 2.0mm incision. One-piece silicone construction I/A tip. The silicone tip design facilitates cortex removal, capsule polishing, viscoelastic removal and IOL manipulation in the capsular bag. Semi-transparent silicone sleeve provides improved visualisation. Packaged single. Sterile. 12/box.



Handpieces

Coaxial Irrigation/Aspiration

85915S

MICS CapsuleGuard IA® Handpiece, 45°



This instrument features a flexible 45 degree tip design for effective cortical removal. Recommended for use in a sub 2.0mm incision. One-piece silicone construction I/A tip. The silicone tip design facilitates cortex removal, capsule polishing, viscoelastic removal and IOL manipulation in the capsular bag. Semi-transparent silicone sleeve provides improved visualisation. Packaged single. Sterile. 12/box.



85915ST

MICS CapsuleGuard IA® Handpiece, 45°



This instrument features a flexible 45 degree tip design for effective cortical removal. Recommended for use in a sub 2.0mm incision. One-piece silicone construction I/A tip. The silicone tip design facilitates cortex removal, capsule polishing, viscoelastic removal and IOL manipulation in the capsular bag. Semi-transparent silicone sleeve provides improved visualisation. Packaged single. Sterile. 12/box.



SUP06

Zero Phaco Handpiece for Femtocataract 2.2 mm



Designed for aspirating softened nuclei during Femtosecond cataract surgery. The single-use handpiece is designed with an open port aspiration tube with 30° bevel. Recommended for use in a 2.2 mm incision. Packaged sterile. Single-Use. 12/box.



SUP06ST

Stellaris® System Zero Phaco Handpiece for Femtocataract 2.2 mm



Designed for aspirating softened nuclei during Femtosecond cataract surgery. The single-use handpiece is designed with an open port aspiration tube with 30° bevel. Recommended for use in a 2.2 mm incision. Designed for use with the Stellaris® System. Packaged sterile. Single-Use. 12/box.



Coaxial Irrigation/Aspiration

BL3160

Irrigating/Aspirating Handle Stellaris® System



Designed for use with the BL31xx series of I/A tips. Proprietary locking irrigating connector for use with the Stellaris® System tubing kits. Overall length 109 mm.



BL3161

Irrigation-Aspiration Tip, Sleeve, Curved



For use with silicone irrigation sleeve. 0.4 mm aspiration port. For use with BL3160 Stellaris® System I/A Handle.



BL3163

Irrigation-Aspiration Tip, Sleeve, Straight, 45°



Straight. 45° angled aspiration tip and 0.4 mm aspiration port. For use with silicone irrigation sleeve. Tip for use with BL3160 Stellaris® System I/A Handle.



BL3164

Irrigation-Aspiration Tip, Straight



Straight. 0.4 mm aspiration port. Tip for use with BL3160 Stellaris® System I/A Handle.



BL3165

Irrigation-Aspiration Tip, Curved



Curved. 0.4 mm aspiration port. Tip for use with BL3160 Stellaris® System I/A Handle.



BL3166

Irrigation-Aspiration Tip, Straight, 45°



Straight. 45° angled aspiration tip and 0.4 mm aspiration port. Tip for use with BL3160 Stellaris® System I/A Handle.



E4395 27

McIntyre Handpiece



Aspirating or irrigating handpiece. Luer connector fits all cannula hubs, narrow connector fits IV tubing. 8 mm diameter handle. Overall length 76 mm.



Handpieces

Irrigating Choppers

85800

Irrigating Chopper 19GA



Irrigating chopper for bimanual phaco. Tip length 0.95 mm. Two irrigation side ports of 0.8 mm. outer diameter 1.1 mm (19GA).



85809

Irrigating Divider 19GA



Irrigating instrument for divide and conquer technique during biaxial phaco. Two lateral irrigation ports and one posterior facing irrigation port. Outer diameter 1.1 mm (19GA).



85903S19

Irrigating Chopper 19GA



Single-Use Irrigating Chopper for Micro Incision Cataract Surgery. Sharpened inner side. Atraumatic tip end. Central irrigation port. outer diameter 1.07 mm (19GA). Packaged single. Sterile. 12/box.



85903S20

Irrigating Chopper 20GA



Single-Use Irrigating Chopper for Micro Incision Cataract Surgery. Sharpened inner side. Atraumatic tip end. Central irrigation port. outer diameter 0.89 mm (20GA). Packaged single. Sterile. 12/box.



Irrigation

85775

Irrigation Handpiece 21GA




Curved. Two 0.5 mm irrigation ports. Tapered tip. Roughened. 21GA (outer diameter 0.8 mm).



85777

Irrigation Handpiece 21GA




Curved. Sandblasted tip. Central irrigation port. Outer diameter 0.8 mm (21GA).



Irrigation

85779

Irrigation Handpiece 21GA



Slightly curved. 0.5 mm irrigation port. Smooth tip. Outer diameter 0.8 mm (21GA).



85803

Irrigation Handpiece 19GA



Irrigation Handpiece. 19GA. Smooth tip. Two irrigation side ports of 0.6 mm. Blue colour-coded handle.



85805

Irrigation Handpiece 20GA



Irrigation Handpiece. 20GA. Smooth tip. Two irrigation side ports of 0.6 mm. Blue colour-coded handle.



85955

Irrigation Handpiece



Female. Round handle 7 mm Ø. 95 mm.



85957

Irrigation Handpiece 22GA



Curved shaft. Smooth tip. Two lateral irrigation ports. Outer diameter 0.7 mm (22GA). Limited Reuse 400 times.



85958

Irrigation Handpiece 23GA



Curved shaft. Smooth tip. Two lateral irrigation ports. Outer diameter 0.6 mm (23GA). Limited Reuse 400 times.



85781S

Irrigation Handpiece 21GA



Curved shaft. Roughened tip. Two lateral irrigation ports of 0.6 mm Ø. Outer diameter 0.8 mm (21GA). Blue colour-coded handle. Packaged single. Sterile. 12/box.



Handpieces

Irrigation

85787S

Irrigation Handpiece 21GA



Curved shaft. Smooth tip. Two lateral irrigation ports of 0.6 mm Ø. Outer diameter 0.8 mm (21GA). Blue colour-coded handle. Packaged single. Sterile. 12/box.



85787ST

Irrigation Handpiece 21GA




Irrigation Handpiece with Surelock™ luer connector for Stellaris® System. Curved shaft. Smooth tip. Two lateral irrigation ports of 0.6 mm Ø. Outer diameter 0.8 mm (21GA). Grey colour-coded handle. Packaged single. Sterile. 12/box.



85789S

Irrigation Handpiece 22GA




Curved shaft. Central irrigation port. Outer diameter 0.7 mm (22GA). Blue colour-coded handle. Packaged single. Sterile. 12/box.



85791S

Irrigation Handpiece 23GA



Curved shaft. Central irrigation port. Outer diameter 0.67 mm (23GA). Blue colour-coded handle. Packaged single. Sterile. 12/box.



85806S

Irrigation Handpiece 22GA



Curved shaft. Smooth tip. Two lateral irrigation ports. Outer diameter 0.7 mm (22GA). Blue colour-coded handle. Packaged single. Sterile. 12/box.



85806ST

Irrigation Handpiece 22GA



Irrigation Handpiece with Surelock™ luer connector for Stellaris® System. Curved shaft. Smooth tip. Two lateral irrigation ports. Outer diameter 0.7 mm (22GA). Grey colour-coded handle. Packaged single. Sterile. 12/box.



Irrigation

85807S

Irrigation Handpiece, 23GA



Curved shaft. Smooth tip. Two lateral irrigation ports. Outer diameter 0.6 mm (23GA). Blue colour-coded handle. Packaged single. Sterile. 12/box.



85807ST

Irrigation Handpiece, 23GA



Irrigation Handpiece with Surelock™ luer connector for Stellaris® System. Curved shaft. Smooth tip. Two lateral irrigation ports. Outer diameter 0.6 mm (23GA). Grey colour-coded handle. Packaged single. Sterile. 12/box.



85902S19

Irrigation Handpiece, 19GA



Curved shaft. Smooth tip. Two lateral irrigation ports of 0.6 mm Ø. Outer diameter 1.07 mm (19GA). Blue colour-coded handle. Packaged single. Sterile. 12/box.



85902S20

Irrigation Handpiece, 20GA



Curved shaft. Smooth tip. Two lateral irrigation ports of 0.6mm Ø. Outer diameter 0.89 mm (20GA). Blue colour-coded handle. Packaged single. Sterile. 12/box.



85902ST19

Irrigation Handpiece, 19GA



Irrigation handpiece with Surelock™ luer connector for Stellaris®. Curved shaft. Smooth tip. Two lateral irrigation ports of 0.6 mm Ø. Outer diameter 1.07 mm (19GA). Grey colour-coded handle. Packaged single. Sterile. 12/box.




ET4750 I21

Irrigating Handpiece 21 Gauge 0.4mm



Used to remove residual cortex after phacoemulsification. Handpiece is autoclavable and maintains the anterior chamber. It has dual 0.4 mm irrigating ports. Titanium. Overall length 113 mm.







Knives

- Blade Holders 106
- Clear Corneal 106
- Crescent 107
- Diamond 108
- Dissectors 110
- Foreign Body Spuds 111
- Keratoplasty 111
- Scleral 112
- Slit 113
- Stab 116
- Trapezoidal 117
- Sideport 119



Blade Holders

72060

Barraquer Blade Breaker and Holder

Straight 12 mm jaws for holding and breaking razor blade fragments. With lock. Overall length 110 mm.



72141

Troutman-Chris Blade Breaker and Holder

Straight 10 mm jaws. Spring loaded handle. Snap-in end lock. Overall length 94 mm.




Clear Corneal

LP7594

Clear corneal knife 1.3 mm angled


A = 1.3 mm, B = 1.4 mm.



LP7595

Clear corneal knife 1.6 mm angled


A = 1.6 mm, B = 1.7 mm.



LP7527

Clear corneal knife angled 2.75 mm


A = 2.75 mm, B = 3 mm.



Clear Corneal

LP7528

Clear corneal knife angled 2.85 mm



A = 2.85 mm, B = 3.2 mm.



SUB7528

Clear corneal knife angled 2.85 mm




B = 2.85 mm, C = 2.8 mm.



LP7587A

Clear corneal knife 2.9 mm angled




A = 2.9 mm, B = 3.1 mm.



Crescent

LP7510

Crescent blade bevel up angled




A = 2.0 mm, B = 4.0 mm.



Diamond

13580Y5

Universal Diamond Knife




2 x 70° edge. 1 mm blade width. 0.2 mm thickness.
123 mm.



13580Y7

Universal Diamond Knife



2 x 60° edge. 1 mm blade width. 0.2 mm thickness.
Overall length 123 mm.




E0100 E

Economy Diamond Knife, 45°




Single edge 45 degree blade for performing side-port
incision and scleral groove. Push-pull blade retraction
mechanism. 1.0 mm width. 0.2 mm thickness.
Overall length (blade retracted) 114 mm.



E0100 M

Universal Diamond Knife „MM“, 45°




Double cutting edge. 1 mm blade width. 0.2 mm
thickness. Ball point mechanism for protection.
Overall length 123 mm.



E0102 M

Angled Tunnel Blade Diamond Knife, 45°



Economy Trifacet Diamond Knife. 1 mm blade width,
0.2 mm thickness. Overall length 114 mm.



E0103 E

Economy Trifacet Diamond Knife



Diamond blade for scleral groove and tunnel incision.
Push-pull blade retraction mechanism. 1.0 mm blade
width. 0.2 thickness. 5.6 mm blade length. Overall length
(blade retracted) 114 mm.



Diamond

E0104 ACC1.8

Clear Cornea Diamond Knife, 1.8 mm



Angled clear cornea keratome with sharp sides. 1.8 mm blade width. Tip angle 45°. For anterior chamber entrance and wound extension. J-slot blade retraction mechanism. 0.2 mm blade thickness. Length from tip to mounting 4.0 mm. Overall length 123 mm.



E0104 ACC2.2

Clear Cornea Diamond Knife, 2.2 mm



Angled clear cornea keratome with sharp sides. 2.2 mm blade width. Tip angle 45°. For anterior chamber entrance and wound extension. J-slot blade retraction mechanism. 0.2 mm blade thickness. Length from tip to mounting 4.0 mm. Overall length 123 mm.



E0104 ACC2.5

Clear Cornea Diamond Knife, 2.5 mm



Angled clear cornea keratome with sharp sides. 2.5 mm blade width. Tip angle 45°. For anterior chamber entrance and wound extension. J-slot blade retraction mechanism. 0.2 mm blade thickness. Length from tip to mounting 4.0 mm. Overall length 123 mm.




E0105 M

Triple Edge Arcuate Diamond Knife, 15°



15 degree thin blade designed for all corneal incisions. Including arcuate astigmatic cuts. 200 micron flat facet on cutting edge provides the surgeon with optimal control throughout the incision as well as durability at the tip. Blade width 1.0 mm.



E0112

Step Trifacet Diamond Knife



1 mm blade width. 3.5 mm length. 0.2 mm thickness. Single footplate. preset incision depth steps from 0.15 to 4 mm. Overall length (blade retracted) 123 mm.



Diamond

E0117

Anderson Diamond Knife



This triple edge, 15° diamond blade has a step gauge mechanism to provide the surgeon the control desired when creating a variety of incisions which include groove paracentesis and astigmatic keratotomy. Includes preset steps of 0.2, 0.3, 0.4, 0.5, 0.6, and 0.8 mm. Full extension at 4.0 mm. Width of blade tip 0.2 mm tapers to 0.8 mm. Overall length (blade retracted) 115 mm.



E0123

Nichamin LRI Diamond Knife



Incorporates many features to enhance the surgeon's visualization and provide optimal control while creating the incision. The very small footplate is curved to conform to the fixation/degree gauge and provides a guide for making the arcuate incision at the limbus. The fine 15°, 100µ diamond blade with micro-flat tip ensures blade stability and smooth glide through the corneal tissue. The step adjustment feature allows the surgeon to quickly dial in the desired incision depth for the latest techniques using pachymetry (the NAPA Technique introduced by Louis D. Nichamin, MD).



Dissectors

E0480

Fogla Pointed Dissector



This instrument is designed to facilitate lamellar dissection of corneal stroma allowing the introduction of the Fogla Air Injection Cannula (E4924) for creation of the "big bubble" (plane separation between Descemet's membrane and corneal stroma). The sharp tip and rounded shaft give a more controlled creation of the lamellar pocket in DALK surgery. Overall length 117 mm.



Foreign Body Spuds

E0846

Ellis Foreign Body Spud

x 1



Small curved rounded blade. Flat serrated handle with polished finish. Overall length 117 mm.



13091A

Foreign Body Spud

x 1



Straight. Overall length 121 mm.



13100A

Plange Foreign Body Spud

x 1

Overall length 123 mm.



Keratoplasty

13131A

Kuhnt Corneal Scarifier

x 1

Overall length 114 mm.



13132A

Kuhnt Corneal Scarifier

x 1

Overall length 121 mm.



13135

LASIK Corneal Scraper

x 1

Hockey-type blade for removal of epithelium. 5 mm blade length. Non-cutting edge. Overall length 106 mm.



Keratoplasty

E0390

Tooke Corneal Knife



3 mm x 18 mm smooth blade.
Flat serrated handle with polished finish.
Overall length 119 mm.



E3001

Martinez Double Ended Corneal Dissector Knife



Double ended 3 mm x 11 mm angled sharp blades.
Flat handle with polished finish.
Overall length 127 mm.



Scleral

16021A

Scleral Resection Knife




Model Bonn. 7 mm blade. Overall length 127 mm.



LP7519

19 Gauge MVR blade




A = 1.37 mm.



LP7520

20 Gauge MVR blade




A = 1.2 mm.



Slit

LP7548ADB

Slit knife 2.2 mm angled double bevel




A = 2.2 mm, B = 2.3 mm.



SUB7548ADB

Slit knife 2.2 mm angled double bevel




B = 2.2 mm, C = 2.7 mm.



LP7549ADB

Slit knife 2.4 mm angled double bevel




A = 2.4 mm, B = 2.5 mm.




SUB7549ADB

Slit knife 2.4 mm angled double bevel




B = 2.4 mm, C = 2.9 mm.



LP7550A

Slit knife 2.5 mm angled bevel up




A = 2.5 mm, B = 3.3 mm.



LP7551A

Slit knife 2.65 mm angled bevel up




A = 2.65 mm, B = 3.7 mm.



Slit

LP7551ADB

Slit knife 2.65 mm angled double bevel




A = 2.65 mm, B = 2.8 mm.



LP7559A

Slit knife 2.75 mm angled bevel up




A = 2.75 mm, B = 3.4 mm.




SUB7559A

Slit knife 2.75 mm angled bevel up




B = 2.75 mm, C = 3.3 mm.



LP7552ADB

Slit knife 2.85 mm angled double bevel




A = 2.85 mm, B = 3.2 mm.



SUB7552ADB

Slit knife 2.85 mm angled double bevel




B = 2.8 mm, C = 3.4 mm.



LP7553A

Slit knife 2.85 mm angled bevel up



A = 2.85 mm, B = 3.5 mm.




Slit

SUB7553A

Slit knife 2.85 mm angled bevel up

x12




B = 2.85 mm, C = 3.4 mm.



LP7556A

Slit knife 3.0 mm angled bevel up

x6




A = 3.0 mm, B = 3.6 mm.




SUB7556A

Slit knife 3.0 mm angled bevel up

x12




B = 3.0 mm, C = 3.6 mm.



LP7557A

Slit knife 3.2 mm angled bevel up

x6




A = 3.2 mm, B = 3.2 mm.



SUB7557A

Slit knife 3.2 mm angled bevel up

x12



B = 3.2 mm, C = 3.9 mm.




Knives

Stab

LP7515

Stab knife 15 degree




A = 15°, B = 1.6 mm, C = 11.0 mm.



SUB7515

Stab knife 15 degree




B = 1.5 mm, C = 4.9 mm.



LP7522

Stab knife 22.5 degree




A = 22.5°, B = 1.6 mm, C = 11.0 mm.



SUB7522

Stab knife 22.5 degree




B = 1.65 mm, C = 3.7 mm.



LP7530

Stab knife 30 degree




A = 30°, B = 1.6 mm, C = 11.0 mm.



SUB7530

Stab knife 30 degree




B = 1.8 mm C = 2.9 mm.



Stab

LP7545

Stab knife 45 degree




A = 45°, B = 1.8 mm, C = 11.0 mm.



SUB7545

Stab knife 45 degree




B = 1.9 mm, C = 1.8 mm.



Trapezoidal

LP7599

Trapezoidal knife 1.5 - 1.7 mm angled



A = 1.5 mm, B = 1.98 mm, E = 2.20 mm.




SUB7599

Trapezoidal knife 1.5 - 1.7 mm angled

B = 1.7 mm, C = 1.9 mm, D = 1.5 mm,
E = 3.0 mm.

LP7596

Trapezoidal knife 1.5 - 2.0 mm angled




A = 1.5 mm, B = 2.0 mm, E = 2.0 mm.



Trapezoidal

SUB7596

Trapezoidal knife 1.5 - 2.0 mm angled




B = 2.0 mm, C = 1.6 mm, D = 1.5 mm,
E = 2.7 mm.



LP7600

Trapezoidal knife 1.6 - 1.8 mm angled




A = 1.6 mm, B = 1.8 mm, E = 2.0 mm.



SUB7600

Trapezoidal knife 1.6 - 1.8 mm angled




B = 1.8 mm, C = 1.4 mm, D = 1.6 mm,
E = 2.6 mm.



LP7603

Trapezoidal knife 1.8 - 2.2 mm angled




A = 1.8 mm, B = 2.2 mm, E = 2.0 mm.



LP7601

Trapezoidal knife 2.0 - 2.2 mm angled



A = 2.0 mm, B = 2.2 mm, E = 2.29 mm.




SUB7601

Trapezoidal knife 2.0 - 2.2 mm angled




B = 2.2 mm, C = 1.9 mm, D = 2.0 mm,
E = 3.0 mm.



Trapezoidal

LP7582

Trapezoidal knife 2.85 - 3.2 mm angled




A = 2.85 mm, B = 3.2 mm, E = 2.0 mm.



Sideport

LP7592

Arrow knife 1.1 mm angled




A = 1.1 mm.




LP7593

Arrow knife 0.8 mm angled



A = 0.8 mm.







Manipulators, Hooks

Corneal	122
Fixation Hooks	122
Iris	122
Lacrimal, DCR	123
Lens	123
Muscle	132
Retinal	132
Strabismus	133



Manipulators, Hooks

Corneal

E2040

Carlson DSEK Smoother

x 1



The ball shaped tip of this instrument is designed to press on the corneal surface after the graft is implanted to remove fluid between the recipient bed and the DSEK graft. Overall length 122 mm.



E3119

Reverse Sinskey Hook

x 1



This instrument is used to begin the dissection in DSEK surgery by scoring Descemet's membrane. It is then used to gently strip the membrane. Overall length 117 mm.



Fixation Hooks

E0532

STORZ Double Fixation Hook 1.5 mm

x 1



Flat serrated handle with polished finish. Spread between curved tips 1.5 mm. Overall length 128 mm.



E0533

STORZ Double Fixation Hook 2 mm

x 1



Flat serrated handle with polished finish. Spread between curved tips 2.0 mm. Overall length 128 mm.




Iris

54290

Dardenne Iris Hook

x 1



Rounded. 15 mm tip. Angled 45°. Overall length 115 mm.



54410

Lund Iris Hook

x 1




14 mm tip. Angled 45°. Overall length 108 mm.



Iris

55470

Rentsch Reposition Double Hook



0.2 mm hooks. Overall length 137 mm.



54190A

Iris Hook, Model Bonn



Very delicate. Overall length 124 mm.



E0549 H

Hirschman Iris Hook



H shaped 0.75 mm hook angled 45°. 9 mm from tip to bend. Round knurled handle with polished finish. Overall length 122 mm.



E0566 SA

Graether Collar Button On Handle Angled



Designed for iris retraction and capsule polishing with roughened posterior surface. Angled 45° shaft, 10 mm from tip to bend. Round knurled handle with polished finish. Overall length 120 mm.



Lacrimal, DCR

E4222

Benger Probe Hook

BAUSCH + LOMB
Instruments



Designed to engage the Benger probe tips. Straight 63 mm shaft. Overall length 135 mm.



Lens

55290

Reposition Hook, Model Mainz



0.7 mm hook. Overall length 104 mm.




Manipulators, Hooks

Lens

55300

Reposition Hook, Model Frankfurt



0.2 mm hook. 90° angled. Overall length 136 mm.



55310

Jacobi Reposition Hook



0.25 mm hook. 60° angled. 101 mm.



55480

Y-Nucleus Manipulator and Chopper Double Ended




Double ended instrument: The chopper on one end is designed for chopping the nucleus. The Y manipulator on the other end is used for the manipulation of tissue, nucleus and IOL. Overall length is 122 mm.



55481

Iris Hook and Nucleus Chopper Double Ended




Double-ended instrument: The chopper on one end is designed for chopping the nucleus. The iris hook on the other end is used for the manipulation of tissue, nucleus and IOL. Overall length is 125 mm.



55482

Nucleus Spatula and Chopper Double Ended



Double ended instrument: The chopper on one end is designed for chopping the nucleus. The spatula on the other end is used for the manipulation of nucleus and IOL. Overall length is 126 mm.



55483

Nucleus Dividing Hook




This instrument has a 45° angle and is designed for chopping and manipulating the nucleus. Overall length is 100 mm.



Lens

55484

Koch and Drysdale Manipulator Double Ended




Double ended instrument: One end Koch Stop & Chop Manipulator, angled shaft with 1.5 mm tip. The second end Drysdale Manipulator, flattened paddle tip with generous surface area, ideal for manipulating tissue, rotating and cracking the nucleus.



55485

Menapace Nucleus Divider



Three dimensionally angled tip. Distal end of 2 mm length.



6-250

Sinskey Hook II Round Handle Titanium



0.18 mm diameter angled tip, 10 mm angled shaft. Used to mark the visual axis. Round knurled handle with dull finish. Titanium. Overall length 119 mm.



6-400

Kuglen Push Pull Hook



Small "H" shaped push-pull tip. Shaft angled 45°, 9 mm from tip. Round knurled handle with dull finish. Titanium. Overall length 122 mm.



E0542

Clayman Guide



0.2 mm Sinskey hook with shaft angled 45°. 10 mm from tip to bend. Flat smooth handle with polished finish. Overall length 116 mm.



E0545

Sinskey Iris and IOL Hook



0.2 mm hook with straight shaft and flat serrated handle. Used to mark the visual axis. Polished finish. Overall length 118 mm.



Manipulators, Hooks

Lens

E0569

O'Gawa Lens Dialer



Ideal for manipulation of the intraocular lens in the capsular bag. The angled and curved shaft allows the instrument to reach across the implant and catch the optic/haptic junction to facilitate dialing the lens. Overall length 120 mm.



E0572

Fenzl Insertion Hook



Angled 45°, 10 mm shaft with 0.2 mm tip. Round knurled handle with dull finish. Overall length 117 mm.



E0577

Osher „Y“ Hook



Designed for manipulating one piece lenses. The "Y" hook is ideal for capturing haptics and centering the lens. Straight shaft with "Y" shaped tip. Round knurled handle with dull finish. Overall length 124 mm.



E0729

Snapper Lens Chopper



Designed to gently manipulate the cataract during lens removal. The blunt leading surface is designed to be atraumatic while the inner aspect provides a wedge-shaped chopping edge for efficient dissection of the lens nucleus. Angled shaft offers flexibility and ease of manipulation. Overall length 112 mm.



ET0545

Sinskey Iris and IOL Hook Titanium



0.2 mm hook with straight shaft and flat serrated handle. Used to mark the visual axis and reopen RK incisions. Polished finish. Titanium. Overall length 118 mm.



ET0713

Koch Stop and Chop Manipulator Titanium



Angled shaft with 1.5 mm tip designed to efficiently perform the "Stop and Chop" technique. Round knurled handle. Titanium. Overall length 112 mm.



Lens

ET0738

Grayson Biaxial Combo Manipulator




This modified design of the Grayson Manipulator features a depression in the tip ends to assist with applying pressure. One end is comprised of a flattened paddle tip with a smooth, defined internal edge that is designed for manipulating tissue, rotation and cracking the nucleus. The other end features a kuglen hook tip design. The instrument can be unscrewed allowing the use of both ends in a bi-manual procedure. Overall Length 132 mm.



ET1103

Maloney Quick-Chop Chopper




This double-ended manipulator was designed to facilitate supracapsular and endocapsular procedures. The manipulator is used in conjunction with the phaco tip to separate the nucleus in a "Quik-Chop" technique developed by Dr. William Maloney. Titanium. Overall length 130 mm.



ET1104

Anderson-Barrett Manipulator



Designed for use in conjunction with the E0117 Anderson diamond knife. This manipulator has tapered shafts to help reduce side port leakage. The double-ended instrument has a nucleus chopper at one end combined with a mini Barrett mushroom tip on the opposite end for manipulation of iris, capsule, lens fragments and intraocular lenses. Titanium. Overall length 130 mm.



ET4937

Bechert Nucleus Rotator Titanium



Y shape rotator tip. Shaft angled 7 mm from tip to bend. Round knurled handle with polished finish. Titanium. Overall length 124 mm.



SUF01

Koch Stop & Chop Manipulator



Angled shaft with 1.4 mm tip. 10 mm shaft length. Overall length 116 mm. Designed to efficiently perform the "Stop and Chop" technique. Packaged single. Sterile. 12/box.



Manipulators, Hooks

Lens

SUF02

Sinsky IOL Hook



Angled shaft with 0.5 mm tip and 0.18 mm diameter. 115 mm overall length. For lens dialing and manipulation. Packaged single. Sterile. 12/box.



SUF04

Drysdale type Nucleus Manipulator



Flattened paddle tip with generous surface area is ideal for manipulating tissue, rotating and cracking the nucleus. Packaged single. Sterile. 12/box.



SUF05

Y-shaped Nucleus Rotator



With horizontal "Y-Hook". Packaged single. Sterile. 12/box.



SUF06

Y-shaped Nucleus Rotator



With vertical "Y-Hook". Packaged single. Sterile. 12/box.



55415

Neuhann Nucleus Rotator



With horizontal „Y-Hook“. Overall length 104 mm.



55461

Greite Soft Lens Manipulator



Very delicate 90° hook. Overall length 119 mm.



E0571

Lester Lens Manipulator



Straight shaft with 0.2 mm hourglass shape tip. Round knurled handle with dull finish. Overall length 115 mm.



Lens

E0579

Maloney No-Hole Manipulator



Teardrop shape tip with post.
Round knurled handle with dull finish.
Overall length 124 mm.



E0629

Drysdale Nucleus Manipulator



Flattened paddle tip with generous surface area is ideal for manipulating tissue, rotating, and cracking the nucleus. Round knurled handle. Overall length 110 mm.



E0636

Brody Multipurpose Manipulator



Designed to manipulate and chop lenses during Phacoemulsification. The broad surface facilitates moving lens fragments to the needle while the front and rear notches allow hooking and pushing iris tissue, placement and removal of pupil expansion rings and IOL manipulation. Overall length 110 mm.



E0713 G

Koch Stop and Chop Manipulator



Angled shaft with 1.5 mm Tip. Designed to efficiently perform the "Stop and Chop" technique. Overall length 112 mm.



E4933

Barrett Micro Mushroom Manipulator



Ideal for nucleus manipulation during phacoemulsification. Also used for manipulating and rotating IOLs within the anterior chamber. Round knurled handle. Overall length 118 mm.



E4937

Bechert Nucleus Rotator



Y shape rotator tip. Shaft angled 7 mm from tip to bend. Round knurled handle with polished finish. Overall length 121 mm.



Manipulators, Hooks

Lens

E4937 M

Mackool-Bechert Nucleus Rotator

x 1




The popular Bechert Nucleus Rotator has been modified to have the shaft angled 10 mm from tip to bend for ease of manipulation of the lens nucleus in the anterior chamber. Round knurled handle. Overall length 119 mm.



55305

Haefliger Phaco Cleaver

x 1



Right. enlarged surface and cutting edge facilitate the manipulation of the nucleus. 100 mm.



55306

Haefliger Phaco Cleaver

x 1



Left. enlarged surface and cutting edge facilitate the manipulation of the nucleus. 100 mm.



E0570 N

Nichamin Double-Ended Nucleus Chopper Spatula

x 1



Wedge-shaped chopper designed to allow nucleus chopping in three directions, tip length 1.25 mm. Rounded tip highly polished to protect the posterior capsule. 0.5 mm spatula end is used to manipulate softer nuclei. Round knurled handle. Overall length 140 mm.



E0578 L

Nagahara Nucleus Chopper Left

x 1




Nucleus divider with 1.75 mm tip and blade offset at a 60° angle is ideal for performing the "Phaco Chop" technique to be used in left hand. Round knurled handle. Overall length 114 mm.



E0578 R

Nagahara Nucleus Chopper Right

x 1



Nucleus divider with 1.75 mm tip and blade offset at a 60° angle is ideal for performing the "Phaco Chop" technique to be used in right hand. Round knurled handle. Overall length 114 mm.



Lens

E0590

Seibel Ambidextrous Chopper



Olive tip for securing the posterior capsule. Oval shaft behind tip provides efficient chopping of the lens nucleus. Overall length 117 mm.



E0651

Hu Femto Side-Port Chopper



The Hu Femto Side-Port Chopper is specially designed with a gentle bend to fit through the side-port incision. The chopping tip has been crafted to manage the femto treated lens during nucleus removal. Overall Length 114 mm.



E0756

Braga-Mele Quick-Chopper




The slender tip of this instrument has been designed for an efficient penetration into the lens. The tip has been blunted to reduce the chance of posterior capsule interference. The instrument is easily rotated under the lens to support and raise quadrants into the tip of the phaco handpiece. The interior of the tip is sharp and is ideal for moderate to dense nuclei. Overall length 115 mm.



ET0578 L

Nagahara Nucleus Chopper Left Titanium




Nucleus divider with 1.75 mm tip and blade offset at a 60° angle is ideal for performing the "Phaco Chop" technique. Left. Round knurled handle. Titanium. Overall length 114 mm.



ET0578 R

Nagahara Nucleus Chopper Right Titanium



Nucleus divider with 1.75 mm tip and blade offset at a 60° angle is ideal for performing the "Phaco Chop" technique. Right. Round knurled handle. Titanium. Overall length 114 mm.



Manipulators, Hooks

Lens

ET0703

Devgan Universal Cataract Chopper/Multi-Tool

x 1



This universal cataract instrument is designed to allow multiple functions in one simple and efficient instrument. The chopping tip is designed to control the nucleus with vertical, horizontal or tilt-chop, as well as other techniques. The gently curved and smooth tip, designed to protect the posterior capsule, features grooves intended to engage the optic or haptics for IOL manipulation and for iris push-pull in small pupil cases. A traditional spatula is designed for intraocular manipulation of iris, lens fragments and vitreous. Overall length 137mm.



ET0736

Jewelewicz Rosen Chopper

x 1



This instrument provides an effective second instrument during chopping or divide-and-conquer phacoemulsification techniques. It offers ease of manipulation or rotation a half or quarter thanks to the elongated vertical surface. The surface facing the lens is beveled to a cutting edge to aid horizontal chopping. The rounded posterior and inferior surfaces of the chopper have been blunted to create a safer environment for lens rotation. 1.4 mm tip. Overall length 112 mm.



Muscle

E4991

Gass Retinal Detachment Hook

x 1



Flattened 13 mm "Graefe type" hook, with 1.5 mm oval hole. Flat serrated handle with polished finish. Overall length 143 mm.



Retinal

SUK01

Membrane Pick 130°, 23GA, sterile, 8/box

x 8



23G Shaft with non-glare finish. 130° angled tip. Sterile single-use. 8/box.



Retinal

SUK02

Membrane Pick 130°, 25GA, sterile, 8/box



25G Shaft with non-glare finish. 130° angled tip.
Sterile single-use. 8/box.



Strabismus

57190A

Strabismus Hook, Model Bonn



Hook 10 mm. Flat serrated handle.
Overall length 148 mm.



57200A

Strabismus Hook



Hook 7.5 mm with bulbous tip. Extra delicate.
Overall length 145 mm.



57260A

Strabismus Hook, Model Hamburg



Hook 11 mm. Overall length 140 mm.



57440A

Strabismus Hook, Model Essen



Hook 7 mm, paediatric. Overall length 145 mm.



E0564

Scobee Oblique Muscle Hook



Curved shaft with flat 4.5 mm hook.
Flat serrated handle with polished finish.
Overall length 134 mm.



Manipulators, Hooks

Strabismus

E0580

Culler Rectus Muscle Hook 7 mm



7 mm flattened hook. Flat serrated handle with polished finish. Overall length 125 mm.



E0586

Jameson Muscle Hook



2 mm bulbous tip with 6 mm flat portion. Flat serrated handle with polished finish. Overall length 136 mm.



E0586S

Jameson Muscle Hook Small



Small bulbous tip with flat sides. Flat serrated handle with polished finish. Overall length 132 mm.



E0588

Green Strabismus Hook 7 mm Wide



Flat 7 mm wide hook. Flat serrated handle with polished finish. Overall length 130 mm.



E0591

Graefe Strabismus Hook 8 mm



Flattened hook. Flat serrated handle with polished finish. Hook: #1 Size, 8 mm. Overall length 135 mm.



E0592

Graefe Strabismus Hook 9 mm



Flattened hook. Flat serrated handle with polished finish. Hook: #2 Size, 9 mm. Overall length 140 mm.



E0593

Graefe Strabismus Hook 10 mm



Flattened hook. Flat serrated handle with polished finish. Hook: #3 Size, 10 mm. Overall length 143 mm.



Strabismus

E0598

Manson Double Ended Strabismus Hook



3 mm forked angled blades. Blade spread 7 mm.
Flat serrated handle with polished finish.
Overall length 123 mm.



E0600

Stevens Curved Tenotomy Hook



6 mm curved hook. Flat serrated handle with polished finish.
Overall length 119 mm.




E6754

Graefe Strabismus Hook 10 mm Non-Magnetic



#2 size, 10 mm hook. Flat serrated handle with polished finish.
Overall length 139 mm.







Miscellaneous

Adapters	138
Lens Loop	138
Magnifier	138
Scleral Plugs	139
Symblepharon Rings	139



Adapters

E4968 A

Male To Male Cannula Adapter



Delrin male luer adapter for connecting aspiration cannulas to aspiration tubing. Overall length 38 mm.



Lens Loop

E0644

Wilder Lens Loop



4 mm wide x 15 mm long loop with serrations on top of loop. Flat serrated handle with polished finish. Overall length 135 mm.



E0648

Lewis Lens Loop



6 mm wide x 7 mm long loop. Flat serrated handle with polished finish. Overall length 135 mm.



Magnifier

E7003

Osher Magnifier HD



This innovative, enhanced design offers a double-hinged magnifier to provide easy positioning of the magnifier in the operating room. The newest modification to the popular Osher Sterile Field Magnifier is designed to offer more flexibility in viewing delicate instrument tips. It is also designed to facilitate adjustments of phaco sleeves and I/A handpieces or even loading IOLs into injectors in the operating room.




Scleral Plugs

86028

Scleral Pilot Tube Plug

x 1



For temporary closure of scleral pilot tube E5005. 3 mm tip to match 20GA tube. knurled head. 4.5 mm.



96060

Scleral Plugs

x 6

Designed to close sclera incisions. Tip length 3.5 mm. outer diameter 0.85 mm. 0.5 cm thick disc. 3 mm long with 1.5 mm central cut outs on both sides to stich on the sclera. Packaged 6/box.

E5005

Scleral Pilot Tube

x 1

Designed to pass 20GA instruments and light carriers used in vitreoretinal surgery. Silicone flanges for suture fixation. 4.5 mm.



Symblepharon Rings

99420Y1

Illig Symblepharon Ring

x 1



Designed to prevent anticipated or recurrent lid/globe fusions. made of smooth PMMA. Large decentred opening leaving cornea uncovered. 4 small lateral holes for eventual suture fixation. Size 1 (25 mm x 28 mm ring Ø). Individually packaged non-sterile. Sterilisable by [a] gamma irradiation [b] gas (3% formaldehyde. max. 60° steam) [c] 10-minute bath in 3% hydrogen peroxide.



99420Y10

Illig Symblepharon Ring

x 1



Designed to prevent anticipated or recurrent lid/globe fusions. made of smooth PMMA. Large decentred opening leaving cornea uncovered. 2 small lateral holes for eventual suture fixation. Size 10 (15 mm x 19 mm ring Ø). Individually packaged non-sterile. Sterilisable by [a] gamma irradiation [b] gas (3% formaldehyde. max. 60° steam) [c] 10-minute bath in 3% hydrogen peroxide.



Symblepharon Rings

99420Y2

Illig Symblepharon Ring



Designed to prevent anticipated or recurrent lid/globe fusions. made of smooth PMMA. Large decentred opening leaving cornea uncovered. 2 small lateral holes for eventual suture fixation. Size 2 (24 mm x 27 mm ring Ø). Individually packaged non-sterile. Sterilisable by [a] gamma irradiation [b] gas (3% formaldehyde. max. 60° steam) [c] 10-minute bath in 3% hydrogen peroxide.



99420Y3

Illig Symblepharon Ring



Designed to prevent anticipated or recurrent lid/globe fusions. made of smooth PMMA. Large decentred opening leaving cornea uncovered. 2 small lateral holes for eventual suture fixation. Size 3 (22 mm x 26 mm ring Ø). Individually packaged non-sterile. Sterilisable by [a] gamma irradiation [b] gas (3% formaldehyde. max. 60° steam) [c] 10-minute bath in 3% hydrogen peroxide.



99420Y4

Illig Symblepharon Ring



Designed to prevent anticipated or recurrent lid/globe fusions. made of smooth PMMA. Large decentred opening leaving cornea uncovered. 1 small lateral hole for eventual suture fixation. Size 4 (21 mm x 25 mm ring Ø). Individually packaged non-sterile. Sterilisable by [a] gamma irradiation [b] gas (3% formaldehyde. max. 60° steam) [c] 10-minute bath in 3% hydrogen peroxide.



99420Y5

Illig Symblepharon Ring



Designed to prevent anticipated or recurrent lid/globe fusions. made of smooth PMMA. Large decentred opening leaving cornea uncovered. 1 small lateral hole for eventual suture fixation. Size 5 (20 mm x 24 mm ring Ø). Individually packaged non-sterile. Sterilisable by [a] gamma irradiation [b] gas (3% formaldehyde. max. 60° steam) [c] 10-minute bath in 3% hydrogen peroxide.



Symblepharon Rings

99420Y6

Illig Symblepharon Ring



Designed to prevent anticipated or recurrent lid/globe fusions. made of smooth PMMA. Large decentred opening leaving cornea uncovered. 1 small lateral hole for eventual suture fixation. Size 6 (19 mm x 23 mm ring Ø). Individually packaged non-sterile. Sterilisable by [a] gamma irradiation [b] gas (3% formaldehyde. max. 60° steam) [c] 10-minute bath in 3% hydrogen peroxide.



99420Y7

Illig Symblepharon Ring



Designed to prevent anticipated or recurrent lid/globe fusions. made of smooth PMMA. Large decentred opening leaving cornea uncovered. 1 small lateral hole for eventual suture fixation. Size 7 (18 mm x 22 mm ring Ø). Individually packaged non-sterile. Sterilisable by [a] gamma irradiation [b] gas (3% formaldehyde. max. 60° steam) [c] 10-minute bath in 3% hydrogen peroxide.



99420Y8

Illig Symblepharon Ring



Designed to prevent anticipated or recurrent lid/globe fusions. made of smooth PMMA. Large decentred opening leaving cornea uncovered. 1 small lateral hole for eventual suture fixation. Size 8 (17 mm x 21 mm ring Ø). Individually packaged non-sterile. Sterilisable by [a] gamma irradiation [b] gas (3% formaldehyde. max. 60° steam) [c] 10-minute bath in 3% hydrogen peroxide.




99420Y9


Illig Symblepharon Ring



Designed to prevent anticipated or recurrent lid/globe fusions. made of smooth PMMA. Large decentred opening leaving cornea uncovered. Without lateral holes. Size 9 (16 mm x 20 mm ring Ø). Individually packaged non-sterile. Sterilisable by [a] gamma irradiation [b] gas (3% formaldehyde. max. 60° steam) [c] 10-minute bath in 3% hydrogen peroxide.







Needle Holders



Needle Holders

72051

Castroviejo Needle Holder




8 mm straight jaws. Without lock.
Overall length 142 mm.



72052

Castroviejo Needle Holder



8 mm straight jaws. With lock.
Overall length 142 mm.



72053

Castroviejo Needle Holder



8 mm curved jaws. Without lock.
Overall length 142 mm.



72054

Castroviejo Needle Holder



8 mm curved jaws. With lock.
Overall length 142 mm.



73021

Barraquer Needle Holder



Fine 9 mm Gently curved jaws. Without lock.
Overall length 134 mm.



73022

Barraquer Needle Holder




Fine 9 mm Gently curved jaws. With lock.
Overall length 134 mm.



73023

Barraquer Needle Holder



Fine 9 mm straight jaws. Without lock.
Overall length 136 mm.



73030

Barraquer Needle Holder



Fine 9 mm Gently curved jaws. Without lock.
Overall length 135 mm.



73050

Barraquer Needle Holder



9 mm Gently curved jaws. Without lock.
Overall length 116 mm.



73111

Barraquer Needle Holder



Fine 10 mm Gently curved jaws. Inner surfaces
roughened. Handle with lengthwise slots and screwed
end-joint. Without lock. Overall length 125 mm.



3-205

STORZ Needle Holder 7 mm Curved Fine



Curved 7 mm fine jaws. Round knurled handle
with dull finish. Titanium. Overall length 106 mm.



33-203

Needle Holder 9 mm Curved Medium Long Handle



Curved 9 mm medium jaws. Round knurled handle with
dull finish. Without lock. Titanium. Overall length 137 mm.



E3796

STORZ Needle Holder 9 mm Straight Medium



Medium 9 mm jaws. Large round knurled handle.
Polished finish. Without lock. Overall length 130 mm.



E3807 WO

Osher Needle Holder



Delicate curved and tapered 9 mm jaws for grasping fine
10-0 sutures. Without lock. Overall length 110 mm.



Needle Holders

E3828 CW

Barraquer Needle Holder



Delicate 9 mm Gently curved jaws. With lock.
Overall length 133 mm.



E3828 CWO

Barraquer Needle Holder



Delicate 9 mm Gently curved jaws. Without lock.
Overall length 133 mm.



E3828 SW

Barraquer Needle Holder



Delicate 9 mm straight jaws. With lock.
Overall length 134 mm.



E3828 SWO

Barraquer Needle Holder



Delicate 9 mm straight jaws. Without lock.
Overall length 134 mm.



E3835

McPherson Needle Holder



Fine 10 mm moderately curved jaws. Large handle.
Fine 11 mm strongly curved jaws. With lock.
Overall length 107 mm.



E3836 C

Cohan Needle Holder



Fine 8 mm Gently curved jaws. Without lock.
Overall length 104 mm.



E3836 CW

Cohan Needle Holder



Fine 8 mm Gently curved jaws. With lock.
Overall length 104 mm.



E3839

Troutman Needle Holder 10 mm Curved Medium



Medium 10 mm gently curved jaws. Medium round horizontally serrated handle with dull finish. Without lock. Overall length 122 mm.



E3842

Barraquer Needle Holder



Fine 10 mm moderately curved jaws. Large handle. Without lock. Overall length 137 mm.



E3843

Barraquer Needle Holder



Fine 10 mm moderately curved jaws. Large handle. With lock. Overall length 137 mm.



E3844

Barraquer Needle Holder



Fine 10 mm Gently curved jaws. Medium size handle. Without lock. Overall length 135 mm.



E3845

Barraquer Needle Holder



Fine 10 mm Gently curved jaws. wide short handle. Without lock. Overall length 125 mm.



E3848

Castroviejo Needle Holder



Medium 11 mm Gently curved jaws. With lock. Overall length 137 mm.



E3849

Castroviejo Needle Holder



Medium 11 mm Gently curved jaws. Without lock. Overall length 137 mm.



Needle Holders

E3850

Castroviejo Needle Holder

x 1



Heavy 12 mm straight jaws. With lock.
Overall length 138 mm.



E3852

Castroviejo Needle Holder

x 1



Medium 9 mm tungsten carbide inlaid straight jaws.
With lock. Overall length 148 mm.



E3861

Castroviejo Needle Holder

x 1



Medium 10 mm straight jaws. With lock.
Overall length 136 mm.



E3861 WHMC

Castroviejo Needle Holder

x 1



Fine 9 mm curved jaws. With lock.
Overall length 130 mm.



E3864

Castroviejo Needle Holder

x 1



Heavy 16 mm straight jaws. With lock.
Overall length 149 mm.



E3876

Derf Needle Holder

x 1



Heavy 13 mm serrated straight jaws with grooves.
Ring handle with ratchet lock. Overall length 130 mm.





Oculopressor



Oculopressor

90010

Oculo-Pressor Simplex

Model Homburg. Consists of a pressure pad (90013) a tubing. Headband (90014) and bulb with manometer for controlled inflation (90012).



90011

Pression Pad with Band

For oculo-pressor. Adjustable head band. pressure pad is made of silicone. Autoclavable.



90012

Manometer with Bulb for Oculo-Pressor

For oculo-pressor 90010.



90013

Pression Pad

Without band for oculo-pressor 90010. Autoclavable.



90014

Band for Oculo-Pressor

For oculo-pressor 90010. With Velcro fastener. Autoclavable.





Probes

Lacrimal, DCR 152



Lacrimal, DCR

51011

Wilder Lacrimal Dilator

BAUSCH + LOMB
Instruments



Fine - width at tip 0.2 mm. Tapered shaft to 3.5 mm.
Shaft length 25 mm. Overall length 101 mm.



51012

Wilder Lacrimal Dilator

BAUSCH + LOMB
Instruments



Medium - width at tip 0.4 mm. Tapered shaft to 3.5 mm.
Shaft length 25 mm. Overall length 101 mm.



51013

Wilder Lacrimal Dilator

BAUSCH + LOMB
Instruments



Strong - width at tip 0.7 mm. Tapered shaft to 3.5 mm.
Shaft length 25 mm. Overall length 101 mm.



51100

Lacrimal Dilator, Model Giessen

BAUSCH + LOMB
Instruments



Overall length 85 mm.



51130

Lacrimal Dilator

BAUSCH + LOMB
Instruments



Fine. Overall length 75 mm.



51171

Pigtail Probe











BAUSCH + LOMB
Instruments



With 0.5 mm suture eye. Overall length 145 mm.



Lacrimal, DCR


51171Y1	Pigtail Probe	BAUSCH + LOMB Instruments	
<p>0.5 mm suture eye. Child size. Overall length 140 mm.</p>			
E0421	Harms Trabeculotome Set	BAUSCH + LOMB Instruments	
<p>9 mm long pointed tips with 3 mm spread. Pair consists of left and right. Round knurled handle. Polished finish. Overall length 46 mm.</p>			
E4198	Bowman Stainless Probe - 0000 and 000	BAUSCH + LOMB Instruments	
<p>Sizes 0000 and 000. Malleable stainless steel. Polished finish. Overall length 141 mm.</p>			
E4251	Worst Pigtail Probe	BAUSCH + LOMB Instruments	
<p>9 mm diameter pigtail curved blunt probes. Includes pre-cut polyethylene tubes (E4251 B). Overall length 149 mm.</p>			
E4251C	Pigtail Probe	BAUSCH + LOMB Instruments	
<p>8 mm diameter pigtail curved probes with suture eyes just back of blunt ends. Overall length 143 mm.</p>			

Lacrimal, DCR

E4340

Castroviejo Lacrimal Dilator

BAUSCH + LOMB
Instruments



One end with needle point and other end with medium taper. Overall length 140 mm.



E4366

Ruedemann Lacrimal Dilator

BAUSCH + LOMB
Instruments



12 mm short taper. Overall length 71 mm.





Retractors

- Iris 156
- Lacrimal 156
- Lid 157
- Orbital 158



Retractors

Iris

54055

Iris Retractor With Flexible Fixing

Silicone slide for flexible fixation of the iris. 7 mm.



E0750 NS

MADLAB Iris Retractor 5/pack

Developed for ease of use, these very flexible retractors are made of the super-elastic Nitinol alloy to provide durability and consistency. The retractors are supplied in packs of five, are fully reusable and are shipped in a unique sterilization case. Overall length 10 mm.



Lacrimal

57061

Axenfeld Lacrimal Sac Retractor

BAUSCH + LOMB
Instruments



Blunt. Overall length 142 mm.



57071

Rollet Lacrimal Sac Retractor

BAUSCH + LOMB
Instruments



Blunt. Overall length 120 mm.



E4500

Stevenson Lacrimal Sac Retractor

BAUSCH + LOMB
Instruments



3 mm teeth. Blade spread 20 mm.
Overall length 85 mm.



Lid

52051

Desmarres Lid Retractor

BAUSCH + LOMB
Instruments



Size 1. 11 mm blade. Overall length 140 mm.



52191

Desmarres Lid Retractor

BAUSCH + LOMB
Instruments



Baby Size. 9 mm blade. Overall length 140 mm.



E0980

Desmarres Lid Retractor

BAUSCH + LOMB
Instruments



Size 0. 11 mm. Overall length 140 mm.



E0981

Desmarres Lid Retractor

BAUSCH + LOMB
Instruments



Size 1. 13 mm. Overall length 137 mm.



E0982

Desmarres Lid Retractor

BAUSCH + LOMB
Instruments



Size 2. 15 mm. Overall length 143 mm.



E0997

Jaffe Lid Retractor

BAUSCH + LOMB
Instruments



15 mm blades. one pair. Overall length 53 mm.



E1064

Jaeger Lid Plate

BAUSCH + LOMB
Instruments



20 mm x 35 mm and 24 mm x 35 mm curved ends.
Clear lucite. Overall length 93 mm.



Retractors

Lid

E1069

Berke-Jaeger Lid Plate

BAUSCH + LOMB
Instruments



Curved over length and width.
20 mm and 23 mm wide blades. Metal with dull finish.
Overall length 109 mm.



E1069S

Khan-Jaeger Lid Plate

BAUSCH + LOMB
Instruments



Designed for transconjunctival blepharoplasty.
Non-reflective surface. 20 mm and 23 mm wide blades.
Overall length 109 cm.



Orbital

E3705

Orbital Retractor-Elevator

BAUSCH + LOMB
Instruments



Flexible. Double-ended 16 + 25 mm ends.
Overall length 182 mm.



E3706

Orbital Retractor-Elevator

BAUSCH + LOMB
Instruments



Flexible. Double-ended 10 + 14 mm ends.
Overall length 180 mm.



E5008

Schepens Orbital Retractor

BAUSCH + LOMB
Instruments



14 x 56 mm blade. Overall length 148 mm.





Scissors

Capsule	160
Conjunctival	161
Corneal	162
Enucleation	167
Foreign Body	167
Intraocular Lens	168
Iris	168
Miscellaneous	169
Retinal	172
Strabismus	173
Suture Stich	174
Tenotomy	175




Scissors

Capsule

24081

Vannas Capsulotomy Scissors, Straight




Overall length 82 mm.



24082

Vannas Capsulotomy Scissors, Curved




85 mm.



24083

Vannas Capsulotomy Scissors, Straight




Model Tuebingen. Overall length 86 mm.



24084

Vannas Capsulotomy Scissors, Curved



Model Tuebingen. Overall length 85 mm.



25030

Ong Capsule Scissors



Angled up. 11 mm from mid-screw to tip. 85 mm.



25040

Uthoff Capsule Scissors



Curved. 83 mm.



25030Y2

Ong Capsule Scissors




Slightly curved tip. Angled.



Capsule

E3386

Vannas Straight Capsulotomy Scissors




Sharp pointed tips. 8 mm from mid-screw to tip.
Overall length 84 mm.



E3387

Vannas Curved Capsulotomy Scissors



6mm blades with sharp pointed tips. 8 mm from mid-screw to tip. Serrated handle with polished finish.
Overall length 84 mm.



E3388

Vannas Angled Capsulotomy Scissors



6mm blades with sharp pointed tips. 9 mm from mid-screw to tip. Serrated handle with polished finish.
Overall length 81 mm.



E3388 GWL

Gills-Welsh Vannas Micro Scissors



Angled. Long model. 11 mm blades with sharp pointed tip. 13 mm from mid-screw to tip. Serrated handle with polished finish. Overall length 86 mm.



E3390 A

Angled Capsule Scissors



Delicate 10 mm blades angled 45°. 110 mm.



Conjunctival

E3315

Troutman Curved Conjunctival Scissors



Blunt tips. 17 mm from mid-screw to tip. With lock.
Overall length 112 mm.



Scissors

Conjunctival

E3316

Westcott Conjunctival Scissors

Lightly curved. Blunt tips. 16 mm from mid-screw to tip.
Overall length 132 mm.



E3450

Wilmer Conjunctival and Utility Scissors

Angled sharp pointed tips. 18 mm from mid-screw to tip.
Overall length 94 mm.



Corneal

23010

Castroviejo Curved Corneal Scissors


Blunt tips. 18 mm from mid-screw to tip.
Overall length 94 mm.



23121

Troutman Microscissors

Right model. Blunt tips. Overall length 99 mm.



23122

Troutman Microscissors


Left model. Blunt tips. Overall length 99 mm.



23130

Micro Scissors


Blade length 10 mm. Cutting length 8 mm. pointed tips.
Straight. Overall length 100 mm.



Corneal

23140

Micro Scissors




Sharp/sharp. Slightly curved. Length of cut 6 mm.
Overall length 105 mm.



23160

Micro Scissors



Angled up. Overall length 100 mm.



23201

Katzin Corneal Transplant Scissors



Right. Overall length 98 mm.



23202

Katzin Corneal Transplant Scissors



Left. Overall length 98 mm.



E3217L

Fogla Scissors, Left



These scissors are used to remove the residual corneal stroma separated from the Descemet's membrane in DALK surgery. The lower blade of the scissors is thinner and 1 mm longer than the upper blade which displaces Descemet's membrane, protecting it from being damaged by the blades. Left. Overall length 107 mm.



E3217R

Fogla Scissors, Right



This scissor is used to remove the residual corneal stroma separated from the Descemet's membrane in DALK surgery. The lower blade of the scissors is thinner and 1 mm longer than the upper blade which displaces Descemet's membrane, protecting it from being damaged by the blades. Right. Overall length 107 mm.



Scissors

Corneal

E3218 L

Castroviejo Corneal Scissors, Left




Mini. Curved. Blunt tips. 11 mm from mid-screw to tip.
Overall length 106 mm.



E3218 MM

Castroviejo Mini Corneal Scissors



Universal. Blunt tips. 11 mm from mid-screw to tip.
Overall length 106 mm.



E3218 R

Castroviejo Corneal Scissors, Right



Mini. Curved. Blunt tips. 11 mm from mid-screw to tip.
Overall length 106 mm.



E3220

Castroviejo Curved Corneal Scissors



Blunt tips. 16 mm from mid-screw to tip.
Overall length 115 mm.



E3221

Castroviejo Keratoplasty Scissors



Angled. Blunt tips. Lower blade 1 mm longer. 16 mm from
mid-screw to tip. Overall length 110 mm.



E3222 R

Castroviejo Corneal Scissors



Right orientation, knee angle. Blunt tips. 16 mm from
mid-screw to tip. Overall length 106 mm.



E3223

Castroviejo Angled Corneal Scissors



Universal mini model. Blunt tips. 19 mm from mid-screw
to tip. Overall length 106 mm.



Corneal

E3231L

Mini Corneal Scissors, Left

Delicate. For completion of trepanations.
Lower blade 0.5 m longer. 9 mm from mid-screw to tip.
Overall length 100 mm.



E3231R

Mini Corneal Scissors, Right

Delicate. For completion of trepanations.
Lower blade 0.5 m longer. 9 mm from mid-screw to tip.
Overall length 100 mm.



E3232

Katzin Corneal Transplant Scissors

Left. miniature model. Strongly curved. Blunt tips. Lower blade 12 mm. upper blade 11 mm (from mid-screw to tip).
Overall length 108 mm.



E3233

Katzin Corneal Transplant Scissors

Right. miniature model. Strongly curved. Blunt tips. Lower blade 12 mm. upper blade 11 mm (from mid-screw to tip).
Overall length 108 mm.



E3300

Castroviejo Corneal Section Scissors

Right. Angled. Blunt tips. Curved blades. Lower blade 1 mm longer and rounded spatula-like to minimise trauma. 18 mm from mid-screw to tip.
Overall length 110 mm.



E3301

Castroviejo Corneal Section Scissors

Left. Angled. Blunt tips. Curved blades. Lower blade 1 mm longer and rounded spatula-like to minimise trauma. 18 mm from mid-screw to tip.
Overall length 110 mm.



E3304

Castroviejo Corneal Section Scissors

Right. Angled. Blunt tips. Curved blades. Lower blade 0.5 mm long. 14 mm from mid-screw to tip.
Overall length 106 mm.



Scissors

Corneal

E3304M

Castroviejo Corneal Section Scissors


Right. Curved. Blunt tips. Lower blade 0.5 mm longer. 13 mm from mid-screw to tip. Overall length 106 mm.



E3305

Castroviejo Corneal Section Scissors

Left. Angled. Blunt tips. Curved blades. Lower blade 0.5 mm long. 14 mm from mid-screw to tip. Overall length 106 mm.



E3305M

Castroviejo Corneal Section Scissors

Left, mid-mini. Curved. Blunt tips. Lower blade 0.5 mm longer. 13 mm from mid-screw to tip. 106 mm.



E3306

Troutman-Castroviejo Corneal Scissors

Mini model. Curved. Blunt tips. 13 mm from mid-screw to tip. Handle with lock. Overall length 116 mm.



E3307

Troutman-Castroviejo Corneal Scissors

Mini model. Curved. Blunt tips. 13 mm from mid-screw to tip. Handle with lock. Overall length 116 mm.



E3321MWH

Castroviejo Keratoplasty-Utility-Stitch Scissors

Very small pointed tips. 13 mm from mid-screw to tip. Overall length 131 mm.



E3490

Aebli Corneal Scissors

Straight. Blunt tips. Overall length 92 mm.



Enucleation

E3651

Curved Enucleation Scissors

Medium rounded blades. Blunt tips. 44 mm from mid-screw to tip. Overall length 135 mm.



E3652

Curved Enucleation Scissors

Heavy rounded blades. Blunt tips. 44 mm from mid-screw to tip. Overall length 130 mm.



Foreign Body

ET8306CTL

Snyder AC Scissors Tip Curved



These scissors offer control through a small incision and can be used for cutting fine structures including capsule, iris, adhesions and sutures in the anterior chamber. Fine tapered and gently curved blades provide precise cutting and can be rotated left or right for enhanced control in the eye. The 23 Gauge shaft diameter is ideal for entry through a small stab incision or a phaco wound.

Use with ET8198H StableGrip™ Vitreoretinal Handle (sold separately). Overall length 49 mm.



ET8306STL

Snyder AC Scissors Tip Straight



These scissors offer control through a small incision and can be used for cutting fine structures including capsule, iris, adhesions and sutures in the anterior chamber. Fine tapered blades provide precise cutting while maximizing visibility in the eye. The 23 Gauge shaft diameter is ideal for entry through a small stab incision or a phaco wound.

Use with ET8198H StableGrip™ Vitreoretinal Handle (sold separately). Overall length 49 mm.



Intraocular Lens

ET1306

Osher IOL Scissors angled

x 1



The blades of this scissors are narrow to provide ease of entry through the incision. Serrations in the blade allow secure cutting of the implant without excessive movement. Ideal for acrylic and silicone implants. Made from titanium. Overall length 91 mm.



Iris

24071

Noyes Iris Scissors

x 1

Blunt/blunt. Overall length 113 mm.



E3343

Straight Iris Scissors

x 1

Sharp pointed tips. 21 mm from mid-screw to tip. Overall length 121 mm.



E3344

Curved Iris Scissors

x 1

Sharp pointed tips. 21 mm from mid-screw to tip. Overall length 121 mm.



E3347

McPherson-Vannas Curved Iris Scissors

x 1

Sharp pointed tips. 11 mm from mid-screw to tip. Overall length 83 mm.



E3349

Cohan-Vannas Curved Iris Scissors

x 1

Sharp pointed tips. 12 mm from mid-screw to tip. Overall length 57 mm.



Iris

E3360

DeWecker Iris Scissors

Blunt/sharp pointed tips. 12 mm from bend to tip.
Overall length 114 mm.



E3366

Barraquer Iris Scissors

Blunt/blunt. 8 mm from bend to tip.
Overall length 54 mm.



E3404

Straight Iris Scissors

Sharp pointed tips. 28 mm from mid-screw to tip.
Overall length 100 mm.



E3405

Curved Iris Scissors

Sharp pointed tips. 28 mm from mid-screw to tip.
Overall length 100 mm.



E3408

Curved Iris Scissors

Light standard pattern. Sharp pointed tips. 25 mm from mid-screw to tip. Overall length 98 mm.



Miscellaneous

23060

Bonn Eye Scissors

Curved. Overall length 89 mm.



Scissors

Miscellaneous

24020

Eye Scissors, curved

Delicate. Overall length 105 mm.



24050

Eye Scissors

Curved. Overall length 90 mm.



E3243

Clayman-Westcott Curved Scissors

Blunt tips. 11 mm from mid-screw to tip.
Overall length 107 mm.



E3322

Westcott Type Utility Scissors

Rounded sharp tips. 25 mm from mid-screw to tip.
Overall length 131 mm.



E3383 C

Clayman-Vannas Curved Scissors

Sharp pointed tips. 7 mm from mid-screw to tip.
Overall length 83 mm.



E3383 S

Clayman-Vannas Straight Scissors

Sharp pointed tips. 7 mm from mid-screw to tip.
Overall length 83 mm.



Miscellaneous

E34101

Straight Eye Scissors

Pointed tips. 29 mm from mid-screw to tip.
Overall length 109 mm.



E34121

Curved Eye Scissors

Pointed tips. 29 mm from mid-screw to tip.
Overall length 109 mm.



E3424

Straight Eye Scissors

Pointed tips. 32 mm from mid-screw to tip.
Overall length 109 mm.



E3426

Curved Eye Scissors

Pointed tips. 32 mm from mid-screw to tip.
Overall length 109 mm.



E3436

Angled Eye Scissors

Blunt probe-point tips. Angled. 26 mm from mid-screw to tip.
Overall length 116 mm.



E3580

Littler Curved Dissecting Scissors

Light curved. Blunt tips. eyes in blades used for drawing sutures or muscle through a tunnel dissection.
27 mm from mid-screw to tip. Overall length 119 mm.



Retinal

ET8315

23 Gauge StableGrip™ Vertical Scissors




The sharp pointed rotatable tips of this scissors are designed to facilitate removal of membranes that are causing traction. These scissors are designed for PVR and tangential traction. The front half of this instrument is gold to indicate a vertical scissors. The back half is colored green to indicate 23 Gauge. Use with ET8198H StableGrip™ Vitreoretinal Handle (sold separately). Overall length 58 mm.



ET8316

23 Gauge StableGrip™ Curved Scissors



These scissors are designed for delamination of epiretinal tissue to release traction. Can also be used for PVR. The front half of this instrument is pink to indicate a curved scissors. The back half is colored green to indicate 23 Gauge. Use with ET8198H StableGrip™ Vitreoretinal Handle (sold separately). Overall length 56 mm.



ET8515

25 Gauge StableGrip™ Vertical Scissors



The sharp pointed rotatable tips of this scissors are designed to facilitate removal of membranes that are causing traction. These scissors are designed for PVR and tangential traction. The front half of this instrument is gold to indicate a vertical scissors. The back half is colored dark blue to indicate 25 Gauge. Use with ET8198H StableGrip™ Vitreoretinal Handle (sold separately). Overall length 58 mm.



ET8516

25 Gauge StableGrip™ Curved Scissors



These scissors are designed for delamination of epiretinal tissue to release traction. Can also be used for PVR. The front half of this instrument is pink to indicate a curved scissors. The back half is colored dark blue to indicate 25 Gauge. Use with ET8198H StableGrip™ Vitreoretinal Handle (sold separately). Overall length 56 mm.



Strabismus

27041

Strabismus Scissors

Short blades. Straight. Blunt tips.
Overall length 110 mm.



27051

Strabismus Scissors

Long blades. Straight. Blunt tips.
Overall length 103 mm.



27052

Strabismus Scissors

Long blades. Curved.
Overall length 103 mm.



27070

Strabismus Scissors, Mod. Bonn

Curved. Overall length 88 mm.



E35701

Straight Strabismus Scissors

Blunt tips. 29 mm from mid-screw to tip.
Overall length 109 mm.



E35711

Curved Strabismus Scissors

Blunt tips. 29 mm from mid-screw to tip.
Overall length 109 mm.



Scissors

Strabismus

E35721

Curved Strabismus Scissors

Blunt tips. Strongly Curved. 27 mm from mid-screw to tip. Overall length 106 mm.



E3577

Knapp Curved Strabismus Scissors

Blunt tips. Lightly Curved. 25 mm from mid-screw to tip. Overall length 118 mm.



E3578

Knapp Curved Strabismus Scissors

Blunt tips. Strongly Curved. 25 mm from mid-screw to tip. Overall length 118 mm.



Suture Stich

E3321

Westcott Type Stich Scissors

Sharp pointed tips. 21 mm from mid-screw to tip. Overall length 120 mm.



E3340

STORZ Stich Scissors Fine Straight

Sharp pointed tips. 17 mm from mid-screw to tip. Flat serrated handle with polished finish. Overall length 112 mm.



Tenotomy

27012

Stevens Tenotomy Scissors

Short. Curved. Overall length 103 mm.



27060

Westcott Tenotomy Scissors

Right. Blunt/blunt. Slightly curved.
Overall length 110 mm.



27062

Westcott Tenotomy Scissors

Right. Sharp pointed/sharp pointed.
Overall length 110 mm.



27082

Stevens Tenotomy Scissors


Long. Curved. Overall length 110 mm.



27100

Westcott Micro Tenotomy Scissors

Blunt/Blunt. Overall length 99 mm.



E3320L

Wetscott Curved Tenotomy Scissors

Left. Blunt tips. 19 mm from mid-screw to tip.
Overall length 115 mm.



E3320R

Wetscott Curved Tenotomy Scissors

Right. Blunt tips. 19 mm from mid-screw to tip.
Overall length 115 mm.



Scissors

Tenotomy

E3320RS

Shepard-Westcott Tenotomy Scissors

Right. Blunt tips. Curved. 21 mm from mid-screw to tip.
Overall length 123 mm.



E3320RX

Westcott Curved Tenotomy Scissors

Right. Sub-mini model. Blunt tips. 9 mm from mid-screw to tip.
Overall length 88 mm.



E3552I

Stevens Curved Tenotomy Scissors

Blunt tips. 19 mm from mid-screw to tip.
Overall length 98 mm.



E3554I

Stevens Straight Tenotomy Scissors

Light model. Blunt tips. 19 mm from mid-screw to tip.
Overall length 98 mm.



E3556I

Stevens Curved Tenotomy Scissors

Light model. Blunt tips. 19 mm from mid-screw to tip.
Overall length 98 mm.



E3560

Stevens Straight Tenotomy Scissors

Blunt tips. Overall length 112 mm.



E3562

Stevens Curved Tenotomy Scissors

Blunt tips. Overall length 112 mm.





Scleral Depressors



Scleral Depressors

56040A

Meyer-Schwickerath Localizer

Overall length 123 mm.



56201A

Laqua Scleral Depressor


Double-ended. 4 mm teardrop-shaped end with 34 mm shaft and 2 mm trephine-like blunt end with 33 mm shaft. Overall length 136 mm.



56210A

Kreissig Localizer

Double-ended. 2.4 mm diameter conical tip. Slightly curved 32 mm shaft. 6.5 mm wide bar tip. Strongly curved 35 mm shaft. Overall length 135 mm.



E5100 10

Schepens Scleral Depressor Medium

Polished depressor with 8 mm wide tip. Dull finished thimble. Size 10, medium thimble. Overall length 43 mm.



E5107

Flynn Scleral Depressor


Lens loop style tip ideal for depressing pediatric sclera. Flat serrated handle. Polished finish. Overall length 80 mm.



E5108

Schocket Double Ended Scleral Depressor

Double-end depressor and marker. Rounded end designed for depressing sclera and curved marking end for reaching behind the globe. 6 mm wide bar and 2.5 mm teardrop shape tips. Overall length 134 mm.




E5109

O'Connor Scleral Depressor-Marker



3 mm teardrop shaped end and 1.5 mm Gass marker end. Flat, serrated handle. Polished finish. Overall length 133 mm.



E5112

Spaide Pediatric Scleral Depressor



Tip curved to fit the globe of an infant. Serrated surface grasps the conjunctiva to rotate the eye in any direction. The tip of the foot is used to depress the sclera. Flat serrated handle. Dull finish. Overall length 125 mm.







Spatulas

- Capsule/Capsule Polishing182
- Corneal183
- Iris185
- LASEK187
- LASIK187
- Nucleus188
- Orbital189
- Scleral189



Capsule/Capsule Polishing

55350

Capsule Spatula



Delicate. Overall length 120 mm.



E0523

Whitman Shepherd Double-Ended Capsule Polisher



This instrument is designed for removing LECs from the inner surface of the capsule. The circular ends are ideal for cleaning the equator of the capsular bag. The double ended design provides a left angled and right angled polisher on one handle for surgeon convenience. Overall length: 130mm.



E0511

Safran Capsule Sweep Polisher



Double-ended design features a paddle that is angled for both left and right capsule polishing. The tip is designed for effective removal of the lens epithelial cells. Overall length 111 mm.



E0645

Hu Capsule Polisher



This unique polisher is designed to provide flexibility and ease of use in removing lens epithelial cells. The ring, set at 90 degrees from the shaft can be used to polish the posterior capsule and anterior leaflet on both the left and right sides of the capsule by flipping the instrument over. To polish the sub-incisional capsule, rotate the polisher ring down and move from left to right. Overall Length 122 mm.



Corneal

E0478

Slade Laser LRI Dissector



Designed to open femtosecond laser incisions quickly and effectively at the time of surgery or during a follow up visit. The blunt tip is designed to prevent penetration through the cornea. Four dissecting edges at the tip are designed to assist dissection of a curved incision without rotation of the instrument. Overall length 117 mm.



53300

Stromal channel Spatula, right



For implantation of intracorneal ring segments - femtosecond laser-assisted technique and mechanical technique. Instrument for dissection of connecting tissue in the channel as well as insertion of intracorneal ring segments.



53301

Stromal channel Spatula, left



For implantation of intracorneal ring segments - femtosecond laser-assisted technique and mechanical technique. Instrument for dissection of connecting tissue in the channel as well as insertion of intracorneal ring segments.



E0479

Fogla Trifacet Spatula



The trifacet design with its blunt tip is designed to allow safer introduction into the space between Descemet's membrane and the corneal stroma following the formation of the "big bubble" in DALK. The anterior stroma can then be incised over the sharp edge of the spatula in order to enlarge the opening without damaging Descemet's membrane. Overall length 121 mm.



E2998

Daya Femto Incision Separator



The Daya Femto Incision Separator is designed to reduce the likelihood of the surgeon altering the Femto laser incisions during surgical procedures. The instrument is designed for use in opening all corneal wounds (side port, main incision, and arcuate incisions), with both ends of the separator having the capability to pass through a side port. Fine leading edges and an ergonomic orientation allow for delicate maneuvering while opening Femto wound incisions. Overall length 127 mm.



Spatulas

Corneal

E2999

Weinstock Wound Dissector




The Weinstock Wound Dissector is designed to dissect the ablated zone to create the track for the phaco wound and the side port incision during the femtosecond cataract procedure. The width of the keratome shaped dissector is 1.57 mm. Overall Length 119 mm.



E3046

Paton Spatula Double-Ended



6 mm wide by 15 mm long thin blade with three grooves. 2 mm wide by 31 mm blade with last 7 mm angle tip. Flat serrated handle with polished finish. Overall length 143 mm.



E3125

Cindy Sweeper For DSEK



Designed for a smooth glide across corneal surface to smooth out interface between stromal surface and the DSEK graft. Overall length 112 mm.



E3112

Ousley Implant Spatula



Used to introduce donor stromal tissue into patient's eye.



E3113

Devers-Terry Dissector Straight



Used to dissect or separate stromal tissue during a DLEK procedure. Overall length 127 mm.



E3114

Devers-Terry Dissector Curved



Used to dissect or separate stromal tissue during a DLEK procedure. Overall length 127 mm.



Corneal

E3124

Terry Scraper Non-Irrigating



Used to gently roughen the inner stromal surface of the cornea in preparation for the graft in the DSEK procedure. Overall length 115 mm.



ET2997

Osher Double-Ended Femto Wound Dissector



The Osher Double-Ended Femto Wound Dissector features dual paddles to allow the surgeon to open all femtosecond incisions prepared by the laser with one instrument. The double-ended design provides a horizontal paddle that assists with opening the phaco wound and the side-port incision. A second vertical paddle with a squared off nose is used to support the expansion of the astigmatism incision. Once the wound is opened, the paddle can be inserted into the wound opening and double as a chopper/lens manipulator. Overall Length 137 mm.



Iris

54113A

Wecker Iris Spatula



Conical. Overall length 134 mm.



54121A

Bangerter Iris Spatula



1.5 mm. Overall length 120 mm.



54161

Castroviejo Spatula



10 mm long. Overall length 128 mm.



Spatulas

Iris

54250

Wecker Spatula, Model Frankfurt



0.3 mm. Overall length 134 mm.



54270A

Spatula



Flat-angled. 0.15 x 0.5 mm. 7 mm tip. 20 mm shaft.
Angled 55°. Overall length 118 mm.



54270Y2A

Spatula



Flat-angled. 0.15 x 0.3 mm. 10 mm tip. 18 mm shaft.
Angled 55°. Overall length 116 mm.



54270Y4

Spatula




Flat-angled. 0.5 x 0.3 mm. 10 mm tip.
Overall length 110 mm.



E0474

Castroviejo Synechia Spatula Double-Ended



Synechia spatula. 0.5 x 10 mm and 0.5 x 15 mm blades.
Overall length 139 mm.



E0481

Clayman Spatula



0.5 x 10 mm with blunt tip. Overall length 128 mm.



Iris

E0485

Barraquer Iris Spatula



Angled tip with gently curved blade. Short hexagonal handle with polished finish. Tip: 0.5 mm x 15 mm. Overall length 90 mm.



LASEK

53010T

Spatula Epithelium LASEK



Hockey knife shaped spatula with sharp anterior part to detach epithelium at the incision of the trephine. Titanium.



53011T

Hoe Epithelium LASEK



Epithelial hoe with rounded edges and semi sharp sides is used to manipulate detached surface epithelium. Titanium



LASIK

53003T

Flap Lifter LASIK Kohnen



Designed for easy entrance into the interface in case of retreatment. Sharpened edge. 0.7 mm length. Titanium.



53004T

Spatula LASIK Kohnen



For flap manipulation in case of retreatment. Tapered tip spatula facilitates easy separation of corneal tissues. 10 mm angle from tip to bend. Titanium.




Spatulas

LASIK

53013T

Kohnen-Koch II LASIK combined instrument



Double ended instrument designed for easy entrance into the interface in case of retreatment. Sharpened edge. 0.7 mm length and sharp spatula for dissection of previous flap. Titanium.



E0622

Slade Refractive Spatula




Smooth, blunt round spatula for manipulation of the corneal flap. Ideal for placement under the flap to expose the stromal interface. Overall length 121 mm.



E9110

MacRae LASIK Flap Spatula



This double-ended instrument is a multi-use tool for LASIK procedures. The small, blunt tip is designed to separate the stromal layer. The second tip features a long, horizontal tip designed to aid in lifting the corneal flap during the procedure. Overall length 132 mm.



Nucleus

54420

Hermeking Spatula



10 mm tip. Angled 50°. Overall length 108 mm.



E0712

Koch Phacoemulsification Spatula



Duckbilled spatula designed to enter a side-port stab incision with tip broad enough to efficiently manipulate the lens nucleus in the anterior chamber. Spatula is useful for rotating and cracking the nucleus. Round knurled handle. Overall length 117 mm.



Nucleus

E0730

Johnson Spatula

x 1



Ideal for bimanual phaco procedure. 0.25 mm by 10 mm long blade. Round knurled handle with polished finish. Overall length 105 mm.



E1091

Kimura Platinum Spatula

x 1



4 mm wide by 17.5 mm flat platinum spatula on 34 mm shaft. Flat serrated handle with polished finish. Overall length 149 mm.



SUF03

Phaco Spatula

x 12



Angled. 11 mm spatula length. 117 mm overall length. For nucleus manipulation. Packaged single. Sterile. 12/box.



Orbital

57150

Spatula, Model Giessen

BAUSCH + LOMB
Instruments

x 1

36 mm long. 9 mm wide. Overall length 164 mm.



Scleral

E0484

Barraquer Cyclodialysis Spatula

x 1




0.5 mm x 15 mm angled round blade with smoothly pointed tip and gently curved blade. Round knurled handle with polished finish. Overall length 120 mm.



E0489

Castroviejo Cyclodialysis Spatula Double-Ended

x 1



Double ended with 0.5 x 10 mm and 0.5 x 15 mm blades. Both blades gently curved. Square serrated handle with polished finish. Overall length 138 mm.








Specula

Accessories	192
Locking/Adjustable	192
Wire	197



Specula

Accessories

93011

Spare Tubing For LASIK Specula

460 mm bifurcated silicone tubing. male luer-lock connector. Can be used for specula 52135, 52136, 52137, 52138, E4061, E4061 H, E4067.



93012

Aspiration specula tubing extension

For use with aspirating speculum Art. Nos. 52135, 52136, 52137, 52138. Silicone tube 2 m. With male and female luer connector.



99195

T-Connector Metal For Aspiration Speculum

For use with aspirating speculum Art. Nos. 52135, 52136, 52137, 52138.



E4118T

Aspiration Tubing for Speculum

Replacement aspiration tubing for E4067. Packaged each.



Locking/Adjustable

52021

Weiss Eye Speculum

Child size. Right. Solid blades. 67 mm.



52022

Weiss Eye Speculum

Child size. Left. Solid blades. 67 mm.



Locking/Adjustable

52070

Sauer Pediatric Eye Speculum


Child size. Overall length 30 mm.



52111

Pretori Eye Speculum


Left. 68 mm.



52112

Pretori Eye Speculum

Right. 68 mm.



52131

Mellinger Eye Speculum

Overall length 70 mm.



52132

Mellinger Eye Speculum

Paediatric. 56 mm.



52135

LASIK Speculum with Aspiration

Angled 45°. open blades of closed wire loops. 17 mm blade outer width. 14.5 mm blade inner width. 33 mm max. Blade spread. 4 aspirating ports on lateral blade bends. Screw-type blade spread mechanism. 460 mm bifurcated silicone tubing. Male luer-lock connector.



Locking/Adjustable

52136

Speculum LASIK with aspiration, round valves

LASIK speculum with rounded valves for optimum patient comfort. Blade width allows for convenient insertion of suction ring. 3 aspirating ports on lateral blade bends. 17.5 mm blade outer length. 15 mm blade inner length. 38 mm maximum blade spread.



52137

Speculum LASIK with aspiration, open valves

LASIK speculum with rounded, open valves for optimum patient comfort. Blade width allows for convenient insertion of suction ring. 3 aspirating ports on lateral blade bends. 18 mm blade outer length. 15.5 mm blade inner length. 46 mm maximum blade spread.



52141

Mellinger/Beard Eye Speculum

Blade length 12 mm. Overall length 68 mm.



52142

Mellinger/Beard Eye Speculum

Child size. 53 mm.



52201

Cook Eye Speculum

9 mm blades. Small. 35 mm.



52202

Cook Eye Speculum

Medium. 38 mm.



Locking/Adjustable

52203

Cook Eye Speculum

Large. 48 mm.



52250

Bangerter Eye Speculum

55 mm.



SUH04

Adjustable Eye Speculum, sterile

Sterile single use adjustable eye speculum with 16mm solid blades. Packaged single. Sterile. 6/box.



52201Y3

Cook Eye Speculum

For infant. 5 mm blades. Small. 35 mm.



E4040

Castroviejo Speculum

Small. 15 mm blades. 28 mm blade spread. 75 mm.



E4041

Castroviejo Speculum

Medium. 16 mm blades. 31 mm blade spread. 82 mm.



Locking/Adjustable

E4050

Williams Eye Speculum 14 mm

Adult model. Spring-controlled spread of blades with locking mechanism. Dull finish. Blades 14 mm. Blade spread 52 mm. Overall length 86 mm.



E4051

Williams Eye Speculum 11 mm

Pediatric model. Spring-controlled spread of blades with locking mechanism. Dull finish. Blades 11 mm. Blade spread 41 mm. Overall length 69 mm.



E4056

Lancaster Eye Speculum

Spring-controlled spread of blades with locking mechanism. Dull finish. Blades 15 mm. Blade spread 41 mm. Overall length 69 mm.



E4064

Knapp Eye Speculum

Open 13 mm blades. Screw-controlled locking mechanism. Blade spread 60 mm. Dull finish. Overall length 85 mm.



E4065

Lieberman Speculum

Adjustable wire speculum with 17 mm open blades. Lid tension adjustable throughout procedure with thumb screw control. Straight shaft. Overall length 90 mm.



E4065 A

Lieberman Speculum Angled

Adjustable wire speculum with 17 mm open blades. Lid tension adjustable throughout procedure with thumb screw control. Angled 45°. Overall length 86 mm.



Locking/Adjustable

E4072

Mellinger Eye Speculum

16 mm blades. 27 mm blade spread. 70 mm.



E4073

Mellinger Eye Speculum

16 mm blades. 27 mm blade spread.
Self-locking mechanism. 70 mm.

E4094

Murdoch Eye Speculum

Fenestrated 14 mm blades. Self-locking mechanism.
Blade spread 24 mm. Dull finish. Overall length 57 mm.

E4111

Saunders Eye Speculum Premature Infant

Solid 4 mm blades. Locking thumb screw.
Blade spread 14 mm. Dull finish. Holes in bar decrease
weight of speculum. Overall length 35 mm.

Wire

SUH01


Barraquer Eye Speculum, sterile

Sterile single-use wire speculum with closed valves.
14mm blade length. Packaged single. Sterile. 24/box.

52121

Barraquer Eye Speculum

14 mm blades. Overall length 40 mm.




Specula

Wire

52121H

Barraquer Eye Speculum Adult Heavy Wire

14 mm blades. 40 mm. As item 52121 but heavy valves
1.0 mm Ø.



52121K

Kratz-Barraquer Eye Speculum


14 mm blades. 40 mm. Open valves.



52123Y1

Barraquer-Osterhuis Eye Speculum

28 mm.



52125Y1

Barraquer Eye Speculum


Baby size. 5 mm blades. Blade distance 20 mm. 30 mm.



E4106KT

Temporal Approach Lid Speculum - Open Blade

Angled for temporal approach. Open 14 mm rounded
blades for patient comfort. Blade spread 18 mm.
Dull finish. Overall length 41 mm.



E4106N

Kratz-Nichamin Speculum

Open wire style 16 mm blade with a wing tip
twist giving the surgeon better on-axis accessibility.
Overall length 45 mm.



Wire

E4106 S

Barraquer Eye Speculum Solid Blade

Solid 14 mm blades. Blade spread 18 mm. Dull finish.
Overall length 41 mm.



E4106 ST

Temporal Approach Lid Speculum Solid Blade

Angled for temporal approach. Solid 14 mm blades.
Blade spread 18 mm. Dull finish. Overall length 41 mm.



E4106 T

Temporal Approach Lid Speculum Wire Blade

Angled for temporal approach. Wire 14 mm rounded
blades for patient comfort. Blade spread 18 mm.
Dull finish. Overall length 38 mm.



E4107

Barraquer Eye Speculum Pediatric 11 mm


Wire 11 mm blades. Blade spread 19 mm. Dull finish.
Overall length 34 mm.



E4107 K

Kratz-Barraquer Eye Speculum Pediatric

Open 10 mm blades. Blade spread 19 mm. Dull finish.
Overall length 35 mm.



E4107 P

Barraquer Eye Speculum Pediatric 5 mm

Closed wire 5 mm blade with a wing tip
twist giving the surgeon better on-axis accessibility.
Overall length 30 mm.



Specula

Wire

E4107 PS

Barraquer Eye Speculum Pediatric Solid Blade

Solid 6 mm solid blade speculum for newborn or pediatric use. Overall length 30 mm.



E4110

Sauer Eye Speculum Infant

Solid 8 mm blades. Blade spread 20 mm. Dull finish. Overall length 35 mm.



E4112

Alfonso Eye Speculum Newborn

Open 5 mm blades. Blade spread 27 mm. Dull finish. Overall length 45 mm.





Spoons, Curettes

Chalazion Curettes.....202
Spoons203



Spoons, Curettes

Chalazion Curettes

E0780

Meyerhoefer Chalazion Curette

BAUSCH + LOMB
Instruments



No. 0. 1.5 mm cup Ø. Overall length 125 mm.



E0781

Meyerhoefer Chalazion Curette

BAUSCH + LOMB
Instruments




No. 1. 1.75 mm cup Ø. Overall length 125 mm.



E0782

Meyerhoefer Chalazion Curette

BAUSCH + LOMB
Instruments



No. 2. 2.0 mm cup Ø. Overall length 125 mm.



E0783

Meyerhoefer Chalazion Curette

BAUSCH + LOMB
Instruments




No. 3. 2.5 mm cup Ø. Overall length 125 mm.



E0784

Meyerhoefer Chalazion Curette

BAUSCH + LOMB
Instruments




No. 4. 3.5 mm cup Ø. Overall length 125 mm.



E0790

Skeele Curette

BAUSCH + LOMB
Instruments



With serrated edge. 2.0 mm cup Ø.
Overall length 125 mm.



Spoons

E3720

Wells Enucleation Spoon

21 mm wide spoon. 5 mm by 10 mm notch.
Overall length 147 mm.



E3740

Bunge Enucleation Spoon

12 mm diameter. Overall length 140 mm.



E3742

Bunge Enucleation Spoon


8 mm diameter. Overall length 136 mm.





Sterilisation Trays

Sterilisation Trays.....206



Sterilisation Trays

E7406

Plastic Tray, 150 x 250 mm

Sterilisable plastic tray with silicone matting for supporting and protecting instruments. 150 x 250 mm. For 10-20 instruments. Overall height 25 mm (incl. floor nobs).



E7407

Diamond Knife Sterilising Tray

Diamond knife tray with silicone inserts to securely hold the diamond knife. For 2 knives. 6cm wide. 15.87 cm length. 2.54 cm depth.



E7409

Plastic Tray, 80 x 160 mm


Sterilisable plastic tray with silicone matting for supporting and protecting instruments. 80 x 160 mm. For 4-7 instruments. Overall height 25 mm (incl. floor nobs).



E7411

Double Layer Microsurgical Instrument Tray

Size 254 x 154 x 49 mm. Capacity 20-30 instruments. Double layer sterilisable plastic tray with silicone matting on both layers for supporting and protecting instruments.





Trephines/ Punches

- LASEK 208
- Miscellaneous 208
- Punches 209
- Rongeurs 209
- Trephines 209



Trephines/Punches

LASEK

53008T

Trephine LASEK Titanium, 8.0 mm



The trephine has a 270° cutting edge. A cut-out of 90° allows to create a flap hinge. Marks on top of the ring indicate the hinge area. Titanium 8.0 mm Ø.



53009T

Trephine LASEK Titanium, 9.0 mm



The trephine has a 270° cutting edge. A cut-out of 90° allows to create a flap hinge. Marks on top of the ring indicate the hinge area. Titanium 9.0 mm Ø.



Miscellaneous

E3048

Fine Corneal Carrying Case



Plastic case equipped with slots for arranging sutures.



E3067

Brightbill Corneal Cutting Block



Incorporates three wells of various sizes with red 8 mm centering dot: Small, 15 mm diameter; Medium, 16.5 mm diameter; Large, 18.0 mm diameter. Wells on each side for added instrument life. Size 52 x 52 x 19 mm.



93100S

Böhnke Donor Cornea Holder



The Böhnke Donor Cornea Holder is used for holding the donor cornea during cornea storage in cell culture medium. Packaged single. Sterile. 10/box.



Punches

E2798

Kelly Descemet's Membrane Punch



For 0.75 mm round holes without tissue tags. Triangular squeeze action handle. Overall length 130 mm.



E3097 BP

Base Plug



For Universal Trephine Handle with Cottingham Punch (E3097). 14 mm in diameter, 8 mm height.



E3097

Universal Trephine Handle with Cottingham Punch



Metal punch with universal style handle. Uses E3096 Series STORZ Corneal Transplant Trephine Blades. Supplied with two replaceable base plugs (E3097 BP). Dull finish. Overall length 60 mm.



Rongeurs

E4590

Belz Lacrimal Sac Rongeur

BAUSCH + LOMB
Instruments



Rounded 17 mm long jaws. 2 mm wide at tip. 3 mm wide at midline. Overall length 180 mm.



Trephines

E3050 6.0G

Tanne Universal Disposable Trephine



6.0 mm Ø. Sterile. For handle E3050 H.



Trephines/Punches

Trephines

E3050 6.25G

Tanne Universal Disposable Trephine

6.25 mm Ø. Sterile. For handle E3050 H.



E3050 6.5G

Tanne Universal Disposable Trephine

6.5 mm Ø. Sterile. For handle E3050 H.



E3050 6.75G

Tanne Universal Disposable Trephine

6.75 mm Ø. Sterile. For handle E3050 H.



E3050 7.0G

Tanne Universal Disposable Trephine

7.0 mm Ø. Sterile. For handle E3050 H.



E3050 7.25G

Tanne Universal Disposable Trephine

7.25 mm Ø. Sterile. For handle E3050 H.



E3050 7.5G

Tanne Universal Disposable Trephine

7.5 mm Ø. Sterile. For handle E3050 H.



E3050 7.75G

Tanne Universal Disposable Trephine

7.75 mm Ø. Sterile. For handle E3050 H.



Trephines

E3050 8.0G

Tanne Universal Disposable Trephine

8.0 mm Ø. Sterile. For handle E3050 H.



E3050 8.25G

Tanne Universal Disposable Trephine

8.25 mm Ø. Sterile. For handle E3050 H.



E3050 8.5G

Tanne Universal Disposable Trephine

8.5 mm Ø. Sterile. For handle E3050 H.



E3050 8.75G

Tanne Universal Disposable Trephine

8.75 mm Ø. Sterile. For handle E3050 H.



E3050 9.0G

Tanne Universal Disposable Trephine

9.0 mm Ø. Sterile. For handle E3050 H.



E3050 9.25G

Tanne Universal Disposable Trephine

9.25 mm Ø. Sterile. For handle E3050 H.



E3050 H

Universal Handle for Blades

Designed for use with the E3050 series Tanne Disposable Trephine Blades. Overall length 60 mm.



Trephines/Punches

Trephines

E3095

STORZ Universal Trephine Handle

Round knurled handle with adjustable finger-like tips that rest in the grooved disposable trephine blades. Used with E3096 Series Disposable Trephine Blades. Polished finish. Overall length 49 mm.



E3096 6.0G

Disposable Trephine Blade

Sterile. 6.0 mm Ø. Length 9.0 mm.
To be used with handle E3095.



E3096 6.0LG

Disposable Trephine Blade

Long. Sterile. For holder E3095 or punch E3097.
6.0 mm Ø. 9.0 mm.



E3096 6.2G

Disposable Trephine Blade

Sterile. For holder E3095 or punch E3097.
6.25 mm Ø. 9.0 mm.



E3096 6.5G

Disposable Trephine Blade

Sterile. For holder E3095 or punch E3097.
6.5 mm Ø. 9.0 mm.



E3096 6.5LG

Disposable Trephine Blade

Long. Sterile. For holder E3095 or punch E3097.
6.5 mm Ø. 15.0 mm.

















E3096 6.7G

Disposable Trephine Blade

Sterile. For holder E3095 or punch E3097.
6.75 mm Ø. 9.0 mm.



Trephines

E3096 6.7LG	<p>Disposable Trephine Blade</p> <p>Long. Sterile. For holder E3095 or punch E3097. 6.75 mm Ø. 15.0 mm.</p>		 
E3096 7.0G	<p>Disposable Trephine Blade</p> <p>Sterile. For holder E3095 or punch E3097. 7.0 mm Ø. 9.0 mm.</p>		 
E3096 7.0LG	<p>Disposable Trephine Blade</p> <p>Long. Sterile. For holder E3095 or punch E3097. 7.0 mm Ø. 15.0 mm.</p>		 
E3096 7.2G	<p>Disposable Trephine Blade</p> <p>Sterile. For holder E3095 or punch E3097. 7.25 mm Ø. 9.0 mm.</p>		 
E3096 7.2LG	<p>Disposable Trephine Blade</p> <p>Long. Sterile. For holder E3095 or punch E3097. 7.25 mm Ø. 15.0 mm.</p>		 
E3096 7.5G	<p>Disposable Trephine Blade</p> <p>Sterile. For holder E3095 or punch E3097. 7.5 mm Ø. 9.0 mm.</p>		 
E3096 7.5LG	<p>Disposable Trephine Blade</p> <p>Long. Sterile. For holder E3095 or punch E3097. 7.5 mm Ø. 15.0 mm.</p>		 


Trephines/Punches

Trephines

E3096.77G

Disposable Trephine Blade

Sterile. For holder E3095 or punch E3097.
7.75 mm Ø. 9.0 mm.



E3096.77LG

Disposable Trephine Blade


Long. Sterile. For holder E3095 or punch E3097.
7.75 mm Ø. 15.0 mm.



E3096.8.0G

Disposable Trephine Blade

Sterile. For holder E3095 or punch E3097.
8.0 mm Ø. 9.0 mm.



E3096.8.0LG

Disposable Trephine Blade


Long. Sterile. For holder E3095 or punch E3097.
8.0 mm Ø. 15.0 mm.



E3096.8.2G

Disposable Trephine Blade

Sterile. For holder E3095 or punch E3097.
8.25 mm Ø. 9.0 mm.



E3096.8.2LG

Disposable Trephine Blade


Long. Sterile. For holder E3095 or punch E3097.
8.25 mm Ø. 15.0 mm.



E3096.8.5G

Disposable Trephine Blade

Sterile. For holder E3095 or punch E3097.
8.5 mm Ø. 9.0 mm.



Trephines

E3096 8.5LG

Disposable Trephine Blade


Long. Sterile. For holder E3095 or punch E3097.
8.5 mm Ø. 15.0 mm.



E3096 8.7G

Disposable Trephine Blade

Sterile. For holder E3095 or punch E3097.
8.75 mm Ø. 9.0 mm.



E3096 8.7LG

Disposable Trephine Blade


Long. Sterile. For holder E3095 or punch E3097.
8.75 mm Ø. 15.0 mm.



E3096 9.0G

Disposable Trephine Blade

Sterile. For holder E3095 or punch E3097.
9.0 mm Ø. 9.0 mm.



E3096 9.0LG

Disposable Trephine Blade


Long. Sterile. For holder E3095 or punch E3097.
9.0 mm Ø. 15.0 mm.



E3096 9.2G

Disposable Trephine Blade


Sterile. For holder E3095 or punch E3097.
9.25 mm Ø. 9.0 mm.



E3096 9.5G

Disposable Trephine Blade

Sterile. For holder E3095 or punch E3097.
9.5 mm Ø. 9.0 mm.







Vitreotomy Lenses



Vitrectomy Lenses

99500

Kilp Lens

Plan-concave silicone for routine vitrectomy. With a silicone ring of 4 mm height which juts out 2 mm inwards to fit the corneal curvature and for firm suction. Lens Ø 11 mm. Ring Ø 14 mm.



99501

Kilp Replacement Silicone Ring for Lens

Replacement ring for use with the Kilp vitrectomy lens 99500.



99501Y1

Clemens Lens Holder

For use with the Kilp vitrectomy lens 99500. C-shaped holder with 15 mm diameter. 45° angled. Overall length 67 mm.





Instrument Sets by Procedure

Refractive Surgery	220
Corneal Surgery	220
Phacoemulsification	223
Miscellaneous	227
Vitreoretinal Surgery	228




Instrument Sets by Procedure

Refractive Surgery

SET

LASIK



- 1. **52135** LASIK Speculum with Aspiration
- 2. **63020** Corneal flap Forceps LASIK
- 3. **83010** LASIK Irrigation Cannula

- 4. **E0622** Slade Refractive Spatula
- 5. **E7406** Plastic Tray, 150 x 250 mm

Corneal Surgery

SET

Foreign Body Removal



- 1. **52121** Barraquer Eye Speculum
- 2. **E1091** Kimura Platinum Spatula
- 3. **E2160** Cilia Forceps
- 4. **E4106 T** Temporal Approach Lid Speculum Wire Blade
- 5. **E4366** Ruedemann Lacrimal Dilator
- 6. **E4404** Lacrimal Cannula

- 7. **E2077** Osher Capsule-Foreign Body Forceps
- 8. **52051** Desmarres Lid Retractor
- 9. **E0981** Desmarres Lid Retractor
- 10. **E0982** Desmarres Lid Retractor
- 11. **E7406** Plastic Tray, 150 x 250 mm

Corneal Surgery

SET

DSAEK



- | | | | |
|------------------------|---|-------------------|---------------------------------|
| 1. E2015 | Snyder Stripping Forceps | 8. E3112 | Ousley Implant Spatula |
| 2. E2039 | Carlson DSEK Graft Forceps | 9. E3113 | Devers-Terry Dissector Straight |
| 3. E2040 | Carlson DSEK Smoother | 10. E3114 | Devers-Terry Dissector Curved |
| 4. E3050 H | Universal Handle for Blades | 11. E3119 | Reverse Sinskey Hook |
| 5. E3050 Series | Tanne Universal Disposable Trephine | 12. E3124 | Terry Scraper Non-Irrigating |
| 6. E3096 Series | Disposable Trephine Blade | 13. E3125 | Cindy Sweeper For DSEK |
| 7. E3097 | Universal Trephine Handle with Cottingham Punch | 14. ET3126 | Corneal Marker 8.5 mm / 9 mm |

SET






























DALK



- | | | | |
|--------------------|--------------------------------------|--------------------|--------------------------------------|
| 1. E0479 | Fogla Trifacet Spatula | 4. E4924 27 | Fogla Air Injection Cannula 27 Gauge |
| 2. E0480 | Fogla Pointed Dissector | 5. E3217 L | Fogla Scissors Left |
| 3. E4924 25 | Fogla Air Injection Cannula 25 Gauge | 6. E3217 R | Fogla Scissors Right |

Instrument Sets by Procedure


Corneal Surgery

SET	Penetrating Keratoplasty					
1.		11.		21.		
2.		12.		22.		
3.		13.		23.		
4.		14.		24.		
5.		15.		25.		
6.		16.		26.		
7.		17.		27.		
8.		18.		28.		
9.		19.		29.		
10.		20.				
1.	52203			16.	E3096 Series	Disposable Trepphine Blade
2.	6-700			17.	E3097	Universal Trepphine Handle with Cottingham Punch
3.	ED7182			18.	E3097 BP	Base Plug
4.	E0499 30			19.	E3205	STORZ Corneal Forceps Colibri Style
5.	13131A			20.	23201	Katzin Corneal Transplant Scissors
6.	13132A			21.	23202	Katzin Corneal Transplant Scissors
7.	E1500			22.	E3304 M	Castroviejo Corneal Section Scissors
8.	E1796			23.	E3305 M	Castroviejo Corneal Section Scissors
9.	E1797			24.	E3321MWH	Castroviejo Keratoplasty-Utility-Stitch Scissors
10.	E1815 S			25.	73050	Barraquer Needle Holder
11.	E3046			26.	93100S	Böhnke Donor Cornea Holder
12.	63150			27.	E3048	Fine Corneal Carrying Case
13.	63160			28.	E7406	Plastic Tray, 150 x 250 mm
14.	E6774			29.	E4034 series	Flieringa Fixation Ring
15.	E3095					

Phacoemulsification

SET

Standard Incision between 2.2 mm and 3.0 mm Incision size



- | | | | | | |
|-----|---------------------|---|-----|----------------|-------------------------------------|
| 1. | 52121 | Barraquer Eye Speculum | 11. | E0629 | Drysdale Nucleus Manipulator |
| 2. | LP7553A | Slit knife 2.85 mm angled bevel up | 12. | 54290 | Dardenne Iris Hook |
| 3. | LP7550A | Slit knife 2.5 mm angled bevel up | 13. | 85910S | CapsuleGuard IA® Handpiece 45° |
| 4. | LP7601 | Trapezoidal knife 2.0 - 2.2 mm angled | 14. | 85910ST | CapsuleGuard IA® Handpiece 45° |
| 5. | E0104 ACC2.5 | Clear Cornea Diamond Knife, 2.5 mm | 15. | 85951 | I/A Handpiece 20° with Sleeve |
| 6. | E0499 30 | Air Injection Cannula 30 Gauge | 16. | 85775 | Irrigation Handpiece 21GA |
| 7. | 85050-6 | Sautter Air Injection Cannula | 17. | 85776R | Aspiration Handpiece 21GA |
| 8. | E2002 F | Utrata Capsulorhexis Forceps | 18. | 63032 | Colibri Type Forceps |
| 9. | E0570 N | Nichamin Double-Ended Nucleus Chopper Spatula | 19. | 63051 | Harms Tying Forceps Model Tuebingen |
| 10. | E0713 G | Koch Stop and Chop Manipulator | | | |

Instrument Sets by Procedure

Phacoemulsification

SET

Single-Use Per Procedure Tray



- | | | | | | |
|----|----------------|--|-----|-----------------|----------------------------------|
| 1. | 85910ST | Capsule Guard™ Silicone Coated I/A Handpiece for Stellaris® System 45° | 6. | SUH01 | Barraquer Eye Speculum |
| 2. | 85910S | Capsule Guard™ Silicone Coated I/A Handpiece 45° | 7. | SUE01-12 | Capsulorhexis Forceps |
| 3. | 85787ST | Stellaris® System Irrigation handpiece, smooth tip, 21GA | 8. | SUH04 | Adjustable Eye Speculum, sterile |
| 4. | 85787S | Irrigation handpiece, smooth tip, 21GA | 9. | SUE05-12 | Pierson Tying Forceps, straight |
| 5. | 85780S | Aspiration handpiece, 21GA | 10. | SUF03 | Phaco Spatula |
| | | | 11. | SUF04 | Drysdale Nucleus Manipulator |
| | | | 12. | 82020S | Corneal Irrigator |

The Per Procedure Tray Option

The "all-in-one" Per Procedure Tray is a complete kit of Bausch + Lomb high precision single-use instruments designed for the following procedures:

- > Cataract Surgery with biaxial or coaxial irrigation/aspiration
- > Femtosecond Cataract Surgery with biaxial or coaxial irrigation/aspiration
- > Vitreoretinal Surgery in 20, 23, 25 and 27 gauge.

Each configuration is packaged in a Per Procedure Tray, just choose your favorite components. The customized "all-in-one" tray facilitates the efficiency in the OR.

All single-use instruments can be ordered as:

- > Components included in an all-in-one Per Procedure Tray
- > Components included in your individual Custom Procedure Packs
- > Stand-alone sterile instruments.


Visit www.storzeye.eu to assemble your individual Tray with the online **Per Procedure Tray Configurator!**



Phacoemulsification

SET

MICS Incision sub 2 mm



- | | | | | | |
|----|-----------------|--|-----|------------------|---|
| 1. | LP7600 | Trapezoidal knife 1.6 - 1.8 mm angled | 9. | 85915ST | MICS CapsuleGuard IA® Handpiece 45° |
| 2. | LP7599 | Trapezoidal knife 1.5 - 1.7 mm angled | 10. | 85794ST | I/A Handpiece curved with sleeve For 1.8 C-MICS |
| 3. | 55480 | Y-Nucleus Manipulator and Chopper Double Ended | 11. | 85795ST | I/A Handpiece 45° with sleeve For 1.8 C-MICS |
| 4. | E2002 F | Utrata Capsulorhexis Forceps | 12. | 85902ST19 | 19GA Irrigation handpiece |
| 5. | ET1088TS | Capsulorhexis Forceps Tip 15 mm Shaft | 13. | 85901S20 | 20GA Aspiration handpiece |
| 6. | ET8190 H | Coaxial Handle Fixed | 14. | 85775 | Irrigation Handpiece 21GA |
| 7. | ED7153 | Silicone Capsule Polisher 27 Gauge | 15. | 85776R | Aspiration Handpiece 21GA |
| 8. | 6-250 | Sinsky Hook II Round Handle Titanium | 16. | 63051 | Harms Tying Forceps Model Tuebingen |

SET

Cornea marking for Implantation of Toric IOL



- | | | | | | |
|----|--------------|---------------------------|----|--------------|----------------------------|
| 1. | E2430 | Whitman Axis Marker | 3. | E2433 | Böhnke-Mendez Degree Gauge |
| 2. | E2431 | Storz Toric Bubble Marker | | | |

Instrument Sets by Procedure

Phacoemulsification

SET

Sterile Single-Use Per Procedure Tray for MICS Incision sub 2 mm



- | | | | | | |
|----|-----------------|--|-----|-----------------|---|
| 1. | SUH01 | Barraquer Eye Speculum | 10. | 85915S | Capsule Guard™ Silicone Coated I/A Handpiece for MICS 45° |
| 2. | SUH04 | Adjustable Eye Speculum, sterile | 11. | 85915ST | Capsule Guard™ Silicone Coated I/A Handpiece for MICS for Stellaris® System 45° |
| 3. | SUE06-12 | MICS Capsulorhexis Forceps | 12. | SUF02 | Sinsky Hook |
| 4. | SUE07-12 | MICS Capsulorhexis Forceps with markings | 13. | SUE04-12 | McPherson Tying Forceps Angled |
| 5. | SUE08-12 | MICS Capsulorhexis Forceps with curved jaws | 14. | 82020S | Corneal Irrigator |
| 6. | SUI20-12 | MICS 1.0 mm Capsulorhexis Forceps | | | |
| 7. | SUE02-12 | Bonn Forceps | | | |
| 8. | 85914S | Capsule Guard™ Silicone Coated I/A Handpiece for MICS straight | | | |
| 9. | 85914ST | Capsule Guard™ Silicone Coated I/A Handpiece for MICS straight for Stellaris® System | | | |

The Per Procedure Tray Option

The "all-in-one" Per Procedure Tray is a complete kit of Bausch + Lomb high precision single-use instruments designed for the following procedures:

- > Cataract Surgery with biaxial or coaxial irrigation/aspiration
- > Femtosecond Cataract Surgery with biaxial or coaxial irrigation/aspiration
- > Vitreoretinal Surgery in 20, 23, 25 and 27 gauge.

Each configuration is packaged in a Per Procedure Tray, just choose your favorite components. The customized "all-in-one" tray facilitates the efficiency in the OR.

All single-use instruments can be ordered as:

- > Components included in an all-in-one Per Procedure Tray
- > Components included in your individual Custom Procedure Packs
- > Stand-alone sterile instruments.


Visit www.storzeye.eu to assemble your individual Tray with the online **Per Procedure Tray Configurator!**



Phacoemulsification

SET

Femto Cataract Instruments



- | | | | |
|--------------------|--|-------------------|--|
| 1. E2002 F | Utrata Capsulorhexis Forceps | 6. 85787ST | Irrigation Handpiece, 21GA |
| 2. E4421H27 | Nichamin Hydrodissection Cannula 27 Gauge | 7. E0478 | Slade Laser LRI Dissector |
| 3. 85910ST | Capsule Guard™ Silicone Coated I/A Handpiece 45° for Stellaris® System 45° | 8. E0645 | Hu Capsule Polisher |
| 4. SUP06ST | Stellaris® System Zero Phaco Handpiece for Femt Cataract 2.2 mm | 9. E4929 | Daya Femto Trans-Lens Hydro Cannula |
| 5. SUP05 | Zero Phaco Aspiration Handpiece | 10. ET2997 | Osher Double-Ended Femto Wound Dissector |
| | | 11. E0651 | Hu Femto Side-Port Chopper |

Miscellaneous

SET

Implant Removal



- | | | | |
|-----------------|------------------------------------|------------------|---------------------------|
| 1. 65530 | Juenemann IOL Explantation Forceps | 2. ET1306 | Osher IOL Scissors angled |
|-----------------|------------------------------------|------------------|---------------------------|

SET

Anterior Segment Repair




- | | | | |
|---------------------|---------------------------------|-------------------|----------------------------------|
| 1. ET8306CTL | Snyder AC Scissors Tip Curved | 3. ET8198H | StableGrip™ Vitreoretinal Handle |
| 2. ET8306STL | Snyder AC Scissors Tip Straight | | |

Instrument Sets by Procedure

Vitreoretinal Surgery

SET

General Vitreoretinal Instruments



- 1. **99500** Kilp Lens
- 2. **99501Y1** Clemens Lens Holder
- 3. **99501** Kilp Replacement Silicone Ring For Lens
- 4. **E1500** Bishop-Harmon Tissue Forceps
- 5. **E1793** Castroviejo Fixation Forceps
- 6. **E1796** Castroviejo Suturing Forceps
- 7. **E1798** Castroviejo Suturing Forceps
- 8. **E2402** Braunstein Fixed Caliper 3.5/4.0mm
- 9. **E2404** Castroviejo Caliper
- 10. **E3320 R** Westcott Curved Tenotomy Scissors
- 11. **E3321** Westcott Type Stitch Scissors

- 12. **E3405** Curved Iris Scissors
- 13. **E3424** Straight Eye Scissors
- 14. **E3562** Stevens Curved Tenotomy Scissors
- 15. **E3900** Dieffenbach Serrefine
- 16. **56201A** Laqua Scleral Depressor
- 17. **56210A** Kreissig Localizer
- 18. **E4094** Murdoch Eye Speculum
- 19. **E4922** Bishop-Harmon Irrigating Cannula
- 20. **E0499 27** Air Injection Cannula 27 Gauge
- 21. **E3424** Straight Eye Scissors
- 22. **E3828 CW** Barraquer Needle Holder

Vitreoretinal Surgery

SET

Sterile Single-Use Vitreoretinal Instruments 20 Gauge



- | | | | | | |
|----|-----------------|----------------------------------|----|--------------|--|
| 1. | SUH01 | Barraquer Eye Speculum | 7. | SUJ08 | 20GA Backflush/Extrusion Handpiece for active & passive aspiration with blunt tip |
| 2. | SUH04 | Adjustable Eye Speculum, sterile | 8. | SUJ09 | 20GA Backflush/Extrusion Handpiece for active & passive aspiration with soft tip brush |
| 3. | SUE02-12 | Bonn Forceps | 9. | SUJ10 | 20GA Backflush/Extrusion Handpiece for active & passive aspiration with soft tip |
| 4. | E7929 | Bipolar Eraser 20GA lemo tapered | | | |
| 5. | SUI09-12 | 20GA Endgripping ILM Forceps | | | |
| 6. | SUI10-12 | 20GA Serrated Forceps | | | |

The Per Procedure Tray Option

The "all-in-one" Per Procedure Tray is a complete kit of Bausch + Lomb high precision single-use instruments designed for the following procedures:

- > Cataract Surgery with biaxial or coaxial irrigation/aspiration
- > Femtosecond Cataract Surgery with biaxial or coaxial irrigation/aspiration
- > Vitreoretinal Surgery in 20, 23, 25 and 27 gauge.

Each configuration is packaged in a Per Procedure Tray, just choose your favorite components. The customized "all-in-one" tray facilitates the efficiency in the OR.

All single-use instruments can be ordered as:

- > Components included in an all-in-one Per Procedure Tray
- > Components included in your individual Custom Procedure Packs
- > Stand-alone sterile instruments.

Visit www.storzeye.eu to assemble your individual Tray with the online **Per Procedure Tray Configurator!**




Instrument Sets by Procedure

Vitreoretinal Surgery

SET

Sterile Single-Use Vitreoretinal Instruments 23 Gauge



- | | | | | | |
|----|-----------------|-----------------------------------|-----|-----------------|--|
| 1. | SUH01 | Barraquer Eye Speculum | 9. | SUI11-12 | 23GA Serrated Forceps |
| 2. | SUH04 | Adjustable Eye Speculum, sterile | 10. | SUJ11 | 23GA Backflush/Extrusion Handpiece for active & passive aspiration with blunt tip |
| 3. | E7930 | Bipolar Eraser 23GA lermo tapered | 11. | SUJ12 | 23GA Backflush/Extrusion Handpiece for active & passive aspiration with soft tip brush |
| 4. | E7931 | Bipolar Eraser 23GA 2pin tapered | 12. | SUJ13 | 23GA Backflush/Extrusion Handpiece for active & passive aspiration with soft tip |
| 5. | SUE02-12 | Bonn Forceps | 13. | SUK01 | 23GA Membrane Pick 130° |
| 6. | 65023S | 23GA Endgripping Forceps | | | |
| 7. | SUI07-12 | 23GA Asymmetric Peeling Forceps | | | |
| 8. | SUI03-12 | 23GA Endgripping ILM Forceps | | | |

The Per Procedure Tray Option

The "all-in-one" Per Procedure Tray is a complete kit of Bausch + Lomb high precision single-use instruments designed for the following procedures:

- > Cataract Surgery with biaxial or coaxial irrigation/aspiration
- > Femtosecond Cataract Surgery with biaxial or coaxial irrigation/aspiration
- > Vitreoretinal Surgery in 20, 23, 25 and 27 gauge.

Each configuration is packaged in a Per Procedure Tray, just choose your favorite components. The customized "all-in-one" tray facilitates the efficiency in the OR.

All single-use instruments can be ordered as:

- > Components included in an all-in-one Per Procedure Tray
- > Components included in your individual Custom Procedure Packs
- > Stand-alone sterile instruments.

Visit www.storzeye.eu to assemble your individual Tray with the online **Per Procedure Tray Configurator!**



Instrument Sets by Procedure

Vitreoretinal Surgery

SET

Sterile Single-Use Vitreoretinal Instruments 25 Gauge



- | | | | |
|---------------------|----------------------------------|--------------------|---|
| 1. SUH01 | Barraquer Eye Speculum | 7. SUI05-12 | 25GA Asymmetric Peeling Forceps |
| 2. SUH04 | Adjustable Eye Speculum, sterile | 8. SUI08-12 | 25GA Endgripping ILM Forceps |
| 3. E7926 | Bipolar Eraser 25GA lemo tapered | 9. SUI12-12 | 25GA Serrated Forceps |
| 4. E7927 | Bipolar Eraser 25GA lemo blunt | 10. SUI14 | 25GA Backflush/Extrusion Handpiece for active & passive aspiration with blunt tip |
| 5. SUE02-12 | Bonn Forceps | 11. SUK02 | 25GA Membrane Pick 130° |
| 6. 65025S-12 | 25GA Endgripping Forceps | | |

SET

Sterile Single-Use Vitreoretinal Instruments 27 Gauge



- | | | | |
|-----------------|------------------------------------|--------------------|--|
| 1. SUH01 | Barraquer Eye Speculum | 5. SUE02-12 | Bonn Forceps |
| 2. SUH04 | Adjustable Eye Speculum, sterile | 6. SUI13-12 | Endgripping ILM Forceps, 27GA |
| 3. E7932 | Bipolar Eraser, 27GA, lemo tapered | 7. SUI14-12 | Serrated Forceps, 27GA |
| 4. E7933 | Bipolar Eraser, 27GA, 2pin tapered | 8. SUI17 | Backflush/Extrusion Handpiece, 27GA for active & passive aspiration with blunt tip |

Index

Alphabetical

19 Gauge MVR blade	112	Anterior Segment Repair.....	227
20GA Backflush/Extrusion Handpiece for active & passive aspiration with blunt tip.....	40	Arrow knife 0.8 mm angled.....	119
20GA Backflush/Extrusion Handpiece for active & passive aspiration with soft tip.....	40	Arrow knife 1.1 mm angled	119
20GA Backflush/Extrusion Handpiece for active & passive aspiration with soft tip brush.....	40	Aspirating Handpiece 23 Gauge 0.3 mm.....	92
20GA Endgripping ILM Forceps	73	Aspiration Handpiece.....	90
20GA Serrated Forceps.....	73	Aspiration Handpiece 19GA	90, 91
20 Gauge MVR blade	112	Aspiration Handpiece 20GA.....	90, 92
23GA Asymmetric Peeling Forceps	72	Aspiration Handpiece 21GA.....	90, 91
23GA Backflush/Extrusion Handpiece for active & passive aspiration with blunt tip.....	40	Aspiration Handpiece 22GA.....	91
23GA Backflush/Extrusion Handpiece for active & passive aspiration with soft tip.....	41	Aspiration Handpiece 23GA.....	91
23GA Backflush/Extrusion Handpiece for active & passive aspiration with soft tip brush.....	41	Aspiration Handpiece 23 Gauge 0.4 mm.....	92
23GA Endgripping Forceps	72	Aspiration Handpiece 23 Gauge 0.4 mm Polishing Tip.....	92
23GA Endgripping ILM Forceps.....	73	Aspiration specula tubing extension.....	192
23GA Passive Aspiration Handpiece.....	42	Aspiration Tubing for Speculum.....	192
23GA Serrated Forceps.....	73	A. W. Brown Nucleus Cracker.....	61
23 Gauge StableGrip™ Asymmetrical Peeling Forceps.....	69	Axenfeld Lacrimal Sac Retractor	156
23 Gauge StableGrip™ Curved Scissors	172	Axis Marker.....	32
23 Gauge StableGrip™ Endgripping Forceps	70	Bailey Lacrimal Cannula.....	29
23 Gauge StableGrip™ ILM Forceps	70	Baird Chalazion Forceps.....	57
23 Gauge StableGrip™ Vertical Scissors	172	Band for Oculo-Pressor	150
25GA Asymmetric Peeling Forceps	72	Bangerter Eye Speculum.....	195
25GA Backflush/Extrusion Handpiece for active & passive aspiration with blunt tip.....	41	Bangerter Iris Spatula	185
25GA Endgripping Forceps.....	72	Bangerter Probe Cannula	27
25GA Endgripping ILM Forceps.....	73	Barraquer Blade Breaker and Holder	106
25GA Passive Aspiration Handpiece.....	42	Barraquer Cilia Forceps	58
25GA Serrated Forceps.....	73	Barraquer Cyclodialysis Spatula.....	189
25 Gauge StableGrip™ Asymmetrical Peeling Forceps.....	70	Barraquer Eye Speculum.....	197, 198
25 Gauge StableGrip™ Curved Scissors	172	Barraquer Eye Speculum Adult Heavy Wire.....	198
25 Gauge StableGrip™ Endgripping Forceps	71	Barraquer Eye Speculum Pediatric 5 mm	199
25 Gauge StableGrip™ ILM Forceps.....	71	Barraquer Eye Speculum Pediatric 11 mm	199
25 Gauge StableGrip™ Micro Forceps.....	71	Barraquer Eye Speculum Pediatric Solid Blade.....	200
25 Gauge StableGrip™ Micro Pic Forceps.....	70	Barraquer Eye Speculum Solid Blade	199
25 Gauge StableGrip™ Vertical Scissors	172	Barraquer Eye Speculum, sterile	197
27GA Backflush/Extrusion Handpiece for active & passive aspiration with blunt tip.....	41	Barraquer Iris Scissors.....	169
27GA Endgripping Forceps.....	72	Barraquer Iris Spatula.....	187
27GA Serrated Forceps.....	74	Barraquer Needle Holder	144 - 147
Adjustable Eye Speculum, sterile.....	195	Barraquer-Osterhuis Eye Speculum.....	198
Aebli Corneal Scissors.....	166	Barraquer Tying Forceps	83
Air Injection Cannula 27 Gauge.....	14	Barrett Micro Mushroom Manipulator	129
Air Injection Cannula 30 Gauge.....	14	Barrett Mini Aspirator	20
Air Injection Cannula Mod. Tuebingen	14	Barsewisch Anterior Chamber Forceps.....	76
Alfonso Eye Speculum Newborn.....	200	Base Plug.....	209
Anderson-Barrett Manipulator	127	Bechert-McPherson Tying Forceps.....	85
Anderson Diamond Knife.....	110	Bechert Nucleus Rotator	129
Anel Lacrimal Cannula	28	Bechert Nucleus Rotator Titanium.....	127
Angled Capsule Scissors	161	Beer Cilia Forceps.....	58
Angled Eye Scissors.....	171	Belz Lacrimal Sac Rongeur.....	209
Angled Tunnel Blade Diamond Knife, 45°	108	Benger Probe Hook	123
Anterior Chamber Cannula 25 Gauge.....	18	Berke-Jaeger Lid Plate.....	158
Anterior Chamber Needle 20 Gauge 8 mm.....	16	Berke Ptosis Forceps.....	65
Anterior Chamber Needle 23 Gauge 8 mm.....	16	Berke Ptosis Forceps.....	65
Anterior Chamber Needle 25 Gauge 8 mm.....	16	Binkhorst Hooked Irrigation Cannula, left.....	24
Anterior Chamber Needle 27 Gauge 5 mm	17	Binkhorst Hooked Irrigation Cannula, right	24
Anterior Chamber Needle 27 Gauge 8 mm	17	Bipolar Eraser.....	37
Anterior Chamber Needle 30 Gauge 5 mm.....	17	Bipolar Eraser, 20GA, lemo tapered	36

Alphabetical

Bipolar Eraser, 23GA, 2pin tapered	37
Bipolar Eraser, 23GA, lemo tapered	37
Bipolar Eraser, 25GA, 2pin blunt	36
Bipolar Eraser, 25GA, 2pin tapered	36
Bipolar Eraser, 25GA, lemo blunt	36
Bipolar Eraser, 25GA, lemo tapered	36
Bipolar Eraser, 25GA, tapered	36
Bipolar Eraser, 27GA, 2pin tapered	37
Bipolar Eraser, 27GA, lemo tapered	37
Bipolar Scleral Eraser	38
Bishop-Harmon Curved Tissue Forceps	80
Bishop-Harmon Dressing Forceps	81
Bishop-Harmon Irrigating Cannula	17
Bishop-Harmon Tissue Forceps	80
Bishop Tendon Tucker	67
Blumenthal Anterior Chamber Maintainer 20 Gauge	18
Boehnke-Mendez Domed Degree Marker	11
Böhnke Donor Cornea Holder	208
Bonaccolto Utility Forceps 1.2 mm Platform	66
Bonn Eye Scissors	169
Bonn Forceps	74
Bonn Suturing Forceps	77, 78
Bonn Suturing Forceps 012 Titanium	74
Bowman Stainless Probe - 0000 and 000	153
Braga-Mele Quick-Chopper	131
Braunstein Fixed Caliper 3.5/4.0 mm	11
Brauweiler Aspiration Cannula	18
Brauweiler Irrigation Cannula	24
Brightbill Corneal Cutting Block	208
Brody Multipurpose Manipulator	129
Bunge Enucleation Spoon	203
Bunge Enucleation Spoon	203
Cannula LASIK side & central port	24
Cannula, Probe Point, Mod. Hamburg	18
CapsuleGuard IA® Handpiece, 45°	96
CapsuleGuard IA® Handpiece, curved	97
CapsuleGuard IA® Handpiece, straight	96
Capsule Spatula	182
Capsulorhexis Forceps	52, 55
Capsulorhexis Forceps Tip 15 mm Shaft	54
Capsulorhexis Forceps with markings	56
Carlson DSEK Graft Forceps	60
Carlson DSEK Smoother	122
Castroviejo Angled Corneal Scissors	164
Castroviejo Caliper	10, 11
Castroviejo Corneal Scissors	164
Castroviejo Corneal Scissors, Left	164
Castroviejo Corneal Scissors, Right	164
Castroviejo Corneal Section Scissors	165, 166
Castroviejo Curved Corneal Scissors	162, 164
Castroviejo Cyclodialysis Spatula Double-Ended	189
Castroviejo Fixation Forceps	63
Castroviejo Keratoplasty Scissors	164
Castroviejo Keratoplasty-Utility-Stitch Scissors	166
Castroviejo Lacrimal Dilator	154
Castroviejo Mini Corneal Scissors	164
Castroviejo Needle Holder	144, 147, 148
Castroviejo Spatula	185
Castroviejo Speculum	195
Castroviejo Suturing Forceps	75 - 77
Castroviejo Suturing Forceps 0.5 mm Angled	77
Castroviejo Suturing Forceps 0.5 mm Narrow	77
Castroviejo Suturing Forceps 012 mm	76
Castroviejo Synchia Spatula Double-Ended	186
Charleux Irrigating Cannula	25
Charleux Irrigation/Aspiration Cannula	26
Cilia Forceps	58
Cindy Sweeper For DSEK	184
Clayman Guide	125
Clayman Spatula	186
Clayman-Vannas Curved Scissors	170
Clayman-Vannas Straight Scissors	170
Clayman-Westcott Curved Scissors	170
Clear Cornea Diamond Knife, 1.8 mm	109
Clear Cornea Diamond Knife, 2.2 mm	109
Clear Cornea Diamond Knife, 2.5 mm	109
Clear corneal knife 1.3 mm angled	106
Clear corneal knife 1.6 mm angled	106
Clear corneal knife 2.9 mm angled	107
Clear corneal knife angled 2.75 mm	106
Clear corneal knife angled 2.85 mm	107
Clear corneal knife angled 2.85 mm	107
Clemens Lens Holder	218
Coaxial Handle Fixed	55
Cohan Needle Holder	146
Cohan-Vannas Curved Iris Scissors	168
Colibri Forceps 012 mm	60, 61
Colibri Type Forceps	59
Cone Alcohol LASEK, 8.5 mm	32
Cone Alcohol LASEK, 9.5 mm	32
Connor Anesthesia Cannula	16
Cook Eye Speculum	194, 195
Corneal flap Forceps LASIK	59
Cornea Light Shield, black	45
Corneal Irrigator	25
Corneal Marker 8.5 mm / 9 mm	33
Corneal Marker LASIK, 8.5 mm	32
Corneal Shields Pediatric	45
Cornea marking for Implantation of Toric IOL	225
Cornea Silicone Light Shield	44
Crescent blade bevel up angled	107
Crouch Corneal Protector Adult	45
Culler Rectus Muscle Hook 7 mm	134
Curved Dressing Forceps	80
Curved Enucleation Scissors	167
Curved Eye Scissors	171
Curved Iris Scissors	168, 169
Curved Strabismus Scissors	173, 174
Cystotome Irrigating 23 Gauge Formed	21
Cystotome Irrigating 25 Gauge Formed	21

Alphabetical

Cystotome Irrigating 25 Gauge, Short Radius, Formed.....	21	Fogla Scissors, Left.....	163
Cystotome Irrigating 27 Gauge, Short Radius, Formed.....	21	Fogla Scissors, Right.....	163
DALK.....	221	Fogla Trifacet Spatula.....	183
Dankner Panariello 12 O'Clock Cortex Cannula.....	20	Forceps Folding Akreos.....	64
Dardenne Iris Hook.....	122	Forceps For Scleral Plugs.....	74
Daya Femto Incision Separator.....	183	Foreign Body Removal.....	220
Daya Femto Trans-Lens Hydro Cannula.....	22	Foreign Body Spud.....	111
DeDecker Muscle Forceps.....	67	Francis Chalazion Forceps.....	57
Derf Needle Holder.....	148	Gass Retinal Detachment Hook.....	132
Desmarres Chalazion Forceps.....	56, 57	General Vitreoretinal Instruments.....	228
Desmarres Lid Retractor.....	157	Gill Curved Iris Forceps.....	65
Devers-Terry Dissector Curved.....	184	Gills-Welsh Cannula 10 mm Shaft.....	20
Devers-Terry Dissector Straight.....	184	Gills-Welsh Olive Tip Cannula.....	19
Devgan Micro Capsulorhexis Forceps.....	55	Gills-Welsh Smith Capsule Forceps.....	52
Devgan-Seibel Fixation Ring.....	50	Gills-Welsh Vannas Micro Scissors.....	161
Devgan Universal Cataract Chopper/Multi-Tool.....	132	Gimbel Capsulorhexis Forceps.....	53
DeWecker Iris Scissors.....	169	Girard Fine Tying Forceps Curved.....	86
Diamond Knife Sterilising Tray.....	206	Girard Fine Tying Forceps Straight.....	87
Dieffenbach Serrefine.....	82	Gradle Cilia Forceps.....	58
Disposable Trephine Blade.....	212 - 215	Graefe Fixation Forceps.....	61
Doden Implant Forceps.....	64	Graefe Strabismus Hook 8 mm.....	134
Double Layer Microsurgical Instrument Tray.....	206	Graefe Strabismus Hook 9 mm.....	134
Draeger Conjunctiva Forceps.....	59	Graefe Strabismus Hook 10 mm.....	134
Dressing Forceps.....	79, 81	Graefe Strabismus Hook 10 mm Non-Magnetic.....	135
Drysdale Nucleus Manipulator.....	129	Graether Collar Button Angled.....	19
Drysdale type Nucleus Manipulator.....	128	Graether Collar Button On Handle Angled.....	123
DSAEK.....	221	Grayson Biaxial Combo Manipulator.....	127
Economy Diamond Knife, 45°.....	108	Green Strabismus Hook 7 mm Wide.....	134
Economy Trifacet Diamond Knife.....	108	Greite Soft Lens Manipulator.....	128
Ellis Foreign Body Spud.....	111	Gulani Refractive Marker.....	32
Elschnig Fixation Forceps.....	62	Haefliger Phaco Cleaver.....	130
Engels Capsule Polisher.....	18	Halstead Curved Hemostatic Forceps.....	68
Erickson-Lee Ptosis Clamp.....	66	Halstead Straight Hemostatic Forceps.....	68
Eye Scissors.....	170	Harms Trabeculotome Set.....	153
Eye Scissors, curved.....	170	Harms-Tubingen Tying Forceps Curved.....	86
Femto Cataract Instruments.....	227	Harms-Tubingen Tying Forceps Straight.....	86
Fenzl Insertion Hook.....	126	Harms Tying Forceps Model Tuebingen.....	83
Fine-Castroviejo Suturing Forceps.....	77	Hartman Curved Hemostatic Forceps.....	68
Fine Corneal Carrying Case.....	208	Hartman Straight Hemostatic Forceps.....	68
Flap Lifter LASIK Kohnen.....	187	Henry Cilia Forceps.....	58
Flieringa Fixation Ring 12 mm.....	48	Hermeking Spatula.....	188
Flieringa Fixation Ring 13 mm.....	48	Hirschman Iris Hook.....	123
Flieringa Fixation Ring 14 mm.....	48	Hoe Epithelium LASEK.....	187
Flieringa Fixation Ring 15 mm.....	48	Hu Capsule Polisher.....	182
Flieringa Fixation Ring 16 mm.....	49	Hu Femto Side-Port Chopper.....	131
Flieringa Fixation Ring 17 mm.....	49	Hunt Chalazion Forceps.....	57
Flieringa Fixation Ring 18 mm.....	49	Hydrodissection Cannula 25 Gauge Angled Flat Tip.....	21
Flieringa Fixation Ring 19 mm.....	49	Hydrodissection Cannula 25 Gauge Straight J Shaped.....	21
Flieringa Fixation Ring 20 mm.....	49	Hydrodissection Cannula 27 Gauge.....	22
Flieringa Fixation Ring 21 mm.....	49	I/A Handpiece 20° with Sleeve.....	94
Flieringa Fixation Ring 22 mm.....	49	I/A Handpiece, 45°, 17GA.....	95
Flynn Scleral Depressor.....	178	I/A Handpiece 45° with sleeve for 1.8 C-MICS.....	95
Fogla Air Injection Cannula 25 Gauge.....	14	I/A Handpiece curved, 17GA.....	94
Fogla Air Injection Cannula 27 Gauge.....	15	I/A Handpiece curved, 17GA.....	94
Fogla Pointed Dissector.....	110	I/A Handpiece curved with sleeve for 1.8 C-MICS.....	95

Alphabetical

I/A Handpiece straight, 17GA	94
I/A Handpiece straight with sleeve	95
I/A Handpiece tip, 45°, 17GA	94
I/A Handpiece tip, 90°, 16GA	95
I/A Handpiece tip, 90°, 16GA	95
Illig Symblepharon Ring	139 - 141
Implant Removal	227
Infusion Cannula 2.5 mm Beveled Tip	23
Infusion Cannula 6 mm Beveled Tip	23
Intraocular Diathermy Probe	36
IOL Grasping Forceps	63
IOL Loading Forceps	63
Iris Forceps, Bonn-Conrads	65
Iris Forceps, Mod. Bonn	65
Iris Hook and Nucleus Chopper Double Ended	124
Iris Hook, Model Bonn	123
Iris Retractor With Flexible Fixing	156
Irrigating/Aspirating Handle Stellaris® System	99
Irrigating Cannula Handpiece	26
Irrigating Chopper 19GA	100
Irrigating Chopper 20GA	100
Irrigating Divider 19GA	100
Irrigating Handpiece 21 Gauge 0.4mm	103
Irrigation-Aspiration Tip, Curved	99
Irrigation-Aspiration Tip, Sleeve, Curved	99
Irrigation-Aspiration Tip, Sleeve, Straight, 45°	99
Irrigation-Aspiration Tip, Straight	99
Irrigation-Aspiration Tip, Straight, 45°	99
Irrigation Cannula Mod. Bonn	24
Irrigation Handpiece	101
Irrigation Handpiece 19GA	101, 103
Irrigation Handpiece 20GA	101, 103
Irrigation Handpiece 21GA	100 - 102
Irrigation Handpiece 22GA	101
Irrigation Handpiece 22GA	102
Irrigation Handpiece 23GA	101 - 103
Jackson Lacrimal Intubation Set	29
Jacobi Reposition Hook	124
Jaeger Lid Plate	157
Jaffe Lid Retractor	157
Jameson Caliper	11
Jameson Muscle Forceps Left	67
Jameson Muscle Forceps Left Child Size	68
Jameson Muscle Forceps Right	67
Jameson Muscle Forceps Right Child Size	68
Jameson Muscle Hook	134
Jameson Muscle Hook Small	134
Jensen Capsule Polisher	19
Jeweler Type Bipolar Forceps	38
Jeweler Type Forceps Extra Fine Tying Platform Narrower	67
Jeweler Type Forceps Fine Tying Platform	66
Jeweler Type Forceps Wide Serrated Handle	66
Jewelewicz Rosen Chopper	132
Johnson Spatula	189
Josephberg Hilton Stabilizing Plate	48
Juenemann IOL Explantation Forceps	64
Kansas Nuclear Fragment Forceps	52
Katzin-Barraquer Corneal Forceps	60
Katzin Corneal Transplant Scissors	163, 165
Kellan Hydrodissection Cannula	22
Kelly Descemet's Membrane Punch	209
Kelman-McPherson Forceps	78
Kelman-McPherson Tying Forceps	83, 85
Kennerdell Bayonet Forceps	67
Khan-Jaeger Lid Plate	158
Khan Scleral Shield	45
Kilp Lens	218
Kilp Replacement Silicone Ring for Lens	218
Kimura Platinum Spatula	189
Klein Eye Shield	44
Knapp Curved Strabismus Scissors	174
Knapp Eye Speculum	196
Knolle-Pearce Irrigating Lens Loop	27
Koch and Drysdale Manipulator Double Ended	125
Koch Phacoemulsification Spatula	188
Koch Stop and Chop Manipulator	129
Koch Stop and Chop Manipulator Titanium	126
Koch Stop & Chop Manipulator	127
Kohnen-Koch II LASIK combined instrument	188
Kratz-Barraquer Eye Speculum	198
Kratz-Barraquer Eye Speculum Pediatric	199
Kratz Capsule Scraper Sandblasted Tip	19
Kratz-Nichamin Speculum	198
Kreissig Localizer	178
Kuglen Push Pull Hook	125
Kuhnt Corneal Scarifier	111
Lacrimal Cannula	28, 29
Lacrimal Cannula, 19/23GA	27
Lacrimal Cannula, 25GA	27
Lacrimal Cannula, Model Bonn	29
Lacrimal Cannula, Model Marburg	28
Lacrimal Dilator	152
Lacrimal Dilator, Model Giessen	152
Lambert Chalazion Forceps	57
Lancaster Eye Speculum	196
Laqua Scleral Depressor	178
LASIK	220
LASIK Corneal Scraper	111
LASIK Irrigation Cannula	24
LASIK Speculum with Aspiration	193
Lehner-Utrata Capsulorhexis Forceps	52
Lehner-Utrata Capsulorhexis Forceps Round Handle	53
Lehner-Utrata Capsulorhexis Forceps Round Handle Titanium	55
Lester Fixation Forceps	61, 62
Lester Lens Manipulator	128
Lewis Lens Loop	138
Lieberman Speculum	196
Lieberman Speculum Angled	196
Lieberman Suturing Forceps	78
Light Curved Dressing Forceps	80

Alphabetical

Lindstrom Interface Cannula.....	26	Neuhann Nucleus Rotator.....	128
Littler Curved Dissecting Scissors.....	171	Nichamin Degree Gauge.....	10
Lucke Viscous Fluid Injection Cannula.....	23	Nichamin Double-Ended Nucleus Chopper Spatula.....	130
Lund Iris Hook.....	122	Nichamin Fixation Degree Gauge.....	50
MacGregor Conjunctiva Forceps.....	62	Nichamin Hydrodissection Cannula 25 Gauge.....	22
MacGregor Conjunctiva Forceps Wide.....	62	Nichamin Hydrodissection Cannula 27 Gauge.....	22
Mackool-Bechert Nucleus Rotator.....	130	Nichamin LRI Diamond Knife.....	110
MacRae LASIK Flap Spatula.....	188	Nordan Tying Forceps Curved.....	84
MADLAB Iris Retractor 5/pack.....	156	Nordan Tying Forceps Straight.....	84
Male To Male Cannula Adapter.....	138	Noyes Iris Scissors.....	168
Maloney Capsulorhexis Forceps.....	55	Nucleus Dividing Hook.....	124
Maloney Keratometer.....	11	Nucleus Spatula and Chopper Double Ended.....	124
Maloney No-Hole Manipulator.....	129	Nugent Utility Forceps.....	66
Maloney Quick-Chop Chopper.....	127	O'Connor Scleral Depressor-Marker.....	179
Manometer with Bulb for Oculo-Pressor.....	150	Oculo-Pressor Simplex.....	150
Manson Double Ended Strabismus Hook.....	135	O'Gawa Castroviejo Tying Forceps.....	84
Martinez Double Ended Corneal Dissector Knife.....	112	O'Gawa Lens Dialer.....	126
McIntyre Angled Anterior Chamber Cannula 26 Gauge.....	17	O'Gawa Tying Forceps Curved.....	86
McIntyre Handpiece.....	99	O'Gawa-Utrata Capsulorhexis Forceps.....	53
McIntyre Straight Anterior Chamber Cannula 23 Gauge.....	17	Ong Capsule Scissors.....	160
McNeil Goldman Scleral & Blepharostat Ring.....	48	Ong Irrigation Cannula.....	25
McPherson Angled Bipolar Forceps.....	38	Orbital Retractor-Elevator.....	158
McPherson Needle Holder.....	146	Original Putterman Clamp.....	59
McPherson Straight Bipolar Forceps.....	38	Osher Capsule-Foreign Body Forceps.....	52
McPherson Suturing Corneal Forceps.....	78	Osher Conjunctival Fixation Forceps 0.3 mm.....	62
McPherson Tying Forceps.....	83, 87	Osher Double-Ended Femto Wound Dissector.....	185
McPherson Tying Forceps Angled.....	85	Osher Forceps Elschmig Teeth 012 mm.....	76
McPherson Tying Forceps Straight.....	85	Osher IOL Scissors angled.....	168
McPherson-Vannas Curved Iris Scissors.....	168	Osher "J" Cannula.....	20
Mellinger/Beard Eye Speculum.....	194	Osher Magnifier HD.....	138
Mellinger Eye Speculum.....	193, 197	Osher Needle Holder.....	145
Membrane Pick 130°, 23GA, sterile, 8/box.....	132	Osher-Neumann Corneal Marker 16 Line.....	32
Membrane Pick 130°, 25GA, sterile, 8/box.....	133	Osher-Seibel Folding Forceps.....	64
Menapace Nucleus Divider.....	125	Osher Tying Forceps.....	85
Mendez Degree Gauge.....	11	Osher Tying Forceps Ultra Fine.....	85
Meyerhoefer Chalazion Curette.....	202	Osher „Y“ Hook.....	126
Meyer-Schwickerath Localizer.....	178	Ousley Implant Spatula.....	184
Micro Scissors.....	162, 163	Paton Spatula Double-Ended.....	184
Micro Serrefine.....	82	Paufique Tying Forceps.....	83
MICS 1.0 mm Capsulorhexis Forceps.....	56	Paufique Universal Suturing Forceps.....	75
MICS CapsuleGuard IA® Handpiece, 45°.....	98	Penetrating Keratoplasty.....	222
MICS CapsuleGuard IA® Handpiece, straight.....	97	Peribulbar Needle 23 Gauge.....	15
MICS Capsulorhexis Forceps.....	55	Peribulbar Needle 25 Gauge.....	15
MICS Capsulorhexis Forceps with curved jaws.....	56	Phaco Spatula.....	189
MICS Incision sub 2 mm.....	225	Pierce Colibri Forceps Micro.....	63
Mini Corneal Scissors, Left.....	165	Pierce Forceps Straight.....	84
Mini Corneal Scissors, Right.....	165	Pierce Tying Forceps.....	87
Moody Curved Fixation Forceps.....	61	Pigtail Probe.....	152, 153
Moorfield Suturing Forceps.....	75	Plange Foreign Body Spud.....	111
Murdoch Eye Speculum.....	197	Plastic Tray, 80 x 160 mm.....	206
Nagahara Nucleus Chopper Left.....	130	Plastic Tray, 150 x 250 mm.....	206
Nagahara Nucleus Chopper Left Titanium.....	131	Plug Removal Forceps 25 Gauge.....	74
Nagahara Nucleus Chopper Right.....	130	Polack Double Corneal Forceps Colibri Style.....	60
Nagahara Nucleus Chopper Right Titanium.....	131	Pression Pad.....	150
Needle Holder 9 mm Curved Medium Long Handle.....	145	Pression Pad with Band.....	150

Alphabetical

Pretori Eye Speculum	193	Sinskey Hook II Round Handle Titanium	125
Rentsch Reposition Double Hook.....	123	Sinskey IOL Hook	128
Reposition Hook, Model Frankfurt	124	Sinskey Iris and IOL Hook.....	125
Reposition Hook, Model Mainz	123	Sinskey Iris and IOL Hook Titanium	126
Retrobulbar Cannula	16	Skeele Curette.....	202
Retrobulbar Needle 23 Gauge	15	Slade Laser LRI Dissector.....	183
Retrobulbar Needle 25 Gauge	15, 16	Slade Refractive Cannula.....	25
Reverse Sinskey Hook.....	122	Slade Refractive Spatula.....	188
Rollet Lacrimal Sac Retractor	156	Slit knife 2.2 mm angled double bevel.....	113
Ruedemann Lacrimal Dilator	154	Slit knife 2.4 mm angled double bevel.....	113
Ruler, Model Giessen	12	Slit knife 2.5 mm angled bevel up	113
Safran Capsule Sweep Polisher	182	Slit knife 2.65 mm angled bevel up	113
Sanders-Castroviejo Suturing Forceps.....	76	Slit knife 2.65 mm angled double bevel	114
Sauer Eye Speculum Infant.....	200	Slit knife 2.75 mm angled bevel up.....	114
Sauer Pediatric Eye Speculum.....	193	Slit knife 2.85 mm angled bevel up.....	114, 115
Sauer Suturing Forceps.....	78	Slit knife 2.85 mm angled double bevel.....	114
Saunders Eye Speculum Premature Infant	197	Slit knife 3.0 mm angled bevel up	115
Sautter Air Injection Cannula.....	14	Slit knife 3.2 mm angled bevel up	115
Schaedel Towel Clamp.....	82	Snapper Lens Chopper	126
Scheie Anterior Chamber Cannula 27 Gauge	17	Snyder AC Scissors Tip Curved.....	167
Schepens Orbital Retractor.....	158	Snyder AC Scissors Tip Straight.....	167
Schepens Scleral Depressor Medium.....	178	Snyder Stripping Forceps.....	60
Schocket Double Ended Scleral Depressor	178	Spaide Pediatric Scleral Depressor.....	179
Scleral Pilot Tube.....	139	Spare Tubing For LASIK Specula	192
Scleral Pilot Tube Plug.....	139	Spatula.....	186
Scleral Plugs.....	139	Spatula Epithelium LASEK	187
Scleral Resection Knife	112	Spatula LASIK Kohnen.....	187
Scobee Oblique Muscle Hook	133	Spatula, Model Giessen.....	189
Seibel Ambidextrous Chopper	131	Speculum LASIK with aspiration, open valves.....	194
Sheets Irrigating Vectus	27	Speculum LASIK with aspiration, round valves.....	194
Sheets-Kelman-McPherson Tying Forceps Angled Titanium.....	87	Stab knife 15 degree	116
Sheets-McPherson Tying Forceps Angled.....	84	Stab knife 22.5 degree	116
Shepard Bipolar Forceps Angled	38	Stab knife 30 degree	116
Shepard Incision Irrigating Cannula.....	25	Stab knife 45 degree	117
Shepard IOL Insertion Forceps.....	63	StableGrip™ Vitreoretinal Handle	69
Shepard Tying Forceps Angled	86	Standard Incision between 2.2 mm and 3.0 mm Incision size	223
Shepard Tying Forceps Curved.....	86	Stellaris® System Zero Phaco Handpiece for Femtocataract 2.2 mm.....	98
Shepard Tying Forceps Straight.....	85	Step Trifacet Diamond Knife.....	109
Shepard-Westcott Tenotomy Scissors.....	176	Sterile Single-Use Per Procedure Tray for MICS Incision sub 2 mm	226
Silicone Capsule Polisher 27 Gauge.....	19	Sterile Single-Use Vitreoretinal Instruments 20 Gauge.....	229
SILKO Aspirating Cannula Handpiece	90	Sterile Single-Use Vitreoretinal Instruments 23 Gauge.....	230
SILKO I/A Handpiece, Angled 20° with Sleeve.....	93	Sterile Single-Use Vitreoretinal Instruments 25 Gauge.....	231
SILKO I/A Handpiece, Angled 60°, 16/22GA	93	Sterile Single-Use Vitreoretinal Instruments 27 Gauge.....	231
SILKO I/A Handpiece, Angled 60°, 17/23GA.....	93	Stern-Castroviejo Suturing Forceps 0.5 mm.....	77
SILKO I/A Handpiece, Angled 90° with Sleeve.....	94	Stevens Curved Tenotomy Hook.....	135
SILKO I/A Handpiece, Curved, 16/22GA	93	Stevens Curved Tenotomy Scissors	176
SILKO I/A Handpiece, Curved, 17/23GA.....	93	Stevenson Lacrimal Sac Retractor.....	156
SILKO I/A Handpiece, Straight.....	93	Stevens Straight Tenotomy Scissors	176
Silverstein MICS 1.8 mm Capsulorhexis Forceps	54	Stevens Tenotomy Scissors.....	175
Simcoe Capsule Scrubber	19	STORZ Corneal Forceps Colibri Style.....	81
Simcoe Cortex Extractor 13 mm	20	STORZ Double Fixation Hook 1.5 mm.....	122
Simcoe Cortex Extractor 21 mm.....	20	STORZ Double Fixation Hook 2 mm.....	122
Simcoe Irrigation/Aspiration Unit.....	26	STORZ Needle Holder 7 mm Curved Fine	145
Simcoe Reverse I/A Unit	26	STORZ Needle Holder 9 mm Straight Medium	145
Single-Use Per Procedure Tray	224	STORZ Stitch Scissors Fine Straight.....	174

Alphabetical

Storz Toric Bubble Marker.....	33	Universal Diamond Knife.....	108
STORZ Universal Trephine Handle.....	212	Universal Diamond Knife „MM“, 45°.....	108
Strabismus Hook.....	133	Universal Handle for Blades.....	211
Strabismus Hook, Model Bonn.....	133	Universal Trephine Handle with Cottingham Punch.....	209
Strabismus Hook, Model Essen.....	133	Uthoff Capsule Scissors.....	160
Strabismus Hook, Model Hamburg.....	133	Utrata Capsulorhexis Forceps.....	53
Strabismus Scissors.....	173	Utrata Capsulorhexis Forceps Sharp Tips.....	54
Strabismus Scissors, Mod. Bonn.....	173	Utrata Capsulorhexis Forceps Titanium.....	52, 54
Straight Bipolar Forceps.....	37	Utrata MICS Capsulorhexis Forceps.....	53
Straight Dressing Forceps.....	79	Utrata MICS Capsulorhexis Forceps Titanium.....	54
Straight Eye Scissors.....	171	Vannas Angled Capsulotomy Scissors.....	161
Straight Iris Scissors.....	168, 169	Vannas Capsulotomy Scissors, Curved.....	160
Straight Strabismus Scissors.....	173	Vannas Capsulotomy Scissors, Straight.....	160
Stromal channel Spatula, left.....	183	Vannas Curved Capsulotomy Scissors.....	161
Stromal channel Spatula, right.....	183	Vannas Straight Capsulotomy Scissors.....	161
Strong Curved Dressing Forceps.....	80	Viscoelastic Cannula 27 Gauge.....	30
Suturing Forceps Mod. Zuerich.....	75, 76	Viscoelastic Injection Cannula.....	30
Tanne Universal Disposable Trephine.....	209 - 211	Viscous Fluid Injection Cannula, 4 mm.....	23
T-Connector Metal For Aspiration Speculum.....	192	Viscous Fluid Injection Cannula, 5 mm.....	23
Temporal Approach Lid Speculum - Open Blade.....	198	Viscous Fluid Injection Cannula, 6 mm.....	23
Temporal Approach Lid Speculum Solid Blade.....	199	Watzke Sleeve Spreading Forceps.....	69
Temporal Approach Lid Speculum Wire Blade.....	199	Wecker Iris Spatula.....	185
Terry Scraper Non-Irrigating.....	185	Wecker Spatula, Model Frankfurt.....	186
Thornton Fine Fixation Ring 13mm.....	50	Weil Lacrimal Cannula.....	29
Thornton Fine Fixation Ring 16mm.....	50	Weinstock Wound Dissector.....	184
Thornton Intraocular Lens Forceps.....	64	Weiss Eye Speculum.....	192
Thorpe Conjunctival Fixation Forceps.....	62	Wells Enucleation Spoon.....	203
Thorpe Corneal Fixation Forceps.....	62	Westcott Conjunctival Scissors.....	162
Tissue Forceps.....	79, 81	Westcott Curved Tenotomy Scissors.....	176
Tooke Corneal Knife.....	112	Westcott Micro Tenotomy Scissors.....	175
Trapezoidal knife 1.5 - 1.7 mm angled.....	117	Westcott Tenotomy Scissors.....	175
Trapezoidal knife 1.5 - 2.0 mm angled.....	117, 118	Westcott Type Stitch Scissors.....	174
Trapezoidal knife 1.6 - 1.8 mm angled.....	118	Westcott Type Utility Scissors.....	170
Trapezoidal knife 1.8 - 2.2 mm angled.....	118	West Lacrimal Cannula.....	29
Trapezoidal knife 2.0 - 2.2 mm angled.....	118	Westcott Curved Tenotomy Scissors.....	175
Trapezoidal knife 2.85 - 3.2 mm angled.....	119	Whitman Axis Marker.....	10
Trephine LASEK Titanium, 8.0 mm.....	208	Whitman Shepherd Double-Ended Capsule Polisher.....	182
Trephine LASEK Titanium, 9.0 mm.....	208	Wilder Lacrimal Dilator.....	152
Triple Edge Arcuate Diamond Knife, 15°.....	109	Wilder Lens Loop.....	138
Trocar Ports Grasping Forceps.....	69	Williams Eye Speculum 11 mm.....	196
Troutman Alpha-Chymotrypsin Cannula.....	25	Williams Eye Speculum 14 mm.....	196
Troutman-Barraquer Colibri Type Forceps.....	59	Wills Hospital Utility Forceps.....	66
Troutman-Barraquer Corneal Utility Forceps.....	60	Wilmer Conjunctival and Utility Scissors.....	162
Troutman-Barraquer Corneal Utility Forceps Colibri Style 0.3 mm.....	86	Worst Pigtail Probe.....	153
Troutman-Castroviejo Corneal Scissors.....	166	Yalon Hydrodissection Cannula 25 Gauge.....	22
Troutman-Chris Blade Breaker and Holder.....	106	Y-Nucleus Manipulator and Chopper Double Ended.....	124
Troutman Curved Conjunctival Scissors.....	161	Y-shaped Nucleus Rotator.....	128
Troutman Microscissors.....	162	Zero Phaco Aspiration Handpiece.....	92
Troutman Needle Holder 10 mm Curved Medium.....	147	Zero Phaco Handpiece for Femtocataract 2.2 mm.....	98
Troutman Superior Rectus Forceps.....	76		
Tuebingen Tying Forceps.....	84		
Tying Forceps, Model Tuebingen.....	83		
Tying Forceps, straight.....	87		
Tying Forceps Straight Titanium.....	84		
Ulterich Aspirating Cannula Size 1.....	18		

Catalogue/Number

2-100	84	51130	152	55310	124	64022	79
2-110	74	51171	152	55350	182	64023	79
2-132	60	51171Y1	153	55415	128	64090	65
2-410	84	52021	192	55461	128	64091	65
2-420	84	52022	192	55470	123	64220	65
2-500	84	52051	157	55480	124	65023S-12	72
2-700	63	52070	193	55481	124	65025S-12	72
2-719	52	52111	193	55482	124	65050	52
2-800	61	52112	193	55483	124	65150G	76
3-205	145	52121	197	55484	125	65245	63
6-250	125	52121H	198	55485	125	65360Y1	74
6-400	125	52121K	198	56040A	178	65365	69
6-700	11	52123Y1	198	56081	12	65400	64
9-729	32	52125Y1	198	56201A	178	65520	64
33-203	145	52131	193	56210A	178	65530	64
13091A	111	52132	193	57051	10	67120	67
13100A	111	52135	193	57052	10	72051	144
13131A	111	52136	194	57061	156	72052	144
13132A	111	52137	194	57071	156	72053	144
13135	111	52141	194	57150	189	72054	144
13580Y5	108	52142	194	57190A	133	72060	106
13580Y7	108	52191	157	57200A	133	72141	106
16021A	112	52201	194	57260A	133	73021	144
23010	162	52201Y3	195	57440A	133	73022	144
23060	169	52202	194	61010	58	73023	144
23121	162	52203	195	61040	58	73030	145
23122	162	52250	195	61050	58	73050	145
23130	162	53001T	32	61080	58	73111	145
23140	163	53003T	187	62021	56	77011	82
23160	163	53004T	187	62022	56	77012	82
23201	163	53005T	32	62023	57	81055	27
23202	163	53006T	32	62041	75	81056	27
24020	170	53008T	208	62042	75	81061-6	28
24050	170	53009T	208	62045Y1	75	81071	28
24071	168	53010T	187	62071	75	81072	28
24081	160	53011T	187	62072	75	81073	28
24082	160	53013T	188	62110	75	81074	28
24083	160	53300	183	62130	59	81075Y1	28
24084	160	53301	183	63020	59	81075Y3	28
25030	160	54055	156	63031	59	81080-6	29
25030Y2	160	54113A	185	63032	59	82020S	25
25040	160	54121A	185	63038	59	83010	24
27012	175	54161	185	63051	83	83011	24
27041	173	54190A	123	63052	83	84021	24
27051	173	54250	186	63070	83	84022	24
27052	173	54270A	186	63071	83	85021	24
27060	175	54270Y2A	186	63080	83	85050-6	14
27062	175	54270Y4	186	63120	75	85050Y1-6	14
27070	173	54290	122	63120Y1	76	85100-6	14
27082	175	54410	122	63150	83	85110-6	18
27100	175	54420	188	63160	83	85121	18
51011	152	55290	123	63250	84	85266	18
51012	152	55300	124	64011	79	85268	18
51013	152	55305	130	64020	79	85269	24
51100	152	55306	130	64021	79	85272	25

Catalogue/Number

85730	25	85912ST	96	D8200	37	E0598	135
85761	93	85913S	97	D8201	37	E0600	135
85763	93	85913ST	97	D8203	36	E0615	27
85764	93	85914S	97	E0100 E	108	E0622	188
85765	93	85914ST	97	E0100 M	108	E0629	129
85766	93	85915S	98	E0102 M	108	E0631	27
85770	93	85915ST	98	E0103 E	108	E0636	129
85771	94	85950	90	E0104 ACC18	109	E0644	138
85772R	90	85951	94	E0104 ACC22	109	E0645	182
85774R	90	85955	101	E0104 ACC25	109	E0648	138
85775	100	85957	101	E0105 M	109	E0651	131
85776R	90	85958	101	E0112	109	E0712	188
85777	100	85967	91	E0117	110	E0713 G	129
85778R	90	85968	91	E0123	110	E0729	126
85779	101	86015Y2	23	E0390	112	E0730	189
85780S	91	86015Y3	23	E0421	153	E0750 NS	156
85781S	101	86016	23	E0474	186	E0756	131
85782S	94	86028	139	E0478	183	E0780	202
85783S	94	87122-6	16	E0479	183	E0781	202
85783ST	94	90010	150	E0480	110	E0782	202
85784S	94	90011	150	E0481	186	E0783	202
85784ST	95	90012	150	E0484	189	E0784	202
85785S	95	90013	150	E0485	187	E0790	202
85786S	95	90014	150	E0489	189	E0846	111
85786ST	95	93011	192	E0497	30	E0980	157
85787S	102	93012	192	E0499 27	14	E0981	157
85787ST	102	93100S	208	E0499 30	14	E0982	157
85789S	102	96060	139	E0508	19	E0997	157
85790S	91	99195	192	E0511	182	E1064	157
85791S	102	99272	44	E0511 ED	19	E1069	158
85792S	91	99273	44	E0523	182	E1069 S	158
85794ST	95	99275	44	E0532	122	E1091	189
85795ST	95	99281Y4	44	E0533	122	E1400	79
85800	100	99420Y1	139	E0542	125	E1404	79
85802	90	99420Y2	140	E0545	125	E1406	80
85803	101	99420Y3	140	E0549 H	123	E1408	80
85804	90	99420Y4	140	E0564	133	E1410	80
85805	101	99420Y5	140	E0566 A	19	E1475	65
85806S	102	99420Y6	141	E0566 SA	123	E1500	80
85806ST	102	99420Y7	141	E0569	126	E1500 C	80
85807S	103	99420Y8	141	E0570 N	130	E1502	80
85807ST	103	99420Y9	141	E0571	128	E1506	81
85809	100	99420Y10	139	E0572	126	E1553	61
85850	26	99441Y1	44	E0577	126	E1560	61
85900S	91	99441Y2	44	E0578 L	130	E1564	76
85901S19	91	99441Y5	45	E0578 R	130	E1654	61
85901S20	92	99500	218	E0579	129	E1656	62
85902S19	103	99501	218	E0580	134	E1684	62
85902S20	103	99501Y1	218	E0586	134	E1686	76
85902ST19	103	BL3160	99	E0586 S	134	E1717	62
85903S19	100	BL3161	99	E0588	134	E1730	62
85903S20	100	BL3163	99	E0590	131	E1732	62
85910S	96	BL3164	99	E0591	134	E1735	62
85910ST	96	BL3165	99	E0592	134	E1736	62
85912S	96	BL3166	99	E0593	134	E1793	63

Catalogue/Number

E1795	63	E2330	67	E3096 72G	213	E3307	166
E1796	76	E2331	67	E3096 72LG	213	E3315	161
E1796 S	76	E2334	68	E3096 75G	213	E3316	162
E1796 WO	84	E2335	68	E3096 75LG	213	E3320L	175
E1797	76	E2402	11	E3096 77G	214	E3320R	175
E1798	77	E2404	11	E3096 77LG	214	E3320RS	176
E1798 S	77	E2410	11	E3096 8.0G	214	E3320RX	176
E1800	77	E2421	11	E3096 8.0LG	214	E3321	174
E1805	77	E2424	48	E3096 8.2G	214	E3321MWH	166
E1805 XD	77	E2430	10	E3096 8.2LG	214	E3322	170
E1806	77	E2431	33	E3096 8.5G	214	E3340	174
E1807	84	E2433	11	E3096 8.5LG	215	E3343	168
E1808	85	E2500	65	E3096 8.7G	215	E3344	168
E1809	77	E2504	65	E3096 8.7LG	215	E3347	168
E1810	85	E2508	59	E3096 9.0G	215	E3349	168
E1811 G	78	E2515	66	E3096 9.0LG	215	E3360	169
E1813 A	78	E2604	57	E3096 9.2G	215	E3366	169
E1813 AK	78	E2610	57	E3096 9.5G	215	E3383 C	170
E1813 S	78	E2618	57	E3097	209	E3383 S	170
E1815 A	85	E2632	57	E3097 BP	209	E3386	161
E1815 ABG	85	E2640	57	E3112	184	E3387	161
E1815 AKG	85	E2798	209	E3113	184	E3388	161
E1815 S	85	E2976	64	E3114	184	E3388 GWL	161
E1817 S	78	E2988	64	E3119	122	E3390 A	161
E1830	78	E2998	183	E3124	185	E3404	169
E1855	85	E2999	184	E3125	184	E3405	169
E1855 A	86	E3001	112	E3190	60	E3408	169
E1855 C	86	E3046	184	E3191	86	E3410I	171
E1881	86	E3048	208	E3192 FT	86	E3412I	171
E1888 C	86	E3050 6.0G	209	E3192 FTS	87	E3424	171
E1888 S	86	E3050 6.5G	210	E3199	60	E3426	171
E1892	66	E3050 6.25G	210	E3199 GW	52	E3436	171
E1900	66	E3050 6.75G	210	E3205	81	E3450	162
E1904	66	E3050 7.0G	210	E3215	60	E3490	166
E1943 22	63	E3050 7.5G	210	E3217 L	163	E3552I	176
E1946	66	E3050 7.25G	210	E3217 R	163	E3554I	176
E1947 T1	66	E3050 7.75G	210	E3218 L	164	E3556I	176
E1947 T5	67	E3050 8.0G	211	E3218 MM	164	E3560	176
E2002 C	52	E3050 8.5G	211	E3218 R	164	E3562	176
E2002 F	53	E3050 8.25G	211	E3220	164	E3570I	173
E2002 G	53	E3050 8.75G	211	E3221	164	E3571I	173
E2002 GE	53	E3050 9.0G	211	E3222 R	164	E3572I	174
E2002 M	53	E3050 9.25G	211	E3223	164	E3577	174
E2002 R	53	E3050 H	211	E3231L	165	E3578	174
E2002 RC	53	E3067	208	E3231R	165	E3580	171
E2002 S	54	E3095	212	E3232	165	E3651	167
E2015	60	E3096 6.0G	212	E3233	165	E3652	167
E2026	54	E3096 6.0LG	212	E3243	170	E3705	158
E2030	52	E3096 6.2G	212	E3300	165	E3706	158
E2039	60	E3096 6.5G	212	E3301	165	E3720	203
E2040	122	E3096 6.5LG	212	E3304	165	E3740	203
E2077	52	E3096 6.7G	212	E3304 M	166	E3742	203
E2156	58	E3096 6.7LG	213	E3305	166	E3796	145
E2160	58	E3096 7.0G	213	E3305 M	166	E3807 WO	145
E2304	67	E3096 7.0LG	213	E3306	166	E3828 CW	146

Catalogue/Number

E3828 CWO	146	E4107 K	199	E5008	158	ED7184	27
E3828 SW	146	E4107 P	199	E5100 10	178	ED7187	27
E3828 SWO	146	E4107 PS	200	E5107	178	ET0545	126
E3835	146	E4110	200	E5108	178	ET0578 L	131
E3836 C	146	E4111	197	E5109	179	ET0578 R	131
E3836 CW	146	E4112	200	E5112	179	ET0703	132
E3839	147	E4118 T	192	E5378	69	ET0713	126
E3842	147	E4198	153	E5651	29	ET0736	132
E3843	147	E4222	123	E5699	45	ET0738	127
E3844	147	E4251	153	E5699 P	45	ET1088 TS	54
E3845	147	E4251 C	153	E6754	135	ET1103	127
E3848	147	E4340	154	E6760	81	ET1104	127
E3849	147	E4366	154	E6764	81	ET1202	54
E3850	148	E4395 19	17	E6774	82	ET1306	168
E3852	148	E4395 22	17	E7003	138	ET1807	87
E3861	148	E4395 27	99	E7406	206	ET1811	78
E3861 WHMC	148	E4404	29	E7407	206	ET2002	54
E3864	148	E4407	25	E7409	206	ET2002 RC	55
E3876	148	E4408	29	E7411	206	ET2009	55
E3897	82	E4411	29	E7920	36	ET2012	55
E3900	82	E4414	25	E7924	36	ET2423	10
E3904	82	E4414 GW10	19	E7925	36	ET2912 CE	63
E3915	68	E4418	29	E7926	36	ET2997	185
E3916	68	E4419	22	E7927	36	ET3126	33
E3920	68	E4420	20	E7927	36	ET3199	61
E3922	68	E4421 H	22	E7928	38	ET4600	45
E4033	48	E4421 H27	22	E7929	36	ET4750 A23	92
E4034 12	48	E4425 25	22	E7930	37	ET4750 AP23	92
E4034 13	48	E4500	156	E7931	37	ET4750 I21	103
E4034 14	48	E4590	209	E7932	37	ET4753 A23	92
E4034 15	48	E4922	17	E7933	37	ET4937	127
E4034 16	49	E4924 25	14	E8164	67	ET8190 H	55
E4034 17	49	E4924 27	15	E8709	74	ET8198 H	69
E4034 18	49	E4925	25	E9012	50	ET8306 CTL	167
E4034 19	49	E4928	17	E9022 16	32	ET8306 STL	167
E4034 20	49	E4928	17	E9110	188	ET8309	69
E4034 21	49	E4929	22	ED7101	16	ET8310	70
E4034 22	49	E493110	20	ED7102	16	ET8312	70
E4040	195	E4933	129	ED7103	16	ET8315	172
E4041	195	E4937	129	ED7104	17	ET8316	172
E4050	196	E4937 M	130	ED7105	17	ET8508	70
E4051	196	E4966	20	ED7106	17	ET8509	70
E4056	196	E4968	20	ED7112	21	ET8510	71
E4064	196	E4968 A	138	ED7113	21	ET8512	71
E4065	196	E4969	20	ED7114	21	ET8514	71
E4065 A	196	E4969 CS	19	ED7115	21	ET8515	172
E4072	197	E4969 L	20	ED7131	15	ET8516	172
E4073	197	E4971 G	26	ED7132	15	ET9019	50
E4094	197	E4971 RG	26	ED7133	15	ET9020	50
E4106 KT	198	E4981	18	ED7134	15	ET9044	50
E4106 N	198	E4982	18	ED7135	16	ET9079	32
E4106 S	199	E4991	132	ED7153	19	LP7510	107
E4106 ST	199	E4996	26	ED7154 S	21	LP7515	116
E4106 T	199	E4999	16	ED7155	21	LP7519	112
E4107	199	E5002	23	ED7159	22	LP7520	112
		E5005	139	ED7182	30		

Catalogue/Number

LP7522	116	SUE0712	56
LP7527	106	SUE0812	56
LP7528	107	SUF01	127
LP7530	116	SUF02	128
LP7545	117	SUF03	189
LP7548ADB	113	SUF04	128
LP7549ADB	113	SUF05	128
LP7550A	113	SUF06	128
LP7551A	113	SUH01	197
LP7551ADB	114	SUH04	195
LP7552ADB	114	SUI03-12	72
LP7553A	114	SUI05-12	72
LP7556A	115	SUI07-12	73
LP7557A	115	SUI08-12	73
LP7559A	114	SUI09-12	73
LP7582	119	SUI10-12	73
LP7587A	107	SUI11-12	73
LP7592	119	SUI12-12	73
LP7593	119	SUI13-12	72
LP7594	106	SUI14-12	74
LP7595	106	SUI20-12	56
LP7596	117	SUJ02	42
LP7599	117	SUJ03	42
LP7600	118	SUJ06	42
LP7601	118	SUJ07	42
LP7603	118	SUJ08	40
MVS1022	26	SUJ09	40
MVS1031	23	SUJ10	40
MVS1035	23	SUJ11	40
S20501	38	SUJ12	41
S205010A	38	SUJ13	41
S205010S	38	SUJ14	41
S205014A	38	SUJ17	41
SUB7515	116	SUK01	132
SUB7522	116	SUK02	133
SUB7528	107	SUP05	92
SUB7530	116	SUP06	98
SUB7545	117	SUP06ST	98
SUB7548ADB	113		
SUB7549ADB	113		
SUB7552ADB	114		
SUB7553A	115		
SUB7556A	115		
SUB7557A	115		
SUB7559A	114		
SUB7596	118		
SUB7599	117		
SUB7600	118		
SUB7601	118		
SUE0112	55		
SUE0212	74		
SUE0312	87		
SUE0412	87		
SUE0512	87		
SUE0612	55		

Find the complete range of Bausch + Lomb Storz® Ophthalmic Instruments on
www.storzeye.eu

CONTACTS

Benelux

The Netherlands
Tel. +31 20 20 35 401
Fax +31 20 20 35 402

Belgium - Luxembourg
Tel. +32 3 280 82 40
Fax +32 3 280 82 59

Czech Republic

Tel. +420 234 719 601
Fax +420 234 719 619

France

Tel. +33 4 67 12 30 30
Fax +33 4 67 12 30 31

Germany, Switzerland and Austria

Tel. +49 30 33093-0
Fax +49 30 33093-201

Greece

Tel. +30 1674 8170
Fax +30 1674 8234

Italy

Tel. +39 039 20731
Fax +39 039 2010081

Middle East

Tel. +9714 706 5900
Fax +9714 399 5964

North Africa

Tel. +9714 706 5901

Nordic Countries

Tel. +46-8-616-9500
Fax +46-8-669-8623

Poland

Tel. +48 (22) 627 28 88
Fax +48 (22) 627 28 89

Portugal

Tel. +351 21 4241425
Fax +351 214 241 519

Russia

Tel. +7 495 510 2879 0
Office.ru@valeant.com

South Africa

Tel. +27 11 259 2600
Fax +27 11 259 2650

Spain

Tel. +34 91 657 6300
Fax +34 902 250 300

Turkey

Tel. +90 2123718200
Fax +90 2122830330

Ukraine

Tel. +38 044 459 0484
Fax +38 044 459 0484

United Kingdom

Tel. +44 20 8781 0000
Fax +44 20 8781 0001

Bausch + Lomb GmbH


Im Schuhmachergewann 4
69123 Heidelberg, Germany

Contact your Bausch + Lomb representative to learn about our products

®/TM are trademarks of Bausch & Lomb Incorporated or its affiliates. All other product/brand names are trademarks of their respective owners. © 2018 Bausch + Lomb Incorporated.

www.bausch.com/www.bauschsurgical.eu

 @BauschSurgical

 Bausch + Lomb Surgical

BAUSCH + LOMB
See better. Live better.



PREMED PHARMA KFT.
CÍM 2040 Budaörs, Gyár u. 2.
TELEFON 06 23 889 700
FAX 06 23 889 710
E-MAIL info@premedpharma.hu
WEB www.premedpharma.hu